



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**A & L Septic Tank Products, Inc.**

ACTIVE

Orange

P. O. Box 677878  
 Orlando, FL 32867

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
48-029-01S-C3	C3	2.50	42.88			750		3/22/2002	
REMARKS:									
48-029-02D-C4	C4	4.00	43.00	63	90	750	1,061	11/1/2010	
REMARKS:									
48-029-02S-C4	C4	4.00	43.00	63	90	750	967	11/1/2010	
REMARKS:									
48-029-03D-C4	C4	6.00	46.00	60	100	750	967	11/9/2010	
REMARKS: C4 and H20 traffic rated									
48-029-03S-C4	C4	6.00	46.00	60	100	750	1,061	11/9/2010	
REMARKS: C4 and H20 traffic rated									
48-029-04D-C3	C3	2.50	42.88			900		3/22/2002	
REMARKS:									
48-029-04S-C3	C3	2.50	42.88			900		3/22/2002	
REMARKS:									
48-029-08D-C3	C3	2.50	42.87			1050		3/22/2002	
REMARKS: was tank # 09B									
48-029-08S-C3	C3	2.50	42.88			1050		3/22/2002	
REMARKS:									
48-029-12D-C3	C3	2.50	46.50			1200		3/22/2002	
REMARKS: 2.50" wall thickness									
48-029-12S-C3	C3	2.50	46.50			1200		3/22/2002	
REMARKS: 2.50" wall thickness									
48-029-13D-C4	C4	4.00	43.50			1200		3/22/2002	
REMARKS: 4.00" wall thickness.									
48-029-13S-C4	C4	4.00	43.50			1200		3/22/2002	
REMARKS: 4.00" wall thickness									
48-029-14D-C4	C4	4.00	46.50	70	118	1250	1,599	11/9/2010	
REMARKS: C4 and H20 traffic rated									
48-029-14S-C4	C4	4.00	46.50	70	118	1250	1,599	11/9/2010	
REMARKS: C4 and H20 traffic rated									
48-029-15D-C4	C4	6.00	59.00	72	102	1250	1,543	11/9/2010	
REMARKS: C4 and H20 traffic rated									
48-029-15S-C4	C4	6.00	59.00	72	102	1250	1,543	11/9/2010	
REMARKS: C4 and H20 traffic rated									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**A & L Septic Tank Products, Inc.**

ACTIVE

Orange

P. O. Box 677878  
 Orlando, FL 32867

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
48-029-20D-C3	C3	3.00	46.50			1500		3/22/2002	
REMARKS: was tank # 20B									
48-029-20S-C3	C3	3.00	43.50			1500		3/22/2002	
REMARKS:									
48-029-32D-C3	C3	3.50	42.00			2000		3/22/2002	
REMARKS:									
48-029-32S-C3	C3	3.50	42.00			2000		3/22/2002	
REMARKS: was tank # 32									
48-029-56D-C3	C3	3.50	59.00			3000		3/22/2002	
REMARKS:									
48-029-56S-C3	C3	3.50	59.00			3000		3/22/2002	
REMARKS:									
48-029-90S-C3	C3	2.50	42.87			750		3/22/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**AA Septic Tank Service, Inc.**

ACTIVE

Duval

8300 W. Beaver  
 Jacksonville, FL 32220-2301

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
16-065-01S-C3	C3	2.50	42.88	60	86	750	888	3/6/2002	
REMARKS:									
16-065-02D-C4	C4	3.00	42.88			750		9/13/2004	
REMARKS: steel reinforced---5000 psi 28-day compressive strength concrete.									
16-065-02S-C4	C4	3.00	42.88			750		9/13/2004	
REMARKS: -steel reinforced---5000 psi 28-day compressive strength concrete.									
16-065-03D-C4	C4	6.00	32.00	48	136	750	905	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-03S-C4	C4	6.00	32.00	48	136	750	905	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-04D-C4	C4	6.00	40.00	48	136	900	1,101	2/22/2011	
REMARKS: Tank rated for H-20 traffic4S									
16-065-04S-C4	C4	6.00	40.00	48	136	900	1,101	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-05S-C4	C4	2.50	45.00			525	626	9/13/2004	
REMARKS: steel reinforced---5000 psi 28-day compressive strength concrete.									
16-065-06D-C3	C3	2.50	42.00			900		3/6/2002	
REMARKS: monolithic baffle									
16-065-07D-C4	C4	3.00	42.00			900		9/13/2004	
REMARKS: monolithic baffle-steel reinforced---5000 psi 28-day compressive strength concrete.									
16-065-09D-C3	C3	2.50	42.88	60	102	900	1,044	3/6/2002	
REMARKS: slide-in baffle									
16-065-09S-C3	C3	2.50	42.88	60	102	900	1,068	3/6/2002	
REMARKS:									
16-065-10D-C3	C3	2.50	42.88	60	118	1050	1,224	3/6/2002	
REMARKS: slide-in baffle									
16-065-10S-C3	C3	2.50	42.88	60	118	1050	1,248	3/6/2002	
REMARKS:									
16-065-11D-C4	C4	3.00	42.00			1050		9/13/2004	
REMARKS: monolithic baffle-steel reinforced---5000 psi 28-day compressive strength concrete.									
16-065-12D-C3	C3	2.50	42.88	60	136	1250	1,426	3/6/2002	
REMARKS: 900/300 dual tank; also 600/300 dual tank with 300 gallon pump tank									
16-065-12S-C3	C3	2.50	42.88	60	136	1250	1,450	3/6/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**AA Septic Tank Service, Inc.**

ACTIVE

Duval

8300 W. Beaver  
 Jacksonville, FL 32220-2301

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
16-065-13D-C4	C4	2.50	42.00			1250	1,442	9/13/2004	
REMARKS: monolithic baffle-steel reinforced---5000 psi 28-day compressive strength concrete.									
16-065-14D-C4	C4	6.00	48.00	71	108	1250	1,525	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-14S-C4	C4	6.00	48.00	71	108	1250	1,525	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-15D-C4	C4	6.00	47.00	60	136	1050	1,269	1/31/2011	
REMARKS: Also H-20 traffic rating									
16-065-15S-C4	C4	6.00	47.00	60	136	1050	1,307	1/31/2011	
REMARKS: Also H-20 traffic rating									
16-065-19D-C4	C4	6.00	47.00	83	108	1900	2,189	1/31/2011	
REMARKS: Also H-20 rating									
16-065-19S-C4	C4	6.00	47.00	83	108	1900	2,274	1/31/2011	
REMARKS: Also H-20 rating									
16-065-20D-C3	C3	3.00	49.00			1500		3/6/2002	
REMARKS: monolithic baffle									
16-065-20D-C4	C4	4.00	49.00			1500		6/30/2004	
REMARKS: monolithic baffle									
16-065-20S-C4	C4	4.00	49.00			1500		6/30/2004	
REMARKS:									
16-065-21D-C4	C4	6.00	58.00	83	108	1500	1,830	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-21S-C4	C4	6.00	58.00	83	108	1500	1,830	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-32D-C3	C3	3.00	48.00			2000		5/14/2002	
REMARKS: monolithic baffle									
16-065-32D-C4	C4	4.00	48.00			2000		6/30/2004	
REMARKS: monolithic baffle									
16-065-32S-C3	C3	3.00	48.00	81	156	2000	2,593	5/14/2002	
REMARKS:									
16-065-32S-C4	C4	4.00	48.00			2000		6/30/2004	
REMARKS:									
16-065-40D-C3	C3	3.00	49.75	81	156	2300	2,600	5/14/2002	
REMARKS: monolithic baffle									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**AA Septic Tank Service, Inc.**

ACTIVE

Duval

8300 W. Beaver  
 Jacksonville, FL 32220-2301

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
16-065-40D-C4	C4	4.00	49.75			2300		6/30/2004	
REMARKS: monolithic baffle									
16-065-40S-C3	C3	3.00	49.75			2300		5/14/2002	
REMARKS:									
16-065-40S-C4	C4	4.00	49.75			2300		6/30/2004	
REMARKS:									
16-065-41D-C4	C4	6.00	63.00	83	157	2500	3,096	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-41S-C4	C4	6.00	63.00	83	157	2500	3,096	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-44D-C4	C4	4.00	54.00			2500		6/30/2004	
REMARKS: monolithic baffle									
16-065-44D-C3	C3	3.00	54.00	81	156	2500	2,870	5/14/2002	
REMARKS: monolithic baffle									
16-065-44S-C4	C4	4.00	54.00			2500		6/30/2004	
REMARKS:									
16-065-44S-C3	C3	3.00	54.00	81	156	2500	2,916	5/14/2002	
REMARKS:									
16-065-48D-C4	C4	4.00	60.00	83	158	2700	3,158	6/30/2004	
REMARKS: monolithic baffle									
16-065-48D-C3	C3	3.00	60.00			2700		5/14/2002	
REMARKS: monolithic baffle									
16-065-48S-C4	C4	4.00	60.00	83	158	2700	3,200	6/30/2004	
REMARKS:									
16-065-48S-C3	C3	3.00	60.00			2700		5/14/2002	
REMARKS:									
16-065-61S-C4	C4	2.50	42.00			300		3/6/2002	
REMARKS:									
16-065-EF10-C4	C4	4.00	48.00			2000		PBTS 6/30/2004	
REMARKS: houses the EnviroFilter 1000 gpd PBTS unit									
16-065-EF18-C3	C3	4.00	60.50	83	158	2700	3,215	PBTS 7/12/2007	
REMARKS: houses the EnviroFilter 1800, 1700, 1600, 1500, 1400, 1300, 1200, 1100, GPD PBTS units									
16-065-EF3-C3	C3	2.50	42.88			750		PBTS 6/30/2004	
REMARKS: houses the EnviroFilter 300 gpd PBTS unit									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**AA Septic Tank Service, Inc.**

ACTIVE

Duval

8300 W. Beaver  
 Jacksonville, FL 32220-2301

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL USE	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)			
16-065-EF5-C3	C3	2.50	42.88			1050		PBTS	6/30/2004	
REMARKS: houses the EnviroFilter 500 gpd PBTS unit										
16-065-EF7-C4	C4	4.00	49.00			1500		PBTS	6/30/2004	
REMARKS: houses the EnviroFilter 750 gpd PBTS unit										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Aero-Tech**

ACTIVE

2900 Gary Drive  
 Plymouth IN 46563

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL	
				WIDTH	LENGTH		GALLONS (Pump Tanks)	USE	DATE
70-147-AT2-C3	C3	0.25	66.00	64	64	835	ATU	7/6/2010	
REMARKS: Fiberglass. Houses Aero-Tech AT-500 gallon per day ATU. Requires 500 gallon minimum pretreatment tank. W/o clarifier can be pretreatment tank to AT-750 ATU									
70-147-AT3-C3	C3	0.25	66.00	64	64	835	ATU	7/6/2010	
REMARKS: Fiberglass. Houses Aero-Tech AT-600 gallon per day ATU. Requires 600 gallon minimum pretreatment tank. W/o clarifier can be pretreatment tank to AT-750 ATU									
70-147-AT4-C3	C3	0.25	66.00	72	72	1050	ATU	7/6/2010	
REMARKS: Fiberglass. Houses Aero-Tech AT-750 gallons per day ATU. Requires 750 gallon minimum pretreatment tank. W/o clarifier can be pretreatment tank to AT-1000 ATU									
70-147-AT5-C3	C3	0.25	66.00	84	84	1450	ATU	7/6/2010	
REMARKS: Fiberglass. Houses Aero-Tech AT-1000 gallons per day ATU. Requires 1000 gallon minimum pretreatment tank.									
70-147-AT6-C3	C3	0.25	72.00	96	96	2100	ATU	12/20/2010	
REMARKS: Fiberglass. Houses Aero-Tech AT-1500 gallons per day ATU. Requires 1500 gallon minimum pretreatment tank.									
70-147-AT7-C3	C3	0.25	72.00	48	48	525		3/2/2011	
REMARKS: 48" diameter fiberglass tank									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Alpha General Services, Inc.**

ACTIVE

Highlands

Post Office Box 3331  
 Sebring, FL 33871

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
28-004-00S-C3	C3	0.25	52.00			750		3/22/2002	
REMARKS: Also used to house the Envirofilter Model 300F PBTS.									
28-004-01S-C4	C4	0.38	52.00			750		3/22/2002	
REMARKS: Also used to house the Envirofilter Model 300F PBTS.									
28-004-02S-C3	C3	0.30	36.00			200		3/22/2002	
REMARKS:									
28-004-03S-C3	C3	0.30	36.00			350		3/22/2002	
REMARKS:									
28-004-04D-C3	C3	0.25	56.00			900		3/22/2002	
REMARKS: Also used to house the Envirofilter Model 450F PBTS.									
28-004-04S-C3	C3	0.25	56.00			900		3/22/2002	
REMARKS:									
28-004-05D-C4	C4	0.38	56.00			900		3/22/2002	
REMARKS: Also used to house the Envirofilter Model 450F PBTS.									
28-004-05S-C4	C4	0.38	56.00			900		3/22/2002	
REMARKS:									
28-004-08D-C3	C3	0.25	59.00			1050		3/22/2002	
REMARKS:									
28-004-08S-C3	C3	0.25	59.00			1050		3/22/2002	
REMARKS:									
28-004-09D-C4	C4	0.38	59.00			1050		3/22/2002	
REMARKS:									
28-004-09S-C4	C4	0.38	59.00			1050		3/22/2002	
REMARKS:									
28-004-12D-C3	C3	0.25	54.00			1200		3/22/2002	
REMARKS: Also used to house the Envirofilter Model 600F PBTS.									
28-004-12S-C3	C3	0.25	54.00			1200		3/22/2002	
REMARKS:									
28-004-13D-C4	C4	0.38	54.00			1200		3/22/2002	
REMARKS: Also used to house the Envirofilter Model 600F PBTS.									
28-004-13S-C4	C4	0.38	54.00			1200		3/22/2002	
REMARKS:									
28-004-16D-C3	C3	0.25	54.00			1350		3/22/2002	
REMARKS: was-17									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Alpha General Services, Inc.**

ACTIVE

Highlands

Post Office Box 3331  
 Sebring, FL 33871

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL			APPROVAL DATE	FAMILY
							GALLONS	USE			
28-004-16S-C3	C3	0.25	54.00			1350				3/22/2002	
REMARKS:											
28-004-17D-C4	C4	0.38	54.00			1350				3/22/2002	
REMARKS:											
28-004-17S-C4	C4	0.38	54.00			1350				3/22/2002	
REMARKS:											
28-004-18S-C3	C3	0.25	50.00			1300	1,552	ATU		3/22/2002	
REMARKS: for use with BIO-Microbics ATUs MF 0.5, when used with 350gal min. settling tank; MF 0.75 when used with a 375 gal min. settling tank; MF 0.9 when used with a 500 gal min. settling tank; all in lid installation.											
28-004-20D-C3	C3	0.30	54.00			1500				3/22/2002	
REMARKS: was-21											
28-004-20S-C3	C3	0.30	54.00			1500				3/22/2002	
REMARKS:											
28-004-24D-C3	C3	0.30	54.00			1650				3/22/2002	
REMARKS: was-25											
28-004-24S-C3	C3	0.30	54.00			1650				3/22/2002	
REMARKS:											
28-004-28D-C3	C3	0.30	54.00			1900				3/22/2002	
REMARKS: was-29											
28-004-28S-C3	C3	0.30	54.00			1900				3/22/2002	
REMARKS:											
28-004-36D-C3	C3	0.30	54.00			2200				3/22/2002	
REMARKS:											
28-004-36S-C3	C3	0.30	54.00			2200				3/22/2002	
REMARKS:											
28-004-37D-C3	C3	0.30	54.00			2200				3/22/2002	
REMARKS: was-37											
28-004-BM1-C3	C3	0.25	49.00			1300	1,552	ATU		2/6/2008	
REMARKS: slide-in baffle located for use with BIO-Microbics ATUs MF 0.5; MF 0.75; MF 0.9; all in lid installation.											



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Alvin's Backhoe**

ACTIVE

Marion

P.O. Box 621  
 Ft. McCoy, FL 32134

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL USE	DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)			
42-071-04S-C3	C3	2.50	42.88			900			4/22/2002	
REMARKS:										
42-071-05D-C3	C3	2.50	42.88			900			4/22/2002	
REMARKS:										
42-071-10D-C3	C3	2.50	42.00			1050			4/22/2002	
REMARKS:										
42-071-10S-C3	C3	2.50	42.00			1050			4/22/2002	
REMARKS:										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**AquaKlear, Inc.**

ACTIVE

870 Bierdeman Road  
 Pearl MS 39208

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
70-114-05-C3	C3	0.25	50.50					12/30/2004	
REMARKS: fiberglass tank-houses the 500 gallon per day AquaKlear ATU									
70-114-06-C3	C3	0.31	55.00					5/24/2002	
REMARKS: fiberglass tank-houses the 600 gallon per day AquaKlear ATU									
70-114-08-C3	C3	0.38	56.50					12/30/2004	
REMARKS: fiberglass tank-houses the 800 gallon per day AquaKlear ATU									
70-114-10-C3	C3	0.44	56.50					12/30/2004	
REMARKS: fiberglass tank-houses the 1000 gallon per day AquaKlear ATU									
70-114-15-C3	C3	0.44	68.00	65	136			12/5/2006	
REMARKS: fiberglass tank-houses the 1500 gallon per day AquaKlear ATU									
70-114-75-C3	C3	0.38	56.50					12/30/2004	
REMARKS: fiberglass tank-houses the 750 gallon per day AquaKlear ATU									
70-114-FM1-C3	C3		42.00	84	88		1,330	12/5/2006	
REMARKS: Filter media tank									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Atmore Ready Mix**

ACTIVE

Post Office Box 200  
 Atmore, AL 36504

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
68-036-09D-C3	C3	2.50	42.87			1050		12/12/2001	
REMARKS:									
68-036-09S-C3	C3	2.50	42.87			1050		12/12/2001	
REMARKS:									
68-036-15D-C3	C3	3.00	51.00			1500	1,537	1/13/2006	
REMARKS:									
68-036-15S-C3	C3	3.00	51.00			1500	1,537	1/13/2006	
REMARKS:									
68-036-19D-C3	C3	3.00	42.00			1500		12/12/2001	
REMARKS:									
68-036-19S-C3	C3	3.00	42.00			1500		12/12/2001	
REMARKS:									
68-036-21D-C3	C3	3.50	49.00			1650		2/10/2003	
REMARKS:									
68-036-21S-C3	C3	3.50	49.00			1650		2/10/2003	
REMARKS:									
68-036-22D-C3	C3	3.00	53.00			2000		2/10/2003	
REMARKS:									
68-036-22S-C3	C3	3.00	53.00			2000		2/10/2003	
REMARKS:									
68-036-94S-C4	C4	2.50	34.00			450		12/12/2001	
REMARKS: pump tank									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Averett Septic Tank Co.**

ACTIVE

Polk

Post Office Box 266  
 Eaton Park, FL 33840

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
53-037-02D-C3	C3	2.50	42.00			900			
REMARKS: Approved by the 53-037-08D-C-3 series									
53-037-02D-C4	C4	2.50	44.00			900		3/22/2002	
REMARKS: monolithic baffle									
53-037-02S-C3	C3	2.50	44.00			900		7/18/2002	
REMARKS: Approved by the 53-037-08D-C-3 series									
53-037-04D-C3	C3	2.50	44.00			900		3/22/2002	
REMARKS: slide-in baffle									
53-037-04S-C3	C3	2.50	44.00			900		3/22/2002	
REMARKS:									
53-037-05D-C3	C3	2.50	42.88			900		3/22/2002	
REMARKS: slide-in baffle									
53-037-05S-C3	C3	2.50	42.88			900		3/22/2002	
REMARKS:									
53-037-06D-C4	C4	6.00	40.00	69	113	900	1,132	3/24/2008	
REMARKS: Synthetic fiber reinforcing only. Revised 8/19/2009									
53-037-06S-C4	C4	6.00	40.00	69	113	900	1,132	3/24/2008	
REMARKS: Synthetic fiber reinforcing only. Revised 8/19/2009									
53-037-07S-C4	C4	3.00	53.50			900		3/22/2002	
REMARKS: circular tank									
53-037-08D-C3	C3	2.50	51.00			1050		3/22/2002	
REMARKS: slide-in baffle									
53-037-08S-C3	C3	2.50	51.00			1050		3/22/2002	
REMARKS:									
53-037-09D-C4	C4	6.00	45.50	69.5	113.5	1050	1,273	3/24/2008	
REMARKS: Synthetic fiber reinforcing only. Revised 08/19/2009									
53-037-09S-C4	C4	6.00	45.50	69.5	113.5	1050	1,273	3/24/2008	
REMARKS: Synthetic fiber reinforcing only. Revised 08/19/2009									
53-037-10D-C3	C3	2.50	51.00			1050		3/22/2002	
REMARKS: slide-in baffle									
53-037-10S-C3	C3	2.50	51.00			1050		3/22/2002	
REMARKS:									
53-037-11D-C4	C4	2.50	51.00			1050		3/22/2002	
REMARKS: monolithic baffle									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Averett Septic Tank Co.**

ACTIVE

Polk

Post Office Box 266  
 Eaton Park, FL 33840

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
53-037-12D-C4	C4	6.00	52.38	70.5	114.25	1250	1,467	3/24/2008	
REMARKS: Synthetic fiber reinforcing only. Revised 08/19/2009									
53-037-12S-C4	C4	6.00	52.38	70.5	114.25	1250	1,467	3/24/2008	
REMARKS: Synthetic fiber reinforcing only. Revised 08/19/2009									
53-037-13D-C4	C4	3.00	50.50	63	108	1250		1/5/2009	
REMARKS: with monolithic baffle-synthetic fiber reinforcement									
53-037-13S-C3	C3	3.00	50.50			1250		3/22/2002	
REMARKS:									
53-037-14D-C4	C4	3.00	45.00	0	0	1050		1/14/2009	
REMARKS:									
53-037-15D-C4	C4	3.00	43.00			900		1/5/2009	
REMARKS: with monolithic baffle, synthetic fiber reinforcing									
53-037-17D-C4	C4	3.00	49.00	68	132	1500		1/5/2009	
REMARKS: with monolithic baffle, synthetic fiber reinforcing									
53-037-20D-C3	C3	2.50	48.50			1500		3/22/2002	
REMARKS: slide-in baffle									
53-037-20S-C3	C3	2.50	48.50			1500		3/22/2002	
REMARKS:									
53-037-21D-C4	C4	2.50	52.50			1250		3/22/2002	
REMARKS: monolithic baffle, synthetic fiber reinforcing									
53-037-24D-C3	C3	2.50	58.00	74.5	160	2400	2,885	1/5/2009	
REMARKS:									
53-037-32D-C3	C3	2.50	63.50	89	157	3200	3,770	1/5/2009	
REMARKS:									
53-037-50D-C4	C4	6.00	40.00	69	113	900	1,132	3/27/2008	
REMARKS: Rated for AASHTO HS-20 traffic. Revised 08/19/2009									
53-037-50S-C4	C4	6.00	40.00	69	113	900	1,132	3/27/2008	
REMARKS: Rated for AASHTO HS-20 traffic. Revised 08/19/2009									
53-037-51D-C4	C4	6.00	45.50	69.5	113.5	1050	1,273	3/27/2008	
REMARKS: Rated for AASHTO HS-20 traffic. Revised 08/19/2009									
53-037-51S-C4	C4	6.00	45.50	69.5	113.5	1050	1,273	3/27/2008	
REMARKS: Rated for AASHTO HS-20 traffic. Revised 08/19/2009									
53-037-52D-C4	C4	6.00	52.38	70.5	114.25	1250	1,467	3/27/2008	
REMARKS: Rated for AASHTO HS-20 traffic. Revised 08/19/2009									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Averett Septic Tank Co.**

ACTIVE

Polk

Post Office Box 266  
 Eaton Park, FL 33840

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
53-037-52S-C4	C4	6.00	52.38	70.5	114.25	1250	1,467	3/27/2008	
REMARKS: Rated for AASHTO HS-20 traffic. Revised 08/19/2009									
53-037-89S-C4	C4	2.50	43.00			280		3/22/2002	
REMARKS:									
53-037-90S-C4	C4	2.50	47.00			300		3/22/2002	
REMARKS:									
53-037-FM1-C3	C3	3.00	27.00			900	1,388	10/1/2003	
REMARKS: Houses filter media for nutrient reduction (phosphorus)									
53-037-H10P-C3	C3	2.75	65.00	89	157	3309	ATU	7/18/2002	
REMARKS: Houses the Hoot 1000 gpd dosed ATU system (H-1000 AND), needs settling tank.									
53-037-H5-C3	C3	3.00	52.00	74.5	106	1320	ATU	3/22/2002	
REMARKS: discontinued. Used to house Hoot 500 gpd gravity flow ATU (H-500 A). Can also house Hoot 600 gpd gravity flow ATU (H-600 A)									
53-037-H6G-C3	C3	3.00	52.00	74.5	106	1320	ATU	3/22/2002	
REMARKS: Houses either the Hoot 500 or 600 gpd gravity flow ATU (H-500 A, H-600 A).									
53-037-H6P-C3	C3	3.00	52.00	74.5	160	2080			
REMARKS: Houses either the Hoot 500 or 600 gpd dosed ATU (H-500 AND, H-600 AND). Needs recirculation for increased nitrogen reduction.									
53-037-H7P-C3	C3	3.00	56.50	62	174		1,960	3/24/2008	
REMARKS: Houses the Hoot 500 gpd ATU (H-500). Not intended for nitrogen reduction. Can be used for gravity or low pressure distribution systems.									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**B & G Precast, Inc.**

ACTIVE

Hamilton

4330 SW 90th Blvd

Jasper FL 32052

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL		
				WIDTH	LENGTH		GALLONS (Pump Tanks)	USE	DATE	FAMILY
24-140-10D-C3	C3	2.50	44.25	63	102	1050	1,254		1/8/2007	
REMARKS: monolithic baffle										
24-140-10S-C3	C3	2.50	44.25	63	102	1050	1,254		1/8/2007	
REMARKS:										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Bailey's Concrete Products**

ACTIVE

Palm Beach

12225 Old Country Rd.  
 West Palm Beach, FL 33414

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
							GALLONS (Pump Tanks) USE		
50-018-06D-C3	C3	3.00	51.00			900		4/25/2002	
REMARKS:									
50-018-06S-C3	C3	3.00	51.00			900		4/25/2002	
REMARKS:									
50-018-07S-C3	C3	3.00	51.00			750		4/25/2002	
REMARKS:									
50-018-09D-C3	C3	3.00	51.00			1050		4/25/2002	
REMARKS:									
50-018-09S-C3	C3	3.00	51.00			1050		4/25/2002	
REMARKS:									
50-018-13D-C3	C3	3.00	49.50			1200		4/25/2002	
REMARKS:									
50-018-13S-C3	C3	3.00	49.50			1200		4/25/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Baker Septic Installations, Inc.**

ACTIVE

Highlands

7740 South George Blvd.  
 Sebring, FL 33875

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
28-031-05D-C4	C4	2.50	46.00			900		4/12/2002	
REMARKS: with monolithic baffle									
28-031-06S-C4	C4	2.50	38.00			350	457	4/12/2002	
REMARKS: also qualifies as a 450 C3 pump tank									
28-031-07S-C3	C3	3.00	51.00	68	54	600	639	11/5/2010	
REMARKS:									
28-031-08S-C3	C3	2.50	46.00	67	96	900	1,142	3/5/2008	
REMARKS:									
28-031-09D-C4	C4	2.50	52.00			1050		4/12/2002	
REMARKS: with monolithic baffle									
28-031-10D-C3	C3	2.50	50.00			1050		8/30/2004	
REMARKS: with 300 gallon pump tank									
28-031-11S-C3	C3	2.50	50.00	67	96	1050	1,291	3/5/2008	
REMARKS:									
28-031-14D-C3	C3	3.00	51.00	68	101	1250	1,287	11/5/2010	
REMARKS:									
28-031-14S-C3	C3	3.00	51.00	68	101	1250	1,287	11/5/2010	
REMARKS:									
28-031-15D-C3	C3	3.50	49.00	67.5	134	1500		6/21/2010	
REMARKS:									
28-031-15S-C3	C3	3.50	49.00	67.5	134	1500		8/30/2004	
REMARKS: with monolithic baffle									
28-031-16D-C3	C3	3.00	51.00	68	134	1650	1,742	11/5/2010	
REMARKS:									
28-031-16S-C3	C3	3.00	51.00	68	134	1650	1,742	11/5/2010	
REMARKS:									
28-031-17D-C3	C3	3.50	50.00	67	123	1350		8/5/2010	
REMARKS:									
28-031-17S-C3	C3	3.50	50.00	67	123	1350	1,396	8/5/2010	
REMARKS:									
28-031-DF50-C4	C4	3.00	51.50			900		6/21/2010	
REMARKS: Circular tank-Houses Delta 500 gpd DFXX-CA ATU									
28-031-J1-C3	C3	3.00	50.00	0	0	1160	1,494	ATU ta	10/30/2006
REMARKS: Houses Jet Models J-500 thru J-1500 ATU's									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Bates Precast Concrete/Circle K C**      ACTIVE

6431 Ocean Pond Avenue  
 Lake Park, GA 31636

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
							GALLONS (Pump Tanks)		
61-074-05S-C3	C3	2.50	42.00			500		3/22/2002	
REMARKS:									
61-074-11D-C3	C3	2.50	44.50			1050		3/22/2002	
REMARKS: monolithic baffle-was tank # 11B									
61-074-15D-C3	C3	2.50	42.00			1500		3/22/2002	
REMARKS: monolithic baffle									
61-074-22D-C3	C3	3.38	44.00			2200		3/22/2002	
REMARKS: mid-seam tank-was tank # 22B									
61-074-22S-C3	C3	3.38	44.00			2200		3/22/2002	
REMARKS: mid-seam tank-was tank # 22									
61-074-32D-C3	C3	3.38	64.00			3200		3/22/2002	
REMARKS: mid-seam tank-was tank # 32B									
61-074-32S-C3	C3	3.38	64.00			3200		3/22/2002	
REMARKS: mid-seam tank-was tank # 32									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Bingham Onsite Precasting Inc.**

ACTIVE

Polk

6172 Highway 640 West  
 Mulberry FL 33830

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
53-137-03S-C4	C4	3.00	48.00			240	294	3/22/2002	
REMARKS: pump tank									
53-137-04D-C3	C3	3.00	49.50			900		3/22/2002	
REMARKS:									
53-137-04S-C3	C3	3.00	49.50			900		3/22/2002	
REMARKS:									
53-137-05S-C4	C4	3.00	51.50			330	392	3/22/2002	
REMARKS: pump tank									
53-137-06D-C3	C3	3.00	51.75			900	1,077	3/22/2002	
REMARKS:									
53-137-06S-C3	C3	3.00	51.75			900	1,077	3/22/2002	
REMARKS:									
53-137-07D-C3	C3	3.00	51.50			900		3/22/2002	
REMARKS:									
53-137-07S-C3	C3	3.00	51.50			900	1,061	3/22/2002	
REMARKS:									
53-137-08D-C3	C3		50.00			1050		10/16/2002	
REMARKS: C3 wall thickness=2.50" C4 wall thickness=5.75"									
53-137-08S-C3	C3		50.00			1050	1,224	10/16/2002	
REMARKS: C3 wall thickness=2.50" C4 wall thickness=5.75"									
53-137-09D-C3	C3	3.00	53.00			1050		3/22/2002	
REMARKS:									
53-137-09S-C3	C3	3.00	53.00			1050	1,238	3/22/2002	
REMARKS:									
53-137-10D-C3	C3	3.00	51.00			900		3/22/2002	
REMARKS:									
53-137-10S-C3	C3	3.00	51.00			900	1,053	3/22/2002	
REMARKS:									
53-137-12D-C3	C3	3.00	49.50			1200		3/22/2002	
REMARKS:									
53-137-12S-C3	C3	3.00	49.50			1200	1,410	3/22/2002	
REMARKS:									
53-137-13D-C3	C3	2.50	55.00			1050		3/22/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Bingham Onsite Precasting Inc.**

ACTIVE

Polk

6172 Highway 640 West  
 Mulberry FL 33830

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
53-137-13S-C3	C3	2.50	55.00			1050	1,235	3/22/2002	
REMARKS:									
53-137-15D-C3	C3	3.13	55.00			1500	1,750	8/18/2004	
REMARKS:									
53-137-15S-C3	C3	3.13	55.00			1500	1,750	8/18/2004	
REMARKS:									
53-137-20D-C3	C3		57.00			1400		10/16/2002	
REMARKS: C3 wall thickness=3" C4 wall thickness=5.75"									
53-137-20S-C3	C3		57.00			1400	1,645	10/16/2002	
REMARKS: C3 wall thickness=3" C4 wall thickness=5.75"									
53-137-36D-C3	C3	3.00	64.00			2200		3/22/2002	
REMARKS:									
53-137-36S-C3	C3	3.00	64.00			2200		3/22/2002	
REMARKS:									
53-137-44D-C3	C3	3.50	46.00			2500		3/22/2002	
REMARKS:									
53-137-44S-C3	C3	3.50	46.00			2500	3,162	3/22/2002	
REMARKS:									
53-137-56D-C3	C3	3.50	55.00			3000		3/22/2002	
REMARKS:									
53-137-56S-C3	C3	3.50	55.00			3000	3,692	3/22/2002	
REMARKS:									
53-137-64D-C3	C3	3.50	64.00			3500		3/22/2002	
REMARKS:									
53-137-64S-C3	C3	3.50	64.00			3500	4,173	3/22/2002	
REMARKS:									
53-137-71D-C3	C3	3.50	73.00			4000		3/22/2002	
REMARKS:									
53-137-71S-C3	C3	3.50	73.00			4000	4,755	3/22/2002	
REMARKS:									
53-137-A1-C3	C3	3.00				500	ATU	3/22/2002	
REMARKS: Used to house the Alliance ATU									
53-137-C/A-C3	C3	3.00	52.50			750	ATU	3/22/2002	
REMARKS: Used to house the Cajun-Aire 500 & 750 ATU									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Bingham Onsite Precasting Inc.**

ACTIVE

Polk

6172 Highway 640 West  
 Mulberry FL 33830

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	USE	APPROVAL DATE	FAMILY
							GALLONS (Pump Tanks)			
53-137-FT1-C3	C3	3.00	24.00			1100	1,267	Filter m	12/15/2003	
REMARKS: Used for filter media tank. Tank is bottom half of 29-024-36S-C3 tank										
53-137-MM1-C4	C4	0.38	66.00					ATU	3/22/2002	
REMARKS: Used to house the Mighty Mac 500 ATU										
53-137-MM2-C3	C3	0.38	66.00					ATU	10/6/2002	
REMARKS: Used to house the Mighty Mac 750 ATU										
53-137-MM3-C3	C3	0.38	66.00					ATU	10/6/2002	
REMARKS: Used to house the Mighty Mac 600 ATU										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Bizzee Bee Septic**

ACTIVE

St. Johns

1570 Northwood Drive  
 St. Augustine, FL 32084

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
							GALLONS (Pump Tanks) USE		
55-010-02S-C4	C4	3.00	44.00			300		4/22/2002	
REMARKS:									
55-010-03S-C3	C3	3.00	53.00			750		4/22/2002	
REMARKS:									
55-010-04S-C3	C3	2.75	51.25			900		4/22/2002	
REMARKS:									
55-010-06D-C3	C3	3.00	46.00			900		4/22/2002	
REMARKS:									
55-010-06S-C3	C3	3.00	42.00			900		4/22/2002	
REMARKS:									
55-010-07D-C3	C3	3.00	46.50			900		4/22/2002	
REMARKS: Slide-in & Monolithic baffle-225 gal pump tank									
55-010-08D-C3	C3	3.00	51.50			1050		4/22/2002	
REMARKS:									
55-010-08S-C3	C3	3.00	51.50			1050		4/22/2002	
REMARKS:									
55-010-10D-C3	C3	3.00	51.50			1050		4/22/2002	
REMARKS:									
55-010-10S-C3	C3	3.00	51.50			1050		4/22/2002	
REMARKS:									
55-010-17D-C3	C3	3.00	51.00			1350		4/22/2002	
REMARKS:									
55-010-17S-C3	C3	3.00	51.00			1350		4/22/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Bonded Septic Tank**

ACTIVE

Citrus

P.O. Box 1509-State Rd 486  
 Hernando, FL 34442

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
09-030-01S-C3	C3	2.50	51.50			750		10/29/2001	
REMARKS:									
09-030-04D-C3	C3	2.50	52.00			900		10/29/2001	
REMARKS:									
09-030-04S-C3	C3	2.50	52.00			900		10/29/2001	
REMARKS:									
09-030-05S-C3	C3	2.50	51.50			550		10/29/2001	
REMARKS:									
09-030-08D-C3	C3	3.00	51.75			1050		10/29/2001	
REMARKS:									
09-030-08S-C3	C3	3.00	51.75			1050		10/29/2001	
REMARKS:									
09-030-10D-C3	C3	3.00	42.50			1050		3/7/2003	
REMARKS:									
09-030-10S-C3	C3	3.00	42.50			1050		3/7/2003	
REMARKS:									
09-030-11D-C3	C3	3.00	43.25	64	120.5	1114	1,337	6/3/2008	
REMARKS: Used to house Bio-Microbics FAST 0.5 and 0.75 ATU.									
09-030-11S-C3	C3	3.00	43.25	64	120.5	1138	1,337	6/3/2008	
REMARKS: When used with a 450 to 900 gallon settling tank used to house FAST 0.9 ATU. Also, when used with a 750 to 1500 gallon settling tank, used to house FAST 1.5 ATU.									
09-030-12D-C3	C3	3.00	53.00			1200		10/29/2001	
REMARKS:									
09-030-12S-C3	C3	3.00	53.00			1200		10/29/2001	
REMARKS:									
09-030-13D-C3	C3	3.25	54.50			1350		3/7/2003	
REMARKS:									
09-030-13S-C3	C3	3.25	54.50			1350		3/7/2003	
REMARKS:									
09-030-90S-C4	C4	2.50	36.00			275		10/29/2001	
REMARKS: pump tank									
09-030-93S-C3	C3	2.50	30.00			200		10/29/2001	
REMARKS: pump tank									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Bord na Mona**

ACTIVE

P.O. Box 77457

Greensboro NC 27417

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u> WIDTH	EFFECTIVE LENGTH	TOTAL GALLONS (Pump Tanks)	APPROVAL USE DATE	FAMILY
70-130-01S-TM	TM	0.25					3/30/2005	

REMARKS: Polyethylene tank used to house 12" above ground 7'L x 4.5'W x 2.5'D Puroflo Peat Biofilter ATU



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Brevard U-Cart Concrete**

ACTIVE

Brevard

5660 N. U.S. 1 Highway  
 Cocoa, FL 32927

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
05-099-03S-C3	C3	2.50	42.00			300		3/27/2002	
REMARKS:									
05-099-04S-C3	C3	3.00	42.00			300		6/5/2002	
REMARKS: wall thickness = 3"									
05-099-05S-C3	C3	3.00	51.00	61	48	450	539	6/2/2008	
REMARKS:									
05-099-06S-C3	C3	3.00	42.00			750		6/5/2002	
REMARKS: wall thickness = 3" , Corrected capacity from 600 to 750 on 7-10-02									
05-099-08D-C3	C3	3.00	51.00	61	92	900	1,139	6/2/2008	
REMARKS:									
05-099-08S-C3	C3	3.00	51.00	61	92	900	1,139	6/2/2008	
REMARKS:									
05-099-09D-C3	C3	2.50	42.00			900		3/27/2002	
REMARKS:									
05-099-09S-C3	C3	2.50	42.00			900		3/27/2002	
REMARKS:									
05-099-10D-C3	C3	2.50	42.00			900		3/27/2002	
REMARKS: with 300 gallon pump tank									
05-099-11D-C3	C3	3.00	42.00			1050		6/5/2002	
REMARKS: wall thickness= 3"									
05-099-12D-C3	C3	2.50	42.00			1200		3/27/2002	
REMARKS:									
05-099-12S-C3	C3	2.50	42.00			1200		3/27/2002	
REMARKS:									
05-099-13D-C4	C4	3.00	51.00	61	136	1350	1,737	6/2/2008	
REMARKS:									
05-099-13S-C3	C3	3.00	51.00	61	136	1350	1,737	6/2/2008	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Brooks Concrete**

ACTIVE

Wakulla

P. O. Box 82  
 Panacea, FL 32346

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
65-073-02S-C4	C4	2.50	42.50	36.5	42.5	275		12/24/2001	
REMARKS:									
65-073-04D-C3	C3	2.50	42.88			900		12/24/2001	
REMARKS:									
65-073-04S-C3	C3	2.50	42.88	60	102	900	1,068	12/24/2001	
REMARKS:									
65-073-06D-C3	C3	2.50	42.00	60	123	900		12/24/2001	
REMARKS: WITH 300 PUMP COMPARTMENT									
65-073-10D-C3	C3	2.50	42.50	60	118	1050	1,237	3/21/2007	
REMARKS:									
65-073-BM1-C3	C3	2.50	40.50	60	102	850	ATU	9/12/2007	
REMARKS: Houses Bio-Microbics shortened MicroFAST 0.5 MicroFAST 0.75 or MicroFAST 0.9 ATU. Settling tanks required (350-500gal for 0.5; 375-750gal for 0.75; 500-900gal for 0.9). Modification of tank 04S-C3.									
65-073-BM2-C3	C3	2.50	42.88	60	102	900	ATU, s	10/15/2007	
REMARKS: Single compartment tank with two sets of notches for slide-in baffles: standard baffle for use as dual compartment septic tank; baffle with center of pass-through hole at 24 in above bottom for use with special lid and Bio-Microbics MicroFAST 0.5 ATU in lid installation.									
65-073-BM3-C3	C3	2.50	40.50	60	119	900	ATU	11/19/2007	
REMARKS: monolithic baffle set to house Bio-Microbics shortened MicroFAST 0.5 ATU									
65-073-NW1-C3	C3	2.50	54.00					12/24/2001	
REMARKS: Norweco (Singulair 960 and Singulair TNT model) 500/600 gallon per day ATU. Add 1000 gallon pretreatment chamber to become 1000 gallon per day ATU.									
65-073-NW2-C3	C3	2.50	66.00					8/28/2002	
REMARKS: Norweco (Singulair 960 and Singulair TNT model) 750/800 gallon per day ATU. Add 1250 pretreatment chamber to become 1250 gallon per day ATU.									
65-073-NW3-C3	C3	3.00		72	111		ATU	4/30/2007	
REMARKS: Houses Norweco (Singulair 960 and Singulair TNT model) 500 and 600 gpd ATU's. Also, with 1000 gallon pretreatment tank it houses 1000 gpd ATU									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Brown's Septic Tank Service**

ACTIVE

Marion

Post Office Box 1057  
 Silver Springs, FL 34489

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
42-039-03S-C3	C3	3.00	42.00			300		6/24/2002	
REMARKS:									
42-039-05D-C3	C3	2.50	42.88			900		2/25/2002	
REMARKS:									
42-039-05S-C3	C3	2.50	42.88			900		2/25/2002	
REMARKS:									
42-039-06D-C3	C3	3.00	42.00			900		6/24/2002	
REMARKS: monolithic baffle									
42-039-06S-C3	C3	3.00	42.00			900		6/24/2002	
REMARKS:									
42-039-09D-C3	C3	2.50	48.00			1050		2/25/2002	
REMARKS:									
42-039-09S-C3	C3	2.50	48.00			1050		2/25/2002	
REMARKS:									
42-039-10D-C3	C3	3.00	42.00			1050		6/24/2002	
REMARKS: monolithic baffle									
42-039-10S-C3	C3	3.00	42.00			1050		6/24/2002	
REMARKS:									
42-039-12D-C3	C3	3.00	42.00			1200		6/24/2002	
REMARKS: monolithic baffle									
42-039-12S-C3	C3	3.00	42.00			1200		6/24/2002	
REMARKS:									
42-039-14D-C3	C3	2.50	48.00			1200		4/22/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Buddy's Septic Tank Service**

ACTIVE

Leon

3250 Cathedral Drive  
 Tallahassee FL 32310

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL		
				WIDTH	LENGTH		GALLONS (Pump Tanks)	USE	DATE	FAMILY
37-110-01S-C3	C3	2.50	40.00			250	308		5/9/2002	
REMARKS:										
37-110-02S-C3	C3	2.50	40.50			350	424		5/9/2002	
REMARKS:										
37-110-03D-C3	C3	2.50	44.00			1050	1,270		5/9/2002	
REMARKS:										
37-110-04D-C3	C3	3.00	43.50			1250	1,489		5/9/2002	
REMARKS:										
37-110-05D-C3	C3	2.50	42.50	650	102	1050	1,285		4/22/2010	
REMARKS:										



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Caribe Jet, Inc.**

4753 E. Highway 92

Lakeland FL 33801

ACTIVE

Polk

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL GALLONS		APPROVAL	
							(Pump Tanks)	USE	DATE	FAMILY
53-131-J1-C3	C3	3.00	50.00			1160	1,494	ATU	8/22/2005	

REMARKS: Houses Jet Models J-500 thru J-1500 ATU's



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Cast Systems LLC.**

ACTIVE

Charlotte

19400 Peachland Blvd.

Port Charlotte FL 33954

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL USE	DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)			
08-123-AK1-C3	C3	3.00	51.00			750		ATU	2/11/2003	
REMARKS: used to house the AquaKlear AK500S96F ATU										
08-123-DF50-C3	C3	3.00	52.25			919	1,057	ATU	7/2/2003	
REMARKS: used to house the Delta Whitewater DF50-CA or UC50-CA ATU										



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**CDS Manufacturing, Inc.**

ACTIVE

Gadsden

441 South Virginia Street

Quincy FL 32351

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL USE	DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)			
20-127-03S-C3	C3	3.00	42.00			300	397		4/19/2004	
REMARKS:										
20-127-05S-C4	C4	3.00	44.00			500	589		2/16/2005	
REMARKS:										
20-127-09D-C4	C4	3.00	43.00			1000	1,250		6/22/2005	
REMARKS: monolithic baffle										
20-127-10D-C4	C4	3.00	44.00			1050	1,250		6/24/2004	
REMARKS: monolithic baffle										
20-127-15D-C4	C4	3.00	44.00			1500	1,893		2/16/2005	
REMARKS: monolithic baffle, previously rated as a C3										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Childers & Son, Inc.**

ACTIVE

Clay

4481 Industrial Park Rd  
 Green Cove Springs FL 32043

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
10-141-03S-C3	C3	3.00	44.00	60	39	300	363	3/13/2008	
REMARKS:									
10-141-04S-C3	C3	3.00	44.00	60	54	450	539	5/15/2009	
REMARKS:									
10-141-09D-C3	C3	3.00	44.00	60	102	900	1,100	3/13/2008	
REMARKS:									
10-141-09S-C3	C3	3.00	44.00	60	102	900	1,100	3/13/2008	
REMARKS:									
10-141-10D-C3	C3	3.00	44.00	60	117	1050	1,276	3/13/2008	
REMARKS:									
10-141-10S-C3	C3	3.00	44.00	60	117	1050	1,276	3/13/2008	
REMARKS:									
10-141-12D-C3	C3	3.00	44.00	60	137	1200	1,510	3/13/2008	
REMARKS:									
10-141-12S-C3	C3	3.00	44.00	60	137	1200	1,510	3/13/2008	
REMARKS:									
10-141-13D-C3	C3	3.00	44.00	60	137	1200	1,510	7/18/2008	
REMARKS: 900 gallon two compartment (600 + 300) with third compartment (300 gallon) pump tank.									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Clearstream Wastewater Systems, I**      ACTIVE

P.O. Box 7568  
 Beaumont TX 77726-7568

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
70-120-03PT-C4	C4	0.25	63.00			306	ATU-p	2/23/2009	
REMARKS: Midseam Fiberglass Pump tank									
70-120-03ST-C4	C4	0.25	63.00			306	ATU-s	2/23/2009	
REMARKS: Midseam Fiberglass Secondary Treatment tank									
70-120-03TT-C4	C4	0.25	63.00			306	ATU-s	2/23/2009	
REMARKS: Midseam Fiberglass Pretreatment tank.									
70-120-04PT-C4	C4	0.25	55.00			402	ATU-p	2/23/2009	
REMARKS: Midseam Fiberglass Pump tank									
70-120-04ST-C4	C4	0.25	55.00			402	ATU-s	2/23/2009	
REMARKS: Midseam Fiberglass Secondary Treatment tank									
70-120-04TT-C4	C4	0.25	55.00			402	ATU-s	2/23/2009	
REMARKS: Midseam Fiberglass Pretreatment tank									
70-120-05CST-C	C3	0.25	37.00			500	ATU-s	2/23/2009	
REMARKS: Circular Topseam Fiberglass Secondary Treatment tank									
70-120-05CTT-C	C3	0.25	37.00			502	ATU-s	2/23/2009	
REMARKS: Circular Topseam Fiberglass Pretreatment tank									
70-120-05N-C3	C3	0.25	63.00				ATU ta	11/5/2002	
REMARKS: Fiberglass tank-houses Clearstream 500 gallon per day ATU									
70-120-05PT-C4	C4	0.25	47.00			500	ATU-p	2/23/2009	
REMARKS: Spherical Midseam Fiberglass Pump tank									
70-120-05ST-C4	C4	0.25	47.00			500	ATU-s	2/23/2009	
REMARKS: Spherical Midseam Fiberglass Secondary treatment tank									
70-120-05TT-C4	C4	0.25	47.00			500	ATU-s	2/23/2009	
REMARKS: Spherical Midseam Fiberglass Pretreatment tank									
70-120-06N-C3	C3	0.31	55.00				ATU ta	11/5/2002	
REMARKS: Fiberglass tank-houses Clearstream 650 gallon per day ATU									
70-120-07N-C3	C3	0.31	65.00				ATU ta	11/5/2002	
REMARKS: Fiberglass tank-houses Clearstream 750 gallon per day ATU									
70-120-08CST-C	C3	0.25	63.00			1315	ATU-s	2/23/2009	
REMARKS: Circular Topseam Fiberglass Secondary Treatment tank									
70-120-08PT-C3	C3	0.25	63.00			864	ATU-p	2/23/2009	
REMARKS: Fiberglass Midseam Pump tank									
70-120-08ST-C3	C3	0.25	63.00			864	ATU-s	2/23/2009	
REMARKS: Fiberglass Midseam Secondary Treatment tank									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Clearstream Wastewater Systems, I**      ACTIVE

P.O. Box 7568  
 Beaumont TX 77726-7568

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL	FAMILY
							GALLONS (Pump Tanks)		
70-120-08TT-C3	C3	0.25	63.00			864	ATU-s	2/23/2009	
REMARKS: Fiberglass Midseam Pretreatment tank									
70-120-10N-C3	C3	0.38	87.00				ATU ta	11/5/2002	
REMARKS: Fiberglass tank-houses Clearstream 1000 gallon per day ATU									
70-120-10PT-C3	C3	0.25				1094	pump t	2/23/2009	
REMARKS: Fiberglass Midseam Pump tank									
70-120-10ST-C3	C3	0.25	55.00			1094	septic t	2/23/2009	
REMARKS: Fiberglass Midseam Secondary Treatment tank									
70-120-10TT-C3	C3	0.25	55.00			1094	ATU-s	2/23/2009	
REMARKS: Fiberglass Midseam Pretreatment tank									
70-120-15N-C3	C3	0.44	82.00				ATU ta	11/5/2002	
REMARKS: Fiberglass tank-houses Clearstream 1500 gallon per day ATU									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Colonial Concrete Company, LLC**

ACTIVE

Charlotte

1811 Englewood Rd.--Suite 300  
 Englewood FL 34223

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL USE DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
08-146-01D-C3	C3	2.50	46.00	58	98	900	1,124	10/20/2009	
REMARKS:									
08-146-01S-C3	C3	2.50	46.00	58	98	900	1,098	10/20/2009	
REMARKS:									
08-146-02D-C3	C3	2.50	51.50	58	102	1050	1,100	10/20/2009	
REMARKS:									
08-146-02S-C3	C3	2.50	51.50	58	102	1050	1,130	10/20/2009	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Consolidated Treatment Systems, I**      ACTIVE

1501 Commerce Center Drive  
Franklin OH 45005

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR WIDTH	TOP EXTERIOR LENGTH	EFFECTIVE GALLONS	TOTAL GALLONS (Pump Tanks)	APPROVAL USE	APPROVAL DATE	FAMILY
70-113-EG1-C3	C3		64.00						2/25/2005	
REMARKS: fiberglass-houses Enviro-Guard 750 gpd ATU										
70-113-MF1-C3	C3		54.00						5/20/2002	
REMARKS: fiberglass-houses MULTI-FLO FTB 0.5 (500 gpd) ATU										
70-113-MF2-C3	C3		54.00						5/20/2002	
REMARKS: fiberglass-houses MULTI-FLO FTB 0.6 (600 gpd) ATU										
70-113-MF3-C3	C3		58.00						5/20/2002	
REMARKS: fiberglass-houses MULTI-FLO FTB 0.75 (750 gpd) ATU										
70-113-MF4-C3	C3		64.00						5/20/2002	
REMARKS: fiberglass-houses MULTI-FLO FTB 1.0 (1000 gpd) ATU										
70-113-MF5-C3	C3		54.00						5/20/2002	
REMARKS: fiberglass-houses MULTI-FLO FTB 1.5 (1500 gpd) ATU										
70-113-N1-C3	C3		62.50						5/20/2002	
REMARKS: fiberglass-houses NAYADIC M6-A (500 gpd) ATU										
70-113-N1A-C3	C3	0.19	62.50	72	72	500		ATU	1/26/2012	
REMARKS: fiberglass-houses NAYADIC M6-A (500 gpd) ATU										
70-113-N2-C3	C3		68.00						5/20/2002	
REMARKS: fiberglass-houses NAYADIC M8-A (600 gpd) ATU										
70-113-N3-C3	C3		75.50						5/20/2002	
REMARKS: fiberglass-houses NAYADIC M1050-A (800 gpd) ATU										
70-113-N4-C3	C3		86.00						5/20/2002	
REMARKS: fiberglass-houses NAYADIC M1200-A (1000 gpd) ATU										
70-113-N5-C3	C3		96.50						5/20/2002	
REMARKS: fiberglass-houses NAYADIC M2000-A (1500 gpd) ATU										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Containment Solutions, Inc.**

ACTIVE

5150 Jefferson Chemical Road  
 Conroe TX 77301

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
70-133-01D-C4	C4	0.20	37.00			811	966	Pump/l	8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 400 lbs									
70-133-01S-C4	C4	0.20	37.00			811	966	Pump/l	8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 400 lbs									
70-133-02D-C4	C4	0.20	37.00			1268	1,514	Pump/l	8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 625 lbs									
70-133-02S-C4	C4	0.20	37.00			1268	1,514	Pump/l	8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 625 lbs									
70-133-03D-C4	C4	0.20	57.00			1836	2,147		8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 1050 lbs									
70-133-03S-C4	C4	0.20	57.00			1836	2,147		8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 1050 lbs									
70-133-04D-C4	C4	0.20	57.00			2270	2,689		8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 1300 lbs									
70-133-04S-C4	C4	0.20	57.00			2270	2,689		8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 1300 lbs									
70-133-05D-C4	C4	0.20	57.00			2719	3,187		8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 1500 lbs									
70-133-05S-C4	C4	0.20	57.00			2719	3,187		8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 1500 lbs									
70-133-06D-C4	C4	0.20	57.00			3374	3,958		8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 1650 lbs									
70-133-06S-C4	C4	0.20	57.00			3374	3,958		8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 1650 lbs									
70-133-07D-C4	C4	0.20	58.00			4327	4,998		8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 2000 lbs									
70-133-07S-C4	C4	0.20	58.00			4327	4,998		8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 2000 lbs									
70-133-08D-C4	C4	0.20	57.00			5140	6,038		8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 2300 lbs									
70-133-08S-C4	C4	0.20	57.00			5140	6,038		8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 2300 lbs									
70-133-09D-C4	C4	0.20	57.00			6957	8,135		8/9/2006
REMARKS: fiberglass tank. Tank dry weight = 2950 lbs									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Containment Solutions, Inc.**

ACTIVE

5150 Jefferson Chemical Road  
 Conroe TX 77301

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL USE DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
70-133-09S-C4	C4	0.20	57.00			6957	8,135	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 2950 lbs									
70-133-10D-C4	C4	0.20	72.00			3427	3,998	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 1550 lbs									
70-133-10S-C4	C4	0.20	72.00			3427	3,998	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 1550 lbs									
70-133-11D-C4	C4	0.20	72.00			4227	4,947	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 1800 lbs									
70-133-11S-C4	C4	0.20	72.00			4227	4,947	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 1800 lbs									
70-133-12D-C4	C4	0.20	72.00			5028	5,897	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 2050 lbs									
70-133-12S-C4	C4	0.20	72.00			5028	5,897	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 2050 lbs									
70-133-13D-C4	C4	0.20	72.00			6630	7,796	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 2450 lbs									
70-133-13S-C4	C4	0.20	72.00			6630	7,796	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 2450 lbs									
70-133-14D-C4	C4	0.20	72.00			8232	9,696	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight =2900 lbs									
70-133-14S-C4	C4	0.20	72.00			8232	696	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight =2900 lbs									
70-133-15D-C4	C4	0.20	72.00			9833	11,595	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 3350 lbs									
70-133-15S-C4	C4	0.20	72.00			9833	11,595	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 3350 lbs									
70-133-16D-C4	C4	0.20	73.00			12483	12,642	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 4500 lbs									
70-133-16S-C4	C4	0.20	73.00			12483	12,624	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 4500 lbs									
70-133-17D-C4	C4	0.20	83.00			7541	9,988	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 3600 lbs									
70-133-17S-C4	C4	0.20	83.00			7541	9,988	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 3600 lbs									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Containment Solutions, Inc.**

ACTIVE

5150 Jefferson Chemical Road  
 Conroe TX 77301

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
70-133-18D-C4	C4	0.20	83.00			8811	11,702	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 4000 lbs									
70-133-18S-C4	C4	0.20	83.00			8811	11,702	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 4000 lbs									
70-133-19D-C4	C4	0.20	83.00			11332	15,104	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 4750 lbs									
70-133-19S-C4	C4	0.20	83.00			11332	15,104	8/9/2006	
REMARKS:									
70-133-20D-C4	C4	0.20	83.00			14924	19,951	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 6100 lbs									
70-133-20S-C4	C4	0.20	83.00			14924	19,951	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 6100 lbs									
70-133-21D-C4	C4	0.20	83.00			18643	24,970	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 7550 lbs									
70-133-21S-C4	C4	0.20	83.00			18643	24,970	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 7550 lbs									
70-133-22D-C4	C4	0.20	83.00			22233	29,816	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 8750 lbs									
70-133-22S-C4	C4	0.20	83.00			22233	29,816	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 8750 lbs									
70-133-23D-C4	C4	0.20	83.00			25953	34,835	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 10050 lbs									
70-133-23S-C4	C4	0.20	83.00			25953	34,835	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 10050 lbs									
70-133-24D-C4	C4	0.20	83.00			29672	39,854	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 11600 lbs									
70-133-24S-C4	C4	0.20	83.00			29672	39,854	8/9/2006	
REMARKS: fiberglass tank. Tank dry weight = 11600 lbs									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**CXT Incorporated**

ACTIVE

3830 N. Sullivan Road Bldg #7

Spokane WA 99216

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL	FAMILY	
							GALLONS (Pump Tanks)			USE
70-119-V1S-C3	C3	5.50	48.00				2,000	holding	10/9/2002	
REMARKS: CXT Standard Vault 1 Toilet holding tank for double restrooms.										
70-119-V2S-C3	C3	5.50	48.00				1,000	holding	10/9/2002	
REMARKS: CXT Standard Vault 2 Toilet holding tank for single restroom.										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Dampier Septic Tank Company**

ACTIVE

Alachua

7030 N.W. 23rd Way  
 Gainesville, FL 32606

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
01-048-03S-C3	C3	3.00				450		2/28/2002	
REMARKS:									
01-048-08D-C3	C3	2.50	42.88			1050		2/28/2002	
REMARKS:									
01-048-08S-C3	C3	2.50	42.88			1050		2/28/2002	
REMARKS:									
01-048-18D-C3	C3	3.00	43.50			1350		2/28/2002	
REMARKS: with monolithic baffle									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Del Zotto Mfg. Co.**

ACTIVE

Marion

4405 W. Hwy. 40  
 Ocala, FL 34482

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
42-007-02S-C3	C3	2.50	32.00	60	39	225	262	11/15/2010	
REMARKS:									
42-007-04D-C3	C3	2.50	42.00			900		11/13/2002	
REMARKS:									
42-007-04D-C4	C4	4.00	42.00			900		11/13/2002	
REMARKS:									
42-007-04S-C3	C3	2.50	42.00			900		11/13/2002	
REMARKS:									
42-007-04S-C4	C4	4.00	42.00			900		11/13/2002	
REMARKS:									
42-007-05S-C4	C4	4.00	38.00	83	55	525	569	2/15/2011	
REMARKS:									
42-007-06D-C4	C4	4.00	42.00			900		11/13/2002	
REMARKS:									
42-007-06D-C3	C3	2.50	42.00			900		11/13/2002	
REMARKS: w 300 gal pumping tank									
42-007-08D-C3	C3	2.50	42.00			1050		11/13/2002	
REMARKS: Houses Bionest BNC-400 ATU.									
42-007-08D-C4	C4	4.00	42.00			1050		11/13/2002	
REMARKS: Houses Bionest BNC-400 ATU.									
42-007-08S-C3	C3	2.50	42.00			1050		11/13/2002	
REMARKS:									
42-007-08S-C4	C4	4.00	42.00			1050		11/13/2002	
REMARKS:									
42-007-12D-C4	C4	4.00	42.00			1200		11/13/2002	
REMARKS:									
42-007-12D-C3	C3	2.50	42.00			1200		11/13/2002	
REMARKS:									
42-007-12S-C3	C3	2.50	42.00			1200		11/13/2002	
REMARKS:									
42-007-12S-C4	C4	4.00	42.00			1200		11/13/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Del Zotto Mfg. Co.**

ACTIVE

Marion

4405 W. Hwy. 40  
 Ocala, FL 34482

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	USE	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)			
42-007-14S-C4	C4	7.00	85.00	86	86	1350	1,350	D	3/27/2012	
REMARKS: Dosing tank only, circular, 7000 PSI, H2O traffic loading rated with H2O lid, post-installation watertightness testing required per 64E-6.013(10)(d) FAC										
42-007-16D-C4	C4	4.00	44.00			1350			11/13/2002	
REMARKS:										
42-007-16S-C4	C4	4.00	44.00			1350			11/13/2002	
REMARKS:										
42-007-20D-C4	C4	4.00	49.00			1500			11/13/2002	
REMARKS:										
42-007-20S-C4	C4	4.00	49.00			1500			11/13/2002	
REMARKS:										
42-007-24D-C4	C4	4.00	55.00			1650			11/13/2002	
REMARKS:										
42-007-24S-C4	C4	4.00	55.00			1650			11/13/2002	
REMARKS:										
42-007-30D-C3	C3	4.00	42.00			1900			2/4/2002	
REMARKS: Houses Bionest BNC-750 ATU.										
42-007-30S-C3	C3	4.00	42.00			1900			2/4/2002	
REMARKS:										
42-007-32D-C3	C3	4.00	45.00	83	158	2000	2,481		10/22/2008	
REMARKS:										
42-007-32S-C3	C3	4.00	45.00	83	158	2000	2,523		10/22/2008	
REMARKS:										
42-007-40D-C3	C3	4.00	49.00			2200			2/4/2002	
REMARKS:										
42-007-40S-C3	C3	4.00	49.00			2200			2/4/2002	
REMARKS:										
42-007-43D-C3	C3	4.00	51.00	83	158	2300	2,756		10/22/2008	
REMARKS:										
42-007-43S-C3	C3	4.00	51.00	83	158	2300	2,804		10/22/2008	
REMARKS:										
42-007-45D-C3	C3	4.00	56.00	83	158	2500	2,984		10/22/2008	
REMARKS:										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Del Zotto Mfg. Co.**

ACTIVE

Marion

4405 W. Hwy. 40  
 Ocala, FL 34482

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
42-007-45S-C3	C3	4.00	56.00	83	158	2500	3,037	10/22/2008	
REMARKS:									
42-007-49D-C3	C3	4.00	60.00			2700		2/4/2002	
REMARKS: Houses Bionest BNC-1000 ATU.									
42-007-49S-C3	C3	4.00	60.00			2700		2/4/2002	
REMARKS:									
42-007-50D-C4	C4	6.00	47.00	60	96	750	1,030	7/6/2009	
REMARKS: 4" or 6" inlets and outlets, H2O traffic loading rated									
42-007-50S-C4	C4	6.00	47.00	60	96	750	1,030	7/6/2009	
REMARKS: 4" or 6" inlets and outlets, H2O traffic loading rated									
42-007-51D-C4	C4	6.00	44.00	72	96	900	1,222	7/6/2009	
REMARKS: 4" or 6" inlets and outlets, H2O traffic loading rated									
42-007-51S-C4	C4	6.00	44.00	72	96	900	1,222	7/6/2009	
REMARKS: 4" or 6" inlets and outlets, H2O traffic loading rated									
42-007-52D-C4	C4	6.00	46.00	72	108	1050	1,446	7/6/2009	
REMARKS: 4" or 6" inlets and outlets, H2O traffic loading rated									
42-007-52S-C4	C4	6.00	46.00	72	108	1050	1,446	7/6/2009	
REMARKS: 4" or 6" inlets and outlets, H2O traffic loading rated									
42-007-53D-C4	C4	6.00	44.00	72	132	1250	1,745	7/6/2009	
REMARKS: 4" or 6" inlets and outlets, H2O traffic loading rated									
42-007-53S-C4	C4	6.00	44.00	72	132	1250	1,745	7/6/2009	
REMARKS: 4" or 6" inlets and outlets, H2O traffic loading rated									
42-007-54D-C4	C4	6.00	48.00	84	162	2000	2,805	7/6/2009	
REMARKS: 4" or 6" inlets and outlets, H2O traffic loading rated									
42-007-54S-C4	C4	6.00	48.00	84	162	2000	2,805	7/6/2009	
REMARKS: 4" or 6" inlets and outlets, H2O traffic loading rated									
42-007-55D-C4	C4	6.00	64.00	84	162	2800	3,366	7/6/2009	
REMARKS: 4" or 6" inlets and outlets, H2O traffic loading rated									
42-007-55S-C4	C4	6.00	64.00	84	162	2800	3,366	7/6/2009	
REMARKS: 4" or 6" inlets and outlets, H2O traffic loading rated									
42-007-92S-C4	C4	4.00	42.00			300		11/13/2002	
REMARKS:									
42-007-92S-C3	C3	2.50	42.00			300		11/13/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Del Zotto Mfg. Co.**

ACTIVE

Marion

4405 W. Hwy. 40  
 Ocala, FL 34482

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
42-007-CS1-C3	C3	3.00	57.00	0	0		ATU	6/6/2007	
REMARKS: Monolithic tank-Houses 600 gpd Clearstream Model 600NC3T ATU									
42-007-G30D-C4	C4	6.00	56.00	116.5	150.75	3000	3,750	2/2/2009	
REMARKS: Approved for H2O traffic loading									
42-007-G30S-C4	C4	6.00	56.00	116.5	150.75	3000	3,888	2/2/2009	
REMARKS: Approved for H2O traffic loading									
42-007-G32D-C4	C4	6.00	60.00	116.8	151	3200	3,995	2/2/2009	
REMARKS: Approved for H2O traffic loading									
42-007-G32S-C4	C4	6.00	60.00	116.8	151	3200	4,144	2/2/2009	
REMARKS: Approved for H2O traffic loading									
42-007-G35D-C4	C4	6.00	65.00	117	151	3500	4,297	2/2/2009	
REMARKS: Approved for H2O traffic loading									
42-007-G35S-C4	C4	6.00	65.00	117	151	3500	4,459	2/2/2009	
REMARKS: Approved for H2O traffic loading									
42-007-G37D-C4	C4	6.00	68.00	117	151	3700	4,478	2/2/2009	
REMARKS: Approved for H2O traffic loading									
42-007-G37S-C4	C4	6.00	68.00	117	151	3700	4,648	2/2/2009	
REMARKS: Approved for H2O traffic loading									
42-007-G40D-C4	C4	6.00	73.00	117.4	151.5	4000	4,257	2/2/2009	
REMARKS: Approved for H2O traffic loading									
42-007-G40S-C4	C4	6.00	73.00	117.4	151.5	4000	5,111	2/2/2009	
REMARKS: Approved for H2O traffic loading									
42-007-G43D-C4	C4	6.00	78.00	117.6	151.63	4300	5,093	2/2/2009	
REMARKS: Approved for H2O traffic loading									
42-007-G43S-C4	C4	6.00	78.00	117.6	151.63	4300	5,291	2/2/2009	
REMARKS: Approved for H2O traffic loading									
42-007-G45D-C4	C4	6.00	81.00	117.9	151.88	4500	5,472	2/2/2009	
REMARKS: Approved for H2O traffic loading									
42-007-G45S-C4	C4	6.00	81.00	117.9	151.88	4500	5,678	2/2/2009	
REMARKS: Approved for H2O traffic loading									
42-007-G48D-C4	C4	6.00	69.00	117.1	187.38	4800	5,778	2/2/2009	
REMARKS: Approved for H2O traffic loading									
42-007-G48S-C4	C4	6.00	69.00	117.1	187.38	4800	5,951	2/2/2009	
REMARKS: Approved for H2O traffic loading									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Del Zotto Mfg. Co.**

ACTIVE

Marion

4405 W. Hwy. 40  
 Ocala, FL 34482

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
42-007-G50D-C4	C4	6.00	72.00	117.3	187.38	5000	6,006	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G50S-C4	C4	6.00	72.00	117.3	187.38	5000	6,187	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G53D-C4	C4	6.00	76.00	117.5	187.63	5300	6,323	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G53S-C4	C4	6.00	76.00	117.5	187.63	5300	6,515	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G55D-C4	C4	6.00	78.00	117.6	187.63	5500	6,476	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G55S-C4	C4	6.00	78.00	117.6	187.63	5500	6,674	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G58D-C4	C4	6.00	82.00	117.9	187.88	5800	7,029	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G58S-C4	C4	6.00	82.00	117.9	187.88	5800	7,238	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G60D-C4	C4	6.00	73.00	117.4	217.5	6000	7,173	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G60S-C4	C4	6.00	73.00	117.4	217.5	6000	7,357	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G65D-C4	C4	6.00	78.00	117.6	217.63	6500	7,628	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G65S-C4	C4	6.00	78.00	117.6	217.63	6500	7,826	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G70D-C4	C4	6.00	84.00	118	218	7000	8,465	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G70S-C4	C4	6.00	84.00	118	218	7000	8,679	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G75D-C4	C4	6.00	77.00	117.5	253.63	7500	8,884	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G75S-C4	C4	6.00	77.00	117.5	253.63	7500	9,079	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G80D-C4	C4	6.00	81.00	117.9	253.88	8000	9,670	2/2/2009	
REMARKS: Approved for H20 traffic loading									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Del Zotto Mfg. Co.**

ACTIVE

Marion

4405 W. Hwy. 40  
 Ocala, FL 34482

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
42-007-G80S-C4	C4	6.00	81.00	117.9	253.88	8000	9,876	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G85D-C4	C4	6.00	68.00	117.3	319.25	8500	10,173	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G85S-C4	C4	6.00	68.00	117.3	319.25	8500	10,344	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G90D-C4	C4	6.00	72.00	117.3	319.38	9000	10,715	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G90S-C4	C4	6.00	72.00	117.3	319.38	9000	10,896	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G95D-C4	C4	6.00	69.00	117.1	349.38	9500	11,342	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-G95S-C4	C4	6.00	69.00	117.1	349.38	9500	11,515	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA1D-C	C4	6.00	79.00	117.6	319.75	10000	11,687	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA1S-C	C4	6.00	79.00	117.6	319.75	10000	11,887	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA2D-C	C4	6.00	83.00	118	320	10500	12,669	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA2S-C	C4	6.00	83.00	118	320	10500	12,880	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA3D-C	C4	6.00	79.00	117.6	349.75	11000	12,853	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA3S-C	C4	6.00	79.00	117.6	349.75	11000	13,053	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA4D-C	C4	6.00	83.00	118	349.88	11500	13,926	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA4S-C	C4	6.00	83.00	118	349.88	11500	14,137	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA5D-C	C4	6.00	78.00	117.6	385.75	12000	14,088	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA5S-C	C4	6.00	78.00	117.6	385.75	12000	14,286	2/2/2009	
REMARKS: Approved for H20 traffic loading									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Del Zotto Mfg. Co.**

ACTIVE

Marion

4405 W. Hwy. 40  
 Ocala, FL 34482

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
42-007-GA6D-C	C4	6.00	81.00	117.9	385.88	12500	15,103	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA6S-C	C4	6.00	81.00	117.9	385.88	12500	15,309	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA7D-C	C4	6.00	84.00	118	386	13000	15,601	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA7S-C	C4	6.00	84.00	118	386	13000	15,815	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA8D-C	C4	6.00	82.00	117.9	409.88	13500	16,266	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA8S-C	C4	6.00	82.00	117.9	409.88	13500	16,475	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA9D-C	C4	6.00	78.00	117.6	445.63	14000	16,388	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GA9S-C	C4	6.00	78.00	117.6	445.63	14000	16,586	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GB1D-C	C4	6.00	81.00	117.9	445.88	14500	17,366	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GB1S-C	C4	6.00	81.00	117.9	445.88	14500	17,778	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-GB2D-C	C4	6.00	84.00	118	446	15000	18,152	2/2/2009	
REMARKS: Approved for H20 traffic loading-									
42-007-GB2S-C	C4	6.00	84.00	118	446	15000	18,366	2/2/2009	
REMARKS: Approved for H20 traffic loading									
42-007-H01S-C4	C4	6.00	50.00	65	46	300	400	Pump t	3/10/2010
REMARKS: Tank rated for H20 traffic loading and C4 burial cover.									
42-007-H02D-C4	C4	6.00	42.00	65	103	750	923		3/10/2010
REMARKS: Tank rated for H20 traffic loading and C4 burial cover.									
42-007-H02S-C4	C4	6.00	42.00	65	103	750	923		3/10/2010
REMARKS: Tank rated for H20 traffic loading and C4 burial cover.									
42-007-H03D-C4	C4	6.00	50.00	65	103	900	1,060		3/10/2010
REMARKS: Tank rated for H20 traffic loading and C4 burial cover.									
42-007-H03S-C4	C4	6.00	50.00	65	103	900	1,060		3/10/2010
REMARKS: Tank rated for H20 traffic loading and C4 burial cover.									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Del Zotto Mfg. Co.**

ACTIVE

Marion

4405 W. Hwy. 40  
 Ocala, FL 34482

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
42-007-H04D-C4	C4	6.00	42.00	65	141	1050	1,314	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H04S-C4	C4	6.00	42.00	65	141	1050	1,314	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H05D-C4	C4	6.00	50.00	65	141	1250	1,512	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H05S-C4	C4	6.00	50.00	65	141	1250	1,512	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H06D-C4	C4	6.00	45.00	87	113	1350	1,469	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H06S-C4	C4	6.00	45.00	0	113	1350	1,469	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H07D-C4	C4	6.00	50.00	0	0	1500	1,605	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H07S-C4	C4	6.00	50.00	87	113	1500	1,605	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H08D-C4	C4	6.00	55.00	87	113	1650	1,741	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H08S-C4	C4	6.00	55.00	87	0	1650	1,741	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover.									
42-007-H09D-C4	C4	6.00	42.00	87	164	1900	2,102	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H09S-C4	C4	6.00	42.00	87	164	1900	2,102	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H10D-C4	C4	6.00	45.00	87	164	2000	2,224	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H10S-C4	C4	6.00	45.00	87	164	2000	2,224	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H11D-C4	C4	6.00	49.00	87	164	2200	2,388	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H11S-C4	C4	6.00	49.00	87	164	2200	2,388	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H12D-C4	C4	6.00	51.00	0	0	2300	2,471	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Del Zotto Mfg. Co.**

ACTIVE

Marion

4405 W. Hwy. 40

Ocala, FL 34482

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
42-007-H12S-C4	C4	6.00	51.00	0	0	2300	2,471	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H13D-C4	C4	6.00	56.00	87	164	2500	2,677	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H13S-C4	C4	6.00	56.00	87	164	2500	2,677	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H14D-C4	C4	6.00	60.00	87	164	2700	2,847	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-H14S-C4	C4	6.00	60.00	87	164	2700	2,842	3/10/2010	
REMARKS: Tank rated for H20 traffic loading and C4 burial cover									
42-007-JT1-C4	C4	3.00	52.38	61.63	123		ATU	1/15/2009	
REMARKS: Used to house the Jet 500 and 750 GPD ATU. With pretreatment tank, used to house Jet 1000, 1250, and 1500 GPD ATU									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Delta Environmental Products, Inc.**      ACTIVE

P.O. Box 969  
 Denham Springs LA 70727

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u> WIDTH	LENGTH	EFFECTIVE GALLONS	TOTAL GALLONS (Pump Tanks)	USE	APPROVAL DATE	FAMILY
70-115-DF1-C3	C3	0.31	51.56						6/11/2002	
REMARKS: Fiberglass tank-Houses Delta DF50-FF or UC50-FF ATU @ 500 gpd										
70-115-DF2-C3	C3	0.31	59.50						6/11/2002	
REMARKS: Fiberglass tank-Houses Delta DF60-FF or UC60-FF ATU @ 600 gpd										
70-115-DF3-C3	C3	0.38	64.00						6/11/2002	
REMARKS: Fiberglass tank-Houses Delta DF75-FF or UC75-FF @ 750 gpd, or UC90-FF ATU @ 900 gpd										
70-115-DF4-C3	C3	0.38	61.00						6/11/2002	
REMARKS: Fiberglass tank-Houses Delta DF100A-FF or UC100A-FF ATU @ 1000 gpd										
70-115-DF5-C3	C3	0.38	91.50						6/11/2002	
REMARKS: Fiberglass tank-Houses Delta DF150-FF or UC150-FF ATU @ 1500 gpd										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Dixie**

ACTIVE

Volusia

Post Office Box 740557  
 Orange City, FL 32774-0557

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
64-060-01S-C3	C3	2.50	42.00			750		3/22/2002	
REMARKS:									
64-060-03S-C4	C4	2.50	42.00			300		9/6/2002	
REMARKS:									
64-060-04D-C3	C3	2.50	42.00			900		3/22/2002	
REMARKS: was tank # 05									
64-060-04S-C3	C3	2.50	42.00			900		3/22/2002	
REMARKS:									
64-060-06D-C3	C3	2.50	42.00			900		3/22/2002	
REMARKS: with monolithic wall to provide 300 gallon pumping compartment									
64-060-06S-C3	C3	2.50	42.00			1200		9/6/2002	
REMARKS: Monolithic wall removed to provide one compartment 1200 gallon tank									
64-060-08D-C3	C3	2.50	42.00			1050		3/22/2002	
REMARKS: was tank # 09									
64-060-08S-C3	C3	2.50	42.00			1050		3/22/2002	
REMARKS:									
64-060-10D-C3	C3	2.50	44.00			1050		5/14/2002	
REMARKS: monolithic baffle									
64-060-12D-C3	C3	2.50	42.00			1200		3/22/2002	
REMARKS: was tank # 13									
64-060-12S-C3	C3	2.50	42.00			1200		3/22/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Ecological Tanks, Inc.**

ACTIVE

2247 Highway 151 N.  
Downsville LA 71234

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL	FAMILY
							GALLONS (Pump Tanks)		
70-125-05S-C3	C3	0.40	67.50			500	620	6/3/2003	
REMARKS:									
70-125-07S-C3	C3	0.40	68.00			750	875	6/3/2003	
REMARKS:									
70-125-10S-C3	C3	0.40	67.50			1000	1,206	6/3/2003	
REMARKS:									
70-125-AS10-C3	C3	0.47	90.00				ATU ta	6/3/2003	
REMARKS: Houses the Aqua Safe 1000 ATU									
70-125-AS15-C3	C3	0.47	90.00				ATU ta	6/3/2003	
REMARKS: Houses the Aqua Safe 1500 ATU									
70-125-AS5-C3	C3	0.40	67.50				ATU ta	6/3/2003	
REMARKS: Houses the Aqua Safe 500 ATU									
70-125-AS6-C3	C3	0.40	67.50				ATU ta	6/3/2003	
REMARKS: Houses the Aqua Safe 600 ATU									
70-125-AS7-C3	C3	0.45	67.50				ATU ta	6/3/2003	
REMARKS: Houses the Aqua Safe 750 ATU									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Evans Septic Tank & Ready Mix, In**      ACTIVE      Marion

Post Office Box 3280  
 Belleview, FL 34421

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL	FAMILY
							GALLONS (Pump Tanks)		
42-042-01S-C3	C3	3.00	44.50			750		2/25/2002	
REMARKS:									
42-042-05D-C3	C3	3.00	48.00			900		2/25/2002	
REMARKS: Monolithic baffle									
42-042-09D-C3	C3	3.50	48.00			1050		2/25/2002	
REMARKS: Monolithic baffle									
42-042-17D-C3	C3	3.00	48.00			1300		2/25/2002	
REMARKS: Monolithic baffle									
42-042-90S-C3	C3	3.00	38.00			350		2/25/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**F. Alfonso Septic Tank Manufacturi**

ACTIVE

Dade

1391 West 36th Street  
 Hialeah, FL 33012

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
13-076-01S-C3	C3	3.00	47.00			375		8/22/2002	
REMARKS:									
13-076-02S-C3	C3	3.00	50.00			750		3/22/2002	
REMARKS:									
13-076-03S-C3	C3	3.00	46.00			825		3/22/2002	
REMARKS:									
13-076-04D-C3	C3	3.00	48.00			900		3/22/2002	
REMARKS:									
13-076-04S-C3	C3	3.00	48.00			900		3/22/2002	
REMARKS:									
13-076-08D-C3	C3	3.00	48.00			1050		3/22/2002	
REMARKS:									
13-076-08S-C3	C3	3.00	48.00			1050		3/22/2002	
REMARKS:									
13-076-12D-C3	C3	3.00	48.00			1200		3/22/2002	
REMARKS:									
13-076-12S-C3	C3	3.00	48.00			1200		3/22/2002	
REMARKS:									
13-076-16D-C3	C3	3.00	48.00			1350		3/22/2002	
REMARKS:									
13-076-16S-C3	C3	3.00	48.00			1350		3/22/2002	
REMARKS:									
13-076-20D-C3	C3	3.00	48.00			1500		3/22/2002	
REMARKS:									
13-076-20S-C3	C3	3.00	48.00			1500		3/22/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Florida Reclaim, Inc.**

ACTIVE

Dade

10925 NW South River Drive  
 Medley, FL 33178

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
13-017-01S-C3	C3	0.25	50.00			750		5/29/2002	
REMARKS:									
13-017-02S-C3	C3	0.25	36.50			350	350	10/16/2003	
REMARKS: For use as a dosing tank only. Dosing and electrical outlets through the top of the tank. 900 Gal. Family									
13-017-04D-C3	C3	0.25	50.00			900		5/29/2002	
REMARKS:									
13-017-04S-C3	C3	0.25	50.00			900		5/29/2002	
REMARKS:									
13-017-08D-C3	C3	0.25	57.00			1050		5/29/2002	
REMARKS:									
13-017-08S-C3	C3	0.25	57.00			1050		5/29/2002	
REMARKS:									
13-017-12D-C3	C3	0.38	57.00			1200		5/29/2002	
REMARKS:									
13-017-12S-C3	C3	0.38	57.00			1200		5/29/2002	
REMARKS:									
13-017-16D-C3	C3	0.38	57.00			1350		5/29/2002	
REMARKS:									
13-017-16S-C3	C3	0.38	57.00			1350		5/29/2002	
REMARKS:									
13-017-20D-C3	C3	0.38	57.00			1500		5/29/2002	
REMARKS:									
13-017-20S-C3	C3	0.38	57.00			1500		5/29/2002	
REMARKS:									
13-017-24D-C3	C3	0.38	57.00			1650		5/29/2002	
REMARKS:									
13-017-24S-C3	C3	0.38	57.00			1650		5/29/2002	
REMARKS:									
13-017-32D-C3	C3	0.38	57.00			2000		5/29/2002	
REMARKS:									
13-017-32S-C3	C3	0.38	57.00			2000		5/29/2002	
REMARKS:									
13-017-44D-C3	C3	0.38	57.00			2500		5/29/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Florida Reclaim, Inc.**

10925 NW South River Drive

Medley, FL 33178

ACTIVE

Dade

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL USE	DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)			
13-017-44S-C3	C3	0.38	57.00			2500			5/29/2002	
REMARKS:										
13-017-56D-C3	C3	0.38	57.00			3000			5/29/2002	
REMARKS:										
13-017-56S-C3	C3	0.38	57.00			3000			5/29/2002	
REMARKS:										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Florida Septic, Inc.**

ACTIVE

Alachua

Post Office Box 545  
 Hawthorne, FL 32640

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
01-011--C3	C3	4.00	72.80	102	190.75	4900	4,916	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011--C4	C4	6.00	72.00			5000			
REMARKS: Converted 77D om 2-03-2012. Houses Bio-Microbics 3.0 ATU. AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-02D-C4	C4	4.00	52.30			750		5/31/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-02S-C4	C4	4.00	52.30			750		5/31/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-03D-C4	C4	6.00	55.25			1050		10/31/2001	
REMARKS:									
01-011-03S-C4	C4	6.00	55.25			1050		10/31/2001	
REMARKS:									
01-011-04D-C3	C3	2.50	43.50			900		1/31/2001	
REMARKS:									
01-011-06D-C4	C4	6.00	53.00			750		10/31/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-06S-C4	C4	6.00	53.00			750		10/31/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-07S-C3	C3	2.50	51.75			1050	Standa	6/11/2002	
REMARKS: Can be used to house Bio-Microbics MicroFast 0.5 ATU when used with 350 gallon min. settling tank									
01-011-09D-C3	C3	2.50	50.00			1050		1/31/2001	
REMARKS: Houses Bionest BNC-400 ATU									
01-011-09S-C3	C3	2.50	50.00	62.3	101.3	1050	1,270	2/29/2008	
REMARKS:									
01-011-10D-C4	C4	4.00	55.00			1050		5/31/2001	
REMARKS:									
01-011-10S-C4	C4	4.00	55.00			1050		5/31/2001	
REMARKS:									
01-011-11D-C4	C4		44.00			1050	1,348	3/17/2003	
REMARKS: Houses Bionest BNC-400 ATU. Wall thickness can be either 4" or 6". AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-11S-C4	C4		44.00			1050	1,348	3/17/2003	
REMARKS: Wall thickness can be either 4" or 6". AASHTO H20 traffic loading rated when buried between 18" to 48"									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Florida Septic, Inc.**

ACTIVE

Alachua

Post Office Box 545  
 Hawthorne, FL 32640

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
01-011-12D-C3	C3	2.50	49.00			1200		12/14/2001	
REMARKS:									
01-011-12S-C3	C3	2.50	49.00			1200		12/14/2001	
REMARKS:									
01-011-13D-C4	C4		52.00			1250	1,564	3/17/2003	
REMARKS: Houses Bionest BNC-500 ATU. Wall thickness can be either 4" or 6". AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-13S-C4	C4		52.00			1250	1,564	3/17/2003	
REMARKS: Wall thickness can be either 4" or 6". AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-16D-C3	C3	3.00	57.40			1350		5/31/2001	
REMARKS:									
01-011-16S-C3	C3	3.00	57.40			1350		5/31/2001	
REMARKS:									
01-011-19D-C4	C4	4.00	46.00			1350		7/30/2001	
REMARKS:									
01-011-19S-C4	C4	4.00	46.00			1350		7/30/2001	
REMARKS:									
01-011-20D-C3	C3	3.00	63.00			1500		5/31/2001	
REMARKS: Houses Bionest BNC-600 ATU.									
01-011-20S-C3	C3	3.00	63.00			1500		5/31/2001	
REMARKS:									
01-011-22D-C4	C4	4.00	41.50	75.2	151	1530	2,063	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-22S-C4	C4	4.00	41.50	75.2	151	1530	2,063	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-23D-C4	C4	4.00	53.00			1500		7/30/2001	
REMARKS: Houses Bionest BNC-600 ATU									
01-011-23S-C4	C4	4.00	53.00			1500		7/30/2001	
REMARKS:									
01-011-24D-C3	C3	3.00	44.00			1650		7/30/2001	
REMARKS:									
01-011-24S-C3	C3	3.00	44.00			1650		7/30/2001	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Florida Septic, Inc.**

ACTIVE

Alachua

Post Office Box 545  
 Hawthorne, FL 32640

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
01-011-27S-C4	C4	6.00	53.00			1500		10/31/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-28D-C4	C4	6.00	41.50	79.2	155	1530	2,062	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-28S-C4	C4	6.00	41.50	79.2	155	1530	2,062	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-29D-C4	C4	4.00	44.00			1650		7/30/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-30D-C4	C4	6.00	44.00			1650		5/29/2002	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-30S-C4	C4	6.00	44.00			1650		5/29/2002	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-35D-C4	C4	4.00	50.50	76.3	152.8	1890	2,449	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-35S-C4	C4	4.00	50.50	76.3	152.8	1890	2,449	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-36D-C4	C4	6.00	50.50	80.3	156.8	1890	2,449	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-36S-C4	C4	6.00	50.50	80.3	156.8	1890	2,449	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-37D-C3	C3	3.00	53.00			2000		7/30/2001	
REMARKS: Houses Bionest BNC-750 ATU									
01-011-37S-C3	C3	3.00	53.00			2000		7/30/2001	
REMARKS:									
01-011-38D-C4	C4	4.00	53.00			2000		7/30/2001	
REMARKS: Houses Bionest BNC-750 ATU									
01-011-38S-C4	C4	4.00	53.00			2000		7/30/2001	
REMARKS:									
01-011-39D-C4	C4	6.00	53.00			2000		5/29/2002	
REMARKS: Houses Bionest BNC-750 ATU. AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-39S-C4	C4	6.00	53.00			2000		5/29/2002	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-40D-C3	C3	3.00	60.00			2300		7/30/2001	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Florida Septic, Inc.**

ACTIVE

Alachua

Post Office Box 545  
 Hawthorne, FL 32640

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
01-011-40S-C3	C3	3.00	60.00			2300		7/30/2001	
REMARKS:									
01-011-41D-C4	C4	4.00	60.00			2300		7/30/2001	
REMARKS:									
01-011-41S-C4	C4	4.00	60.00			2300		7/30/2001	
REMARKS:									
01-011-42D-C4	C4	4.00	63.50	78	154.5	2445	3,021	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-42S-C4	C4	4.00	63.50	78	154.5	2445	3,021	4/9/2008	
REMARKS: 6" inlet and outlet or 6" inlet and 2-4" outlets.									
01-011-43D-C4	C4	4.00	66.00			2500		7/30/2001	
REMARKS: Houses Bionest BNC-1000 ATU									
01-011-43S-C4	C4	4.00	66.00			2500		7/30/2001	
REMARKS:									
01-011-44D-C4	C4	4.00	57.50	77.2	153.5	2180	2,752	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-44S-C4	C4	4.00	57.50	77.2	153.5	2180	2,752	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-45D-C4	C4	6.00	57.50	81.2	157.5	2180	2,752	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-45S-C4	C4	6.00	57.50	81.2	157.5	2180	2,752	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-46D-C4	C4	6.00	66.25			2500		5/29/2002	
REMARKS:									
01-011-46S-C4	C4	6.00	66.25			2500		5/29/2002	
REMARKS:									
01-011-47D-C4	C4	6.00	63.50	82	158.5	2445	3,023	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-47S-C4	C4	6.00	63.50	82	158.5	2445	3,023	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-49S-C4	C4	6.00	66.00			2500		5/29/2002	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-51S-C4	C4	4.00	43.00	99.5	187.6	2825	3,733	4/9/2008	
REMARKS: 6" inlet and 2-4" outlets.									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Florida Septic, Inc.**

ACTIVE

Alachua

Post Office Box 545  
 Hawthorne, FL 32640

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
01-011-52D-C4	C4	4.00	42.50			2800		8/14/2001	
REMARKS:									
01-011-52S-C4	C4	4.00	42.50			2800		8/14/2001	
REMARKS:									
01-011-53D-C4	C4	6.00	42.50			2800		10/31/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-53S-C4	C4	6.00	42.50			2800		10/31/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-54D-C4	C4	4.00	43.00	99.5	187.6	2825	3,733	4/9/2008	
REMARKS: 6" inlet and outlet.									
01-011-54S-C4	C4	4.00	43.00	99.5	187.6	2825	3,733	4/9/2008	
REMARKS: 6" inlet and outlet or 6" inlet and 2-4" outlets.									
01-011-55D-C4	C4	6.00	43.00	103.5	191.6	2825	3,733	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-55S-C4	C4	6.00	43.00	103.5	191.6	2825	3,733	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-56D-C4	C4	4.00	45.25			3000		8/14/2001	
REMARKS:									
01-011-56S-C4	C4	4.00	45.25			3000		8/14/2001	
REMARKS:									
01-011-57D-C4	C4	6.00	45.50			3000		10/31/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-57S-C4	C4	6.00	45.50			3000		10/31/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-60D-C4	C4	6.00	60.00			2300		5/29/2002	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-60S-C4	C4	6.00	60.00			2300		5/29/2002	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-62D-C4	C4	4.00	47.00	99.75	188	3100	4,018	4/9/2008	
REMARKS: 6' inlet and outlet.									
01-011-62S-C4	C4	4.00	47.00	99.75	188	3100	4,018	4/9/2008	
REMARKS: 6" inlet and outlet or 6" inlet and 2-4" outlets.									
01-011-63D-C4	C4	6.00	47.00	103.7	192	3100	4,017	4/9/2008	
REMARKS: 6" inlet and outlet									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Florida Septic, Inc.**

ACTIVE

Alachua

Post Office Box 545  
 Hawthorne, FL 32640

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
01-011-63S-C4	C4	6.00	47.00	103.7	192	3100	4,017	4/9/2008	
REMARKS: 6" inlet and outlet or 6" inlet and 2-4" outlets.									
01-011-64D-C3	C3	4.00	50.00			3300		8/14/2001	
REMARKS: Houses Bionest BNC-1250 ATU									
01-011-64D-C4	C4	6.00	49.50	0	0	3300		11/8/2011	
REMARKS:									
01-011-64S-C4	C4	4.00	49.50	99.75	188	3300	4,023	8/12/2008	
REMARKS:									
01-011-64S-C3	C3	4.00	50.00			3300		8/14/2001	
REMARKS:									
01-011-65D-C4	C4	6.00	49.50			3300		10/31/2001	
REMARKS: Houses Bionest BNC-1250 ATU. AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-65S-C4	C4	6.00	49.50			3300		10/31/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-66D-C3	C3	4.00	63.25	100.1	188.4	3500	4,461	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-66S-C3	C3	4.00	63.25	100.1	188.4	3500	4,461	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-67D-C4	C4	6.00	53.25	104.1	192.4	3500	4,461	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-67S-C4	C4	6.00	53.25	104.1	192.4	3500	4,461	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-68D-C3	C3	4.00	54.00			3700		8/14/2001	
REMARKS: Houses Bionest BNC-1500 ATU									
01-011-68S-C3	C3	4.00	54.00			3700		8/14/2001	
REMARKS:									
01-011-69D-C4	C4	6.00	55.00			3700		5/29/2002	
REMARKS: Houses Bionest BNC-1500 ATU. AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-69S-C4	C4	6.00	55.00			3700		5/29/2002	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-70D-C3	C3	4.00	62.00	101.1	189.5	4150	5,109	4/9/2008	
REMARKS: 6" inlet and outlet.									
01-011-70S-C3	C3	4.00	62.00	101.1	189.5	4150	5,109	4/9/2008	
REMARKS: 6" inlet and outlet									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Florida Septic, Inc.**

ACTIVE

Alachua

Post Office Box 545  
 Hawthorne, FL 32640

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
01-011-71D-C4	C4	6.00	62.00	105.1	193.4	4150	5,107	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-71S-C4	C4	6.00	62.00	105.1	193.4	4150	5,107	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-72D-C3	C3	4.00	64.50			4300		8/14/2001	
REMARKS:									
01-011-72S-C3	C3	4.00	64.50			4300		8/14/2001	
REMARKS:									
01-011-73D-C4	C4	6.00	64.50			4300		5/29/2002	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-73S-C4	C4	6.00	64.50			4300		5/29/2002	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-74D-C4	C4	6.00	72.80	109	194.7	4900	5,910	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-74S-C4	C4	6.00	72.80	109	194.7	4900	5,910	4/9/2008	
REMARKS: 6" inlet and outlet									
01-011-76D-C3	C3	4.00	72.00			5000		8/14/2001	
REMARKS:									
01-011-76S-C3	C3	4.00	72.00			5000		8/14/2001	
REMARKS:									
01-011-90D-C4	C4	4.00	43.00			1250		7/30/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-90S-C4	C4	4.00	43.00			1250		7/30/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-91D-C4	C4	6.00	43.00			1250		10/31/2001	
REMARKS:									
01-011-91S-C4	C4	6.00	43.00			1250		10/31/2001	
REMARKS:									
01-011-92D-C4	C4	6.00	46.00			1350		10/31/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-92S-C4	C4	6.00	46.00			1350		10/31/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									
01-011-93S-C4	C4	4.00	42.00			300		12/14/2001	
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48"									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Florida Septic, Inc.**

ACTIVE

Alachua

Post Office Box 545  
 Hawthorne, FL 32640

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL GALLONS		APPROVAL DATE	FAMILY
				WIDTH	LENGTH		(Pump Tanks)	USE		
01-011-94-C4	C4	4.00	34.75			300	358		6/8/2005	
REMARKS: Siphon tank.										
01-011-96S-C4	C4	3.00	42.00			300			1/31/2001	
REMARKS:										
01-011-97S-C4	C4	3.00	42.00			525			1/31/2001	
REMARKS:										
01-011-AK10-C3	C3	3.00	56.50	62	119	1342	1,583		8/12/2008	
REMARKS: Houses AquaKlear AK1000C 1000 gallon per day ATU										
01-011-AK5-C4	C4	3.00	49.50			640	773	ATU ta	12/14/2005	
REMARKS: Used to house AquaKlear 500 gallon per day ATU.										
01-011-AK5B-C3	C3	3.00	50.50	81.38	139.5	1875		ATU	8/27/2007	
REMARKS: Houses AquaKlear AK5B3 500 gpd ATU unit and dosing pump.										
01-011-AK8-C3	C3	3.00	57.50			1020	1,193	ATU ta	12/14/2005	
REMARKS: Used to house AquaKlear 800 gallon per day ATU.										
01-011-BM1-C3	C3	3.00	45.00			1100	1,479	ATU ta	10/31/2003	
REMARKS: Used to house Bio-Microbics FAST 0.5FS ATU										
01-011-BM10-C4	C4	6.00	66.00			2400			3/29/2012	
REMARKS: Converted 02-05-2012. Houses Bio-Microbics 1.5 ATU. AASHTO H20 traffic loading rated when buried between 18" to 48"										
01-011-BM11-C4	C4	6.00	66.00	0	0	4500	5,909	ATU	3/19/2012	
REMARKS: Used to house Bio-Microbics FAST 3.0F and 3.0FS ATU. AASHTO H20 traffic loading rated when buried between 18" to 48"										
01-011-BM12-C4	C4	6.00	72.00			5000				
REMARKS: (Converted 77S to 01-011-BM12, 2-5-2012 ) Houses Bio-Microbics 4.5 ATU. AASTO H20 traffic loading rated when buried between 18" to 48"										
01-011-BM12-C4	C4	600.00	65.00	0	0		4,400	ATU		
REMARKS: AASHTO H20 traffic loading rated when buried between 18" to 48". Used to house Bio-Microbics FAST 4.5F ATU										
01-011-BM14-C3	C3	4.00	72.80	102	190.75	4900	5,916		4/9/2008	
REMARKS: 6" inlet and outlet Converted 78D-C3 to 01-011-BM14 on 02-05-2012										
01-011-BM2-C4	C4	4.00	53.00			1500	1,919	ATU ta	10/31/2003	
REMARKS: Used to house Bio-Microbics FAST 0.5FS, 0.75FS, and 0.9FS ATU										
01-011-BM3-C4	C4	4.00	57.00			2150	2,752	ATU ta		
REMARKS: Used to house Bio-Microbics FAST 1.5FS ATU										
01-011-BM4-C3	C3	3.00	43.00			1600	2,433	ATU ta	10/31/2003	
REMARKS: Used to house Bio-Microbics FAST 0.5F, 0.75F, and 0.9F ATU										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Florida Septic, Inc.**

ACTIVE

Alachua

Post Office Box 545  
 Hawthorne, FL 32640

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	USE	APPROVAL	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		DATE	
01-011-BM5-C3	C3	6.00	66.00			4500	5,909	ATU ta	10/31/2003	
REMARKS: Used to house Bio-Microbics FAST 3.0F and 3.0FS ATU										
01-011-BM6-C3	C3	4.00	65.00			4400	5,913	ATU ta	2/17/2004	
REMARKS: Used to house Bio-Microbics FAST 4.5F ATU										
01-011-BM7-C4	C4	4.00	63.00	78	154.5	2400	3,021	ATU ta	9/13/2007	
REMARKS: Used to house Bio-Microbics FAST 1.5F or S ATU. Inlet and/or outlet can be 4" or 6".										
01-011-BM8-C4	C4	6.00	63.00	78	154.5	2400	3,021		3/1/2112	
REMARKS:										
01-011-BM8-C4	C4	4.00	44.00			1650			7/30/2001	
REMARKS: (01-011-29S-C4 converted to ATU tank, 02-05-2012) Used to house Bio-Microbics 1.5 ATU with 750 gallon pretreatment tank.										
01-011-BM9-C4	C4	6.00	53.00			1500			10/31/2001	
REMARKS: Converted 01-011-27D-C4, to house Bio-Microbics .5, .75, and .9 ATU. AASHTO H20 traffic loading rated when buried between 18" to 48"										
01-011-CS1-C4	C4	3.00	55.00	84	155		2,232		5/12/2010	
REMARKS: Used to house the Clearstream model 600NC3T treatment unit										
01-011-FT1-C3	C3	3.00	30.50	73.2	149.1	1150	1,505	Filter M	7/29/2005	
REMARKS: Filter media tank w/65 sq ft surface area										
01-011-FT2-C4	C4	4.00	29.50	98.25	186.5	1950	2,648	Filter M	1/3/2007	
REMARKS: Filter media tank w/112 sq ft surface area										
01-011-FT3-C4	C4	4.00	30.50	0	0	1150	1,505	filter m	4/30/2007	
REMARKS: Filter media tank w/65 sq ft surface area-corrected category to C4 on 01-26-2012										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**George W. Shephard & Son, Inc.**

ACTIVE

Collier

PO Box 202  
 Naples FL 34106

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
11-149-05D-C3	C3	2.50	42.88			900		10/25/2011	
REMARKS: slide-in baffle									
11-149-08D-C3	C3	2.50	51.00			1050		10/25/2011	
REMARKS: slide-in baffle									
11-149-13D-C4	C4	3.00	50.50	63	108	1250		10/25/2011	
REMARKS: with monolithic baffle-synthetic fiber reinforcing									
11-149-24D-C3	C3	2.50	58.00	74.5	160	2400	2,885	10/25/2011	
REMARKS:									
11-149-32D-C3	C3	2.50	63.50	89	157	3200	3,770	10/25/2011	
REMARKS:									
11-149-90S-C4	C4	2.50	47.00	0	0	300		10/25/2011	
REMARKS:									
11-149-H10P-C3	C3	2.50	65.00	89	157	3309	ATU	10/25/2011	
REMARKS: Houses the Hoot 1000 gpd dosed ATU system (H-1000 AND), needs settling tank									
11-149-H10P-C4	C4	2.50	65.00	89	157	3309	ATU	4/3/2012	
REMARKS: Houses the Hoot 1000 gpd dosed ATU system (H-1000 AND), requires settling tank; 5000 psi concrete									
11-149-H6G-C3	C3	3.00	52.00	74.5	106	1320	ATU	10/24/2011	
REMARKS: Houses either the Hoot 500 or 600 gpd gravity flow ATU (H-500									
11-149-H6P-C3	C3	3.00	52.00	74.5	160	2080	ATU	10/25/2011	
REMARKS: Houses either the Hoot 500 or 600 gpd dosed ATU (H-500 AND, H-600 AND). Needs recirculation for increased nitrogen reduction									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Gulfside Concrete Products, Inc.**

ACTIVE

Collier

4303 Exchange Ave.  
 Naples, FL 33942

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
11-044-01S-C3	C3	2.50	42.88			750		3/22/2002	
REMARKS:									
11-044-04D-C3	C3	2.50	42.88			900		3/22/2002	
REMARKS:									
11-044-04S-C3	C3	2.50	42.88			900		3/22/2002	
REMARKS:									
11-044-06D-C3	C3	2.50	42.00			900		3/22/2002	
REMARKS: with 300 gallon pump tank-monolithic wall									
11-044-07D-C3	C3	2.50	47.50			900		3/22/2002	
REMARKS: monolithic wall									
11-044-08D-C3	C3	2.50	50.50			1050		3/22/2002	
REMARKS:									
11-044-08S-C3	C3	2.50	50.50			1050		3/22/2002	
REMARKS:									
11-044-09D-C3	C3	3.00	42.88			1050		3/22/2002	
REMARKS: monolithic wall									
11-044-13D-C3	C3	2.50	47.50			1250		3/22/2002	
REMARKS: monolithic wall									
11-044-14D-C3	C3	2.50	42.88			1200		3/22/2002	
REMARKS:									
11-044-14S-C3	C3	2.50	42.88			1200		3/22/2002	
REMARKS:									
11-044-16D-C3	C3	4.00	44.00			1350		4/22/2002	
REMARKS:									
11-044-16S-C3	C3	4.00	44.00			1350		4/22/2002	
REMARKS:									
11-044-20D-C3	C3	4.00	49.00			1500		4/22/2002	
REMARKS:									
11-044-20S-C3	C3	4.00	49.00			1500		4/22/2002	
REMARKS:									
11-044-24D-C3	C3	4.00	55.00			1650		4/22/2002	
REMARKS:									
11-044-24S-C3	C3	4.00	55.00			1650		4/22/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Gulfside Concrete Products, Inc.**

ACTIVE

Collier

4303 Exchange Ave.  
 Naples, FL 33942

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
11-044-26D-C3	C3	4.00	59.00			1800		4/22/2002	
REMARKS:									
11-044-26S-C3	C3	4.00	59.00			1800		4/22/2002	
REMARKS:									
11-044-30D-C3	C3	4.00	48.00			2000		4/22/2002	
REMARKS:									
11-044-30S-C3	C3	4.00	48.00			2000		4/22/2002	
REMARKS:									
11-044-40D-C3	C3	4.00	49.75			2300		4/22/2002	
REMARKS:									
11-044-40S-C3	C3	4.00	49.75			2300		4/22/2002	
REMARKS:									
11-044-44D-C3	C3	4.00	54.00			2500		4/22/2002	
REMARKS:									
11-044-44S-C3	C3	4.00	54.00			2500		4/22/2002	
REMARKS:									
11-044-49D-C3	C3	4.00	60.00			2700		4/22/2002	
REMARKS:									
11-044-49S-C3	C3	4.00	60.00			2700		4/22/2002	
REMARKS:									
11-044-52D-C3	C3	4.00	60.25			2800		4/22/2002	
REMARKS:									
11-044-52S-C3	C3	4.00	62.25			2800		4/22/2002	
REMARKS:									
11-044-90S-C3	C3	2.50	42.88			300		3/22/2002	
REMARKS:									
11-044-94S-C3	C3	2.50	45.00			450	515	8/30/2004	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Gunter Septic Tank Mfg.**

ACTIVE

Hillsborough

1434 Martin Luther King Blvd.  
 Seffner FL 33584

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
							GALLONS (Pump Tanks) USE		
29-022-05D-C3	C3	3.00	53.00			900	1,001	2/27/1996	
REMARKS:									
29-022-05S-C3	C3	3.00	53.00			900	1,017	2/27/1996	
REMARKS:									
29-022-06S-C4	C4	3.00	42.00			525	637	2/5/2002	
REMARKS:									
29-022-07D-C4	C4	3.00	52.50			1050	1,257	2/5/2002	
REMARKS:									
29-022-07S-C4	C4	3.00	52.50			1050	1,278	2/5/2002	
REMARKS:									
29-022-17D-C4	C4	3.50	51.50			1250	1,419	12/24/2001	
REMARKS:									
29-022-17S-C4	C4	3.50	51.50			1250	1,448	12/24/2001	
REMARKS:									
29-022-21D-C3	C3	3.50	53.00			1500	1,704	12/24/2001	
REMARKS:									
29-022-21S-C3	C3	3.50	53.00			1500	1,736	12/24/2001	
REMARKS:									
29-022-26D-C3	C3	3.00	57.00			1650	1,931	12/24/2001	
REMARKS:									
29-022-26S-C3	C3	3.00	57.00			1650	1,970	12/24/2001	
REMARKS:									
29-022-92S-C4	C4	3.00	49.50			300		12/24/2001	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**H & S Precast Systems, Inc.**

ACTIVE

Lafayette

P.O. Box 24  
 Mayo FL 32066

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
34-107-03S-C4	C4	2.50	43.00			300	373	12/24/2001	
REMARKS:									
34-107-05S-C3	C3	3.00	42.00			500	639	1/30/2006	
REMARKS:									
34-107-09D-C3	C3	2.50	43.00			900	1,113	12/24/2001	
REMARKS: Monolithic baffle									
34-107-09S-C3	C3	2.50	42.00			900	1,068	11/6/2003	
REMARKS:									
34-107-10D-C3	C3	3.00	43.00			1050	1,277	12/24/2001	
REMARKS: Slide-in baffle									
34-107-10S-C3	C3	3.00	43.00			1050	1,277	12/24/2001	
REMARKS:									
34-107-11D-C3	C3	3.00	42.00			1050	1,334	1/30/2006	
REMARKS: Slide in baffle wall									
34-107-11S-C3	C3	3.00	42.00			1050	1,373	1/30/2006	
REMARKS:									
34-107-13D-C3	C3	3.00	43.00			1350	1,720	12/24/2001	
REMARKS: Monolithic baffle									
34-107-13S-C3	C3	3.00	44.00			1350	1,627	11/6/2003	
REMARKS:									
34-107-16D-C3	C3	3.00	42.00			1650	2,039	1/30/2006	
REMARKS: Monolithic baffle									
34-107-16S-C3	C3	3.00	42.00			1650	2,078	1/30/2006	
REMARKS:									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**H.G. McGrew, Inc.**

ACTIVE

3805 Industrial Drive  
Bossier City LA 71112

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL USE	DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)			
70-121-MM1-C4	C4	0.38	66.00					ATU	3/22/2002	
REMARKS: Used to house the Mighty Mac 500 ATU										
70-121-MM2-C3	C3	0.38	66.00					ATU	10/6/2002	
REMARKS: Used to house the Mighty Mac 750 ATU										
70-121-MM3-C3	C3	0.38	66.00					ATU	10/6/2002	
REMARKS: Used to house the Mighty Mac 600 ATU										



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Hanson Pipe & Precast**

ACTIVE

Hillsborough

12781 US Hwy 41 South

Gibsonton, FL 33534

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL		FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)	USE	DATE	
29-139-01D-C4	C4	8.00	58.68	115	187	4300			11/28/2007	

REMARKS: Rated for HS20 traffic loading.



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Howie Concrete Products, Inc.**

Active

Monroe

2817 Central Avenue  
 Big Pine Key, FL 33043

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
44-085-02D-C3	C3	2.50	42.00			900		3/22/2002	
REMARKS: with 300 gallon pump chamber									
44-085-03S-C3	C3	2.50	42.00			300		3/22/2002	
REMARKS:									
44-085-08D-C3	C3	2.50	41.00			900		1/23/2004	
REMARKS: Houses the FAST 0.5F short ATU. Houses .250 and .375 RetroFASTunits as INNOVATIVE.									
44-085-09D-C3	C3	2.50	42.00			900		3/22/2002	
REMARKS:									
44-085-09S-C3	C3	2.50	42.00			900		3/22/2002	
REMARKS:									
44-085-10D-C3	C3	2.50	42.00			1050		3/22/2002	
REMARKS:									
44-085-10S-C3	C3	2.50	42.00			1050		3/22/2002	
REMARKS:									
44-085-11D-C3	C3	2.50	41.00			1050		1/23/2004	
REMARKS: Houses the FAST 0.5F short ATU. Houses .250 and .375 RetroFASTunits as INNOVATIVE.									
44-085-13D-C3	C3	2.50	42.00			1200		3/22/2002	
REMARKS:									
44-085-13S-C3	C3	2.50	42.00			1200		4/25/2002	
REMARKS:									
44-085-FMT-C3	C3	5.00	30.00	72	144		1,383	7/6/2010	
REMARKS: Used to house phosphorus reducing media.									
44-085-NW1-C3	C3	2.50	54.00					3/22/2002	
REMARKS: Norweco (Singulair 960 and Singulair TNT model) 500/600 gallon per day ATU. Add 1000 gallon pretreatment chamber to become 1000 gallon per day ATU.									
44-085-NW2-C3	C3	2.50	66.00					3/22/2002	
REMARKS: Norweco (Singulair 960 and Singulair TNT model) 750/800 gallon per day ATU. Add 1250 pretreatment chamber to become 1250 gallon per day ATU.									
44-085-NW3-C3	C3	2.50	78.00					3/22/2002	
REMARKS: Norweco (Singulair 960 and Singulair TNT model) 1500 gallon per day ATU (requires minimum 1500 gallon pretreatment tank)									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Hydro-Action**

ACTIVE

8645 Broussard Road  
 Beaumont TX 77713

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
70-118-02S-C4	C4	0.19	64.00			250	Pump t	9/24/2002	
REMARKS:									
70-118-03S-C4	C4	0.19	64.00			300	Pump t	9/24/2002	
REMARKS:									
70-118-05S-C4	C4	25.00	64.00			500	Pump t	9/24/2002	
REMARKS:									
70-118-06S-C3	C3	0.31	64.00			625	Pump t	9/24/2002	
REMARKS:									
70-118-07S-C3	C3	0.31	64.00			750	Pump t	9/24/2002	
REMARKS:									
70-118-HA1-C3	C3	0.25	64.00				ATU	9/24/2002	
REMARKS: 500 gallon per day ATU tank-fiberglass									
70-118-HA2-C3	C3	0.25	64.00				ATU	9/24/2002	
REMARKS: 600 gallon per day ATU tank-fiberglass									
70-118-HA3-C3	C3	0.31	64.00				ATU	9/24/2002	
REMARKS: 750 gallon per day ATU tank-fiberglass									
70-118-HA4-C3	C3	0.38	70.00				ATU	9/24/2002	
REMARKS: 1000 gallon per day ATU tank-fiberglass									
70-118-HA5-C3	C3	0.38	80.00				ATU	9/24/2002	
REMARKS: 1500 gallon per day ATU tank-fiberglass									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Infiltrator Systems, Incorporated**

ACTIVE

6 Business Park Road; P.O. Box 768  
 Old Saybrook, CT 06475

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
70-143-03S-C3	C3	0.50	38.00	47	50	250	310	10/12/2010	
REMARKS: Graywater, laundry, or pump tank, or part of a septic tank in series. Pump tank may be manufactured without outlet hole.									
70-143-04S-C3	C3	0.70	40.00	59.6	59.6	375	417	Pump t 3/3/2009	
REMARKS: Can be used as a pump tank only. Insufficient airspace to be used as septic tank or laundry tank. Pump tank may be manufactured without outlet hole.									
70-143-05S-C3	C3	0.50	40.00	60.4	62.5	425	500	7/26/2010	
REMARKS: Graywater, laundry, or pump tank, or part of a septic tank in series. Pump tank may be manufactured without outlet hole.									
70-143-09D-C3	C3	0.70	40.00	66	96.2	900	1,060	12/19/2008	
REMARKS: Dual compartment polyethylene tank with two internal stiffeners and baffle supported by two horizontal beams									
70-143-09S-C3	C3	0.70	40.00	66	96.2	900	1,060	7/29/2008	
REMARKS: Single compartment polyethylene tank with two internal stiffeners									
70-143-10D-C3	C3	0.70	40.00	66	109.5	1050	1,217	7/29/2008	
REMARKS: Dual compartment polyethylene tank with two internal stiffeners and baffle attached to stiffener									
70-143-10S-C3	C3	0.70	40.00	66	109.5	1050	1,217	7/29/2008	
REMARKS: Single compartment polyethylene tank with two internal stiffeners									
70-143-11D-C4	C4	0.20	44.00	58	119	1090	1,280	7/8/2011	
REMARKS: dual compartment polypropylene tank with internal two vertical stiffeners and six horizontal stiffeners, and baffle attached to stiffener. Approximate top length and width.									
70-143-11D-C3	C3	0.20	44.00	58	119	1090	1,280	7/8/2011	
REMARKS: dual compartment polypropylene tank with internal two vertical stiffeners and baffle attached to stiffener. Approximate top length and width.									
70-143-11S-C3	C3	0.20	44.00	58	119	1090	1,280	7/8/2011	
REMARKS: single compartment polypropylene tank with internal two vertical stiffeners. Approximate top length and width.									
70-143-11S-C4	C4	0.20	44.00	58	119	1090	1,280	7/8/2011	
REMARKS: single compartment polypropylene tank with internal two vertical stiffeners and six horizontal stiffeners. Approximate top length and width.									
70-143-13D-C3	C3	0.70	40.00	66	129.5	1250	1,451	7/29/2008	
REMARKS: Dual compartment polyethylene tank with three internal stiffeners and baffle attached to stiffener									
70-143-13S-C3	C3	0.70	40.00	66	129.5	1250	1,451	7/29/2008	
REMARKS: Single compartment polyethylene tank with three internal stiffeners									
70-143-15D-C3	C3	0.70	40.00	66	155.9	1500	1,766	7/29/2008	
REMARKS: Dual compartment polyethylene tank with three internal stiffeners and baffle attached to stiffener									
70-143-15S-C3	C3	0.70	40.00	66	155.9	1500	1,766	7/29/2008	
REMARKS: Single compartment polyethylene tank with three internal stiffeners									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**JE Hill Precast**

ACTIVE

Lake

PO Box 491356

Leesburg FL 34749

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
35-144-V1D-C3	C3	5.00	48.00	78	77			10/24/2008	

REMARKS: Vault holding tank for waterless restroom



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**John Hudson Lundy**

ACTIVE

Suwannee

10488 89th Road  
 Live Oak FL 32060

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
61-104-03S-C4	C4	3.00	38.25			300	375	6/6/2001	
REMARKS: Pump tank and laundry tank only.									
61-104-09D-C3	C3	2.50	42.50	67	89	900	1,104	6/6/2001	
REMARKS:									
61-104-09S-C3	C3	2.50	42.50	67	89	900	1,104	4/21/2008	
REMARKS:									
61-104-10D-C3	C3	3.00	43.00			1050		6/6/2001	
REMARKS:									
61-104-11S-C3	C3	3.00	43.00			1050		6/24/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**L. F. Manufacturing, Inc.**

ACTIVE

Palm Beach

6707 Pemberton Estates Court

Seffner FL 33584

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL		
				WIDTH	LENGTH		GALLONS (Pump Tanks)	USE	DATE	FAMILY
50-102-05-C4	C4	0.31	62.50			475			9/18/1997	

REMARKS: Dosing tank - 48 inch diameter



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Lee Septic Tank & Crane Service, I**      ACTIVE      Lee

Post Office Box 865  
 Ft. Myers, FL 33902

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
36-043-04D-C3	C3	3.00	48.00			900		3/22/2002	
REMARKS: was tank # 05B									
36-043-04S-C3	C3	3.00	48.00			900		3/22/2002	
REMARKS:									
36-043-05S-C4	C4	3.00	40.00			500			
REMARKS:									
36-043-12D-C3	C3	3.00	48.00			1200		3/22/2002	
REMARKS: was tank #13B									
36-043-12S-C3	C3	3.00	48.00			1200		3/22/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Leesburg Concrete Company**

Active

Lake

1335 Thomas Ave  
Leesburg, FL 34748

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
35-087-10D-C3	C3	205.00	42.00	60	110	1050		7/22/2010	

REMARKS:

35-087-10S-C3	C3	2.50	42.00	60	118	1050		7/22/2010	
---------------	----	------	-------	----	-----	------	--	-----------	--

REMARKS:



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Leroy Blount**

ACTIVE

Madison

P. O. Box 517

Greenville, FL 32331

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
40-095-09S-C4	C4	2.50	42.00			300		2/25/2002	
REMARKS:									
40-095-10D-C3	C3	2.50	45.00			1050		2/25/2002	
REMARKS: Monolithic baffle									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Mack Concrete Industries**

ACTIVE

Lake

Post Office Box 157  
 Astatula, FL 34705

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
35-015-01D-C4	C4	6.00	48.00	60	90	750	1,070	1/13/2009	
REMARKS: Grease Interceptor									
35-015-02D-C4	C4	6.00	67.00	60	90	1050	1,394	1/13/2009	
REMARKS: Grease Interceptor									
35-015-03D-C4	C4	6.00	80.00	60	90	1250	1,588	1/13/2009	
REMARKS: Grease Interceptor									
35-015-04D-C3	C3	2.50	42.00			900		3/22/2002	
REMARKS:									
35-015-04S-C3	C3	2.50	42.00			900		3/22/2002	
REMARKS:									
35-015-07S-C4	C4	3.00	42.00			750		6/12/2002	
REMARKS:									
35-015-08D-C3	C3	2.50	42.00			1050		3/22/2002	
REMARKS: Houses Bionest BNC-400 ATU									
35-015-08S-C3	C3	2.50	42.00			1050		3/22/2002	
REMARKS:									
35-015-12D-C3	C3	2.50	42.00			1200		3/22/2002	
REMARKS:									
35-015-12S-C3	C3	2.50	42.00			1200		3/22/2002	
REMARKS:									
35-015-15D-C3	C3	3.00	48.00			1500		3/22/2002	
REMARKS: Houses Bionest BNC-500 ATU and 600 ATU									
35-015-15S-C3	C3	3.00	48.00			1500		3/22/2002	
REMARKS:									
35-015-30D-C3	C3	3.00	48.00			2000		3/22/2002	
REMARKS: Houses Bionest BNC-750 ATU									
35-015-30S-C3	C3	3.00	48.00			2000		3/22/2002	
REMARKS:									
35-015-35D-C4	C4	7.00	43.00	114	210	3500	4,752	10/22/2007	
REMARKS: Slide in baffle									
35-015-35S-C4	C4	7.00	43.00	114	210	3500	4,752	10/22/2007	
REMARKS: Slide in baffle									
35-015-43D-C4	C4	7.00	52.00	114	210	4300	6,109	10/22/2007	
REMARKS: Slide in baffle									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Mack Concrete Industries**

ACTIVE

Lake

Post Office Box 157  
 Astatula, FL 34705

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
35-015-43S-C4	C4	7.00	52.00	114	210	4300	6,109	10/22/2007	
REMARKS: Slide in baffle									
35-015-48D-C4	C4	7.00	58.00	114	210	4800	6,109	10/22/2007	
REMARKS: Slide in baffle									
35-015-48S-C4	C4	7.00	58.00	114	210	4800	6,109	10/22/2007	
REMARKS: Slide in baffle									
35-015-53D-C4	C4	7.00	64.00	114	210	5300	7,127	10/22/2007	
REMARKS: Slide in baffle									
35-015-53S-C4	C4	7.00	64.00	114	210	5300	7,127	10/22/2007	
REMARKS: Slide in baffle									
35-015-60D-C4	C4	7.00	73.00	114	210	6000	7,127	10/22/2007	
REMARKS: Slide in baffle									
35-015-60S-C4	C4	7.00	73.00	114	210	6000	7,127	10/22/2007	
REMARKS: Slide in baffle									
35-015-64D-C3	C3	4.00	42.00			3500		3/22/2002	
REMARKS: Houses Bionest BNC-1250 ATU									
35-015-64S-C3	C3	4.00	42.00			3500		3/22/2002	
REMARKS:									
35-015-72D-C3	C3	4.00	51.00			4300		3/22/2002	
REMARKS: Houses Bionest BNC-1500 ATU									
35-015-72S-C3	C3	4.00	51.00			4300		3/22/2002	
REMARKS:									
35-015-76D-C3	C3	4.00	57.00			4800		3/22/2002	
REMARKS:									
35-015-76S-C3	C3	4.00	57.00			4800		3/22/2002	
REMARKS:									
35-015-80D-C3	C3	4.00	63.00			5300		3/22/2002	
REMARKS:									
35-015-80S-C3	C3	4.00	63.00			5300		3/22/2002	
REMARKS:									
35-015-88D-C3	C3	4.00	72.00			6000		3/22/2002	
REMARKS:									
35-015-88S-C3	C3	4.00	72.00			6000		3/22/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Mack Concrete Industries**

ACTIVE

Lake

Post Office Box 157  
 Astatula, FL 34705

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	USE	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)			
35-015-94S-C4	C4	2.50	42.00			350			3/22/2002	
REMARKS:										
35-015-95S-C4	C4	2.50	43.00	48	60	375	451	pump t	9/25/2009	
REMARKS:										
35-015-CA1-C3	C3	2.50	55.00	62	94			ATU	9/18/2008	
REMARKS: CajunAire 500 gallon per day ATU										
35-015-NW1-C3	C3	2.50	54.00						3/22/2002	
REMARKS: Norweco (Singulair 960 and Singulair TNT model) 500/600 gallon per day ATU. Add 1000 gallon pretreatment chamber to become 1000 gallon per day ATU.										
35-015-NW2-C3	C3	2.20	66.00						3/22/2002	
REMARKS: Norweco (Singulair 960 and Singulair TNT model) 750/800 gallon per day ATU. Add 1250 pretreatment chamber to become 1250 gallon per day ATU.										
35-015-NW3-C3	C3	2.50	78.00						3/22/2002	
REMARKS: Norweco (Singulair 960 and Singulair TNT model) 1500 gallon per day ATU (requires minimum 1500 gallon pretreatment tank)										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**McNeill, Inc.**

ACTIVE

1408 River Falls Street  
 Andalusia, AL 36420

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL USE	DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)			
68-097-02S-C3	C3	2.50	47.50			250	300		10/2/2002	
REMARKS:										
68-097-03S-C3	C3	2.50	40.00			350	425		10/2/2002	
REMARKS:										
68-097-11D-C3	C3	2.50	43.75			1050	1,250		10/2/2002	
REMARKS:										
68-097-16D-C3	C3	3.00	46.00			1500	1,850		10/2/2002	
REMARKS:										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Mills Septic Tank Service, Inc.**

ACTIVE

Marion

2021 N.E. 20th Street  
 Ocala, FL 34470

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
42-002-01S-C4	C4	3.00	47.00			750		2/20/2002	
REMARKS:									
42-002-05D-C3	C3	2.75	48.00			900		2/20/2002	
REMARKS:									
42-002-05S-C3	C3	2.75	48.00			900		2/20/2002	
REMARKS:									
42-002-08D-C3	C3	3.00	48.00			1050		2/20/2002	
REMARKS:									
42-002-08S-C3	C3	3.00	48.00			1050		2/20/2002	
REMARKS:									
42-002-09D-C3	C3	2.75	47.00			1050		2/20/2002	
REMARKS:									
42-002-09S-C3	C3	2.75	47.00			1050		2/20/2002	
REMARKS:									
42-002-12D-C3	C3	3.00	48.00			1200		2/20/2002	
REMARKS:									
42-002-12S-C3	C3	3.00	48.00			1200		2/20/2002	
REMARKS:									
42-002-13D-C3	C3	3.00	48.00			1250		2/20/2002	
REMARKS:									
42-002-13S-C3	C3	3.00	48.00			1250		2/20/2002	
REMARKS:									
42-002-20D-C3	C3	3.00	47.00			1500		2/20/2002	
REMARKS:									
42-002-20S-C3	C3	3.00	47.00			1500		2/20/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Moring Septic Tank Service**

ACTIVE

Marion

3747 NW Gainesville Hwy.  
 Ocala, FL 34475

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
42-041-03S-C4	C4	2.75	30.00			300		3/22/2002	
REMARKS:									
42-041-04D-C3	C3	2.50	42.00			900		3/22/2002	
REMARKS: monolithic baffle									
42-041-05D-C3	C3	3.00	42.00			900		3/22/2002	
REMARKS:									
42-041-05S-C3	C3	3.00	42.00			900		3/22/2002	
REMARKS:									
42-041-08D-C3	C3	2.50	42.00			1050		3/22/2002	
REMARKS: monolithic baffle									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Murrah's Septic Tank Company**

ACTIVE

Suwannee

P.O. Box 1316

Live Oak FL 32060

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL		
				WIDTH	LENGTH		GALLONS (Pump Tanks)	USE	DATE	FAMILY
61-103-10D-C3	C3	2.50	44.63	63	102	1050	1,217		12/21/2007	

REMARKS: monolithic baffle wall



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Murrill Tank Service, Inc.**

ACTIVE

3621 Alab Club Road  
 Mobile AL 36605

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL		
							GALLONS (Pump Tanks)	USE	DATE	FAMILY
68-135-H10P-C4	C4	2.50	64.00				ATU	8/3/2007		
REMARKS: Houses the Hoot 1000 gpd dosed ATU system										
68-135-H6G-C3	C3	2.50	52.00				ATU	1/8/2007		
REMARKS: Houses either the Hoot 500 or 600 gpd gravity flow ATU system.										
68-135-H6P-C3	C3	2.50	52.00				ATU	1/8/2007		
REMARKS: Houses either the Hoot 500 or 600 gpd dosed or drip irrigation ATU system										



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Norweco**

ACTIVE

220 Republic Street

Norwalk OH 44857-1156

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	USE	APPROVAL	
				WIDTH	LENGTH		GALLONS (Pump Tanks)		DATE	FAMILY
70-150-NW1-C3	C3	0.38	52.00	78	123	1280	1,430	ATU	11/17/2011	

REMARKS: Polyethylene tank; three joined compartments; used to house ATU Norweco Singulair Green 960-500 or TNT-500, NSF-40 certified for 500 and 600 gpd



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Norwesco (Rochester Product Line)**      ACTIVE

4365 Steiner Street  
 St. Bonifacius, MN 55375

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL	FAMILY
							GALLONS (Pump Tanks)		
70-080-01S-C3	C3	0.31	40.50			275	325	pump t	11/15/2005
REMARKS: polyethylene tank-Flush inlet/outlet--Used as a 300 gallon pump tank. With or w/o stabilization lugs									
70-080-02S-C3	C3	0.31	40.50			275	335	pump t	11/15/2005
REMARKS: polyethylene tank-Extended inlet/outlet--Used as a 300 gallon pump tank.									
70-080-12D-C3	C3	0.38	42.00			1250	1,435		2/28/2006
REMARKS: polyethylene tank									
70-080-12S-C3	C3	0.38	42.00			1250	1,435		2/28/2006
REMARKS: polyethylene tank									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**O.E. Smith's and Sons**

ACTIVE

Duval

11749 U.S. 1 North  
 Jacksonville, FL 32219

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
16-063-04D-C4	C4	2.50	42.88			900		3/22/2002	
REMARKS: was tank # 05B									
16-063-04S-C4	C4	2.50	42.88			900		3/22/2002	
REMARKS:									
16-063-06D-C4	C4	2.50	42.00			900		3/22/2002	
REMARKS: with 300 gallon pumping tank									
16-063-07S-C4	C4	2.50	42.00			750		3/22/2002	
REMARKS:									
16-063-08D-C4	C4	2.50	42.88			1050		3/22/2002	
REMARKS: was tank # 09B									
16-063-08S-C4	C4	2.50	42.88			1050		3/22/2002	
REMARKS:									
16-063-12D-C4	C4	2.50	42.88			1200		3/22/2002	
REMARKS:									
16-063-12S-C4	C4	2.50	42.75			1250		3/22/2002	
REMARKS: was tank # 13									
16-063-20D-C4	C4	3.00	49.00			1500		3/22/2002	
REMARKS:									
16-063-20S-C4	C4	3.00	49.00			1500		3/22/2002	
REMARKS:									
16-063-25D-C3	C3	3.00	59.00			1800		3/22/2002	
REMARKS:									
16-063-25S-C3	C3	3.00	59.00			1800		3/22/2002	
REMARKS:									
16-063-40D-C3	C3	3.00	49.75			2300		3/22/2002	
REMARKS:									
16-063-40S-C3	C3	3.00	49.75			2300		3/22/2002	
REMARKS:									
16-063-48D-C3	C3	3.00	60.00			2700		3/22/2002	
REMARKS:									
16-063-48S-C3	C3	3.00	60.00			2700		3/22/2002	
REMARKS:									
16-063-92-C4	C4	2.50	25.00			150		3/22/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**O.E. Smith's and Sons**

ACTIVE

Duval

11749 U.S. 1 North

Jacksonville, FL 32219

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
16-063-94-C4	C4	2.50	42.88			300		3/22/2002	

REMARKS:



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Oldcastle Precast, Inc.**

ACTIVE

Orange

690 W Taft-Vineland Rd  
 Orlando FL 32824

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
48-106-03D-C4	C4	6.00	36.00			300	449	4/24/2003	
REMARKS: graywater tank									
48-106-03S-C4	C4	6.00	36.00			300	449	4/24/2003	
REMARKS: graywater tank									
48-106-08D-C4	C4	5.00	51.00			750	972	4/24/2003	
REMARKS:									
48-106-08S-C4	C4	5.00	51.00			750	972	4/24/2003	
REMARKS:									
48-106-11D-C4	C4	6.00	56.00			1050	1,436	4/24/2003	
REMARKS:									
48-106-11S-C4	C4	6.00	56.00			1050	1,436	4/24/2003	
REMARKS:									
48-106-12D-C4	C4	6.00	66.00			1250	1,457	4/24/2003	
REMARKS:									
48-106-12S-C4	C4	6.00	66.00			1250	1,457	4/24/2003	
REMARKS:									
48-106-16D-C4	C4	6.00	48.00			1500	1,964	4/24/2003	
REMARKS:									
48-106-16S-C4	C4	6.00	48.00			1500	1,964	4/24/2003	
REMARKS:									
48-106-21D-C4	C4	6.00	46.00			2000	2,693	4/24/2003	
REMARKS:									
48-106-21S-C4	C4	6.00	46.00			2000	2,693	4/24/2003	
REMARKS:									
48-106-26D-C4	C4	6.00	58.00			2500	3,232	4/24/2003	
REMARKS:									
48-106-26S-C4	C4	6.00	58.00			2500	3,232	4/24/2003	
REMARKS:									
48-106-30D-C4	C4	6.00	69.00			3000	3,770	6/17/2002	
REMARKS:									
48-106-30S-C4	C4	6.00	69.00			3000	3,770	6/17/2002	
REMARKS:									
48-106-40D-C4	C4	6.00	73.00			4000	5,386	6/17/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Oldcastle Precast, Inc.**

ACTIVE

Orange

690 W Taft-Vineland Rd

Orlando FL 32824

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL		
				WIDTH	LENGTH		GALLONS (Pump Tanks)	USE	DATE	FAMILY
48-106-40S-C4	C4	6.00	73.00			4000	5,386		6/17/2002	

REMARKS:



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Orengo Systems, Incorporated**

ACTIVE

814 Airway Avenue  
 Sutherlin Or 97479

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
70-128-10D-C4	C4		51.00			1050	1,210	8/30/2004	
REMARKS: Fiberglass tank									
70-128-10S-C4	C4		51.00			1050	1,210	8/30/2004	
REMARKS: Fiberglass tank									
70-128-150P-C4	C4		50.00			150	150	10/31/2005	
REMARKS: 30" diameter pump tank-fiberglass									
70-128-15D-C4	C4		51.00			1500	1,800	8/30/2004	
REMARKS: Fiberglass tank									
70-128-15S-C4	C4		51.00			1500	1,800	8/30/2004	
REMARKS: Fiberglass tank for the 500 GPD Configuration									
70-128-225P-C4	C4		67.00			225	225	10/31/2005	
REMARKS: 30" diameter pump tank-fiberglass									
70-128-24P-C4	C4		79.00			150	150	10/31/2005	
REMARKS: 24" diameter pump tank-fiberglass									
70-128-300P-C4	C4		101.00			300	300	10/31/2005	
REMARKS: 30" diameter pump tank-fiberglass									
70-128-375P-C4	C4		126.00			375	375	10/31/2005	
REMARKS: 30" diameter pump tank-fiberglass									
70-128-450P-C4	C4		152.00			450	450	10/31/2005	
REMARKS: 30" diameter pump tank-fiberglass									
70-128-AXRT1-	C3							5/24/2010	
REMARKS: Fiberglass recirculating tank used to house Advantex AX20-RT as part of a 500 gpd ATU, requires 1000 gal minimum pretreatment tank.									
70-128-X100-C3	C3							11/28/2006	
REMARKS: Fiberglass tank used to house AdvanTex AX100 treatment media as part of a 2000 gpd ATU.									
70-128-X20-C3	C3							8/30/2004	
REMARKS: Fiberglass tank used to house AdvanTex AX20 treatment media as part of a 500 gpd ATU.									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**P & R Smith Corp.**

ACTIVE

Dade

1788 N.W. 23rd Street  
Miami Fl 3142

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
							GALLONS (Pump Tanks) USE		
13-049-09D-C4	C4	4.00	48.00			900		4/25/2002	
REMARKS:									
13-049-09S-C4	C4	4.00	48.00			900		4/25/2002	
REMARKS:									
13-049-10D-C4	C4	4.00	48.00			1050		4/25/2002	
REMARKS:									
13-049-10S-C4	C4	4.00	48.00			1050		4/25/2002	
REMARKS:									
13-049-13D-C4	C4	4.00	48.00			1350		4/25/2002	
REMARKS:									
13-049-13S-C4	C4	4.00	48.00			1350		4/25/2002	
REMARKS:									
13-049-17D-C4	C4	5.25	50.50			1650		4/25/2002	
REMARKS:									
13-049-17S-C4	C4	5.25	50.50			1650		4/25/2002	
REMARKS:									
13-049-22D-C4	C4	5.25	50.50			2200		4/25/2002	
REMARKS:									
13-049-22S-C4	C4	5.25	50.50			2200		4/25/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Pence So. Brevard Sewer & Septic**

ACTIVE

Brevard

P.O. Box 060101  
 Palm Bay, FL 32906

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
05-027-01S-C4	C4	2.50	43.00			300	360	3/22/2002	
REMARKS:									
05-027-02S-C4	C4	2.50	42.00			400	484	3/22/2002	
REMARKS:									
05-027-04D-C3	C3	2.50	42.80			900		3/22/2002	
REMARKS:									
05-027-04S-C3	C3	2.50	42.80			900	1,068	3/22/2002	
REMARKS:									
05-027-05D-C4	C4	2.50	42.80			900		3/22/2002	
REMARKS: with monolithic baffle									
05-027-09D-C3	C3	2.50	42.80			1050		3/22/2002	
REMARKS:									
05-027-09S-C3	C3	2.50	42.80			1050	1,248	3/22/2002	
REMARKS: was tank # -08									
05-027-14D-C3	C3	2.50	42.80			1250		3/22/2002	
REMARKS:									
05-027-14S-C3	C3	2.50	42.80			1250	1,451	3/22/2002	
REMARKS: was tank # 13									
05-027-20D-C3	C3	3.00	42.00			1500		5/9/2002	
REMARKS:									
05-027-20S-C3	C3	3.00	42.00			1500	1,792	5/9/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Planet Care, Inc.**

ACTIVE

P.O. Box 2183  
 Valrico FL 33595

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
70-148-01S-C3	C3	0.35		84	120		PBTS	10/22/2001	
REMARKS: houses 425 gpd Eco-Pure peat moss PBTS "PBF4"(was 36-112-)									
70-148-02S-C3	C3		42.00			300		4/22/2002	
REMARKS: (was 36-112-)									
70-148-03S-C3	C3					150		4/22/2002	
REMARKS: 24" diameter pump tank-84" high (was 36-112-)									
70-148-04D-C3	C3	0.38	43.00			1050	1,290	1/15/2004	
REMARKS: polyethylene tank (was 36-112-)									
70-148-04S-C3	C3	0.38	43.00			1050	1,290	1/15/2004	
REMARKS: polyethylene tank (was 36-112-)									
70-148-05D-C3	C3	0.38	43.00			1250	1,460	1/15/2004	
REMARKS: polyethylene tank (was 36-112-)									
70-148-05S-C3	C3	0.38	43.00			1250	1,460	1/15/2004	
REMARKS: polyethylene tank (was 36-112-)									
70-148-06S-C3	C3	0.38	42.00			525	600 pump	10/7/2004	
REMARKS: polyethylene tank (was 36-112-)									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Premier Tech**

ACTIVE

1, Avenue Premier

Quebec G5R 6CI C

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL	
							(Pump Tanks)	USE	DATE
70-124-650-C3	C3		49.00						4/3/2003

REMARKS: Fiberglass tank-Used to house the STB-650 EcoFlo peat biofilter ATU



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Proceptor**

ACTIVE

12 Madison Avenue  
 Toronto C M5R2S1

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
70-126-07D-C4	C4	0.38	48.00			750	1,020	1/12/2004	
REMARKS: Fiberglass tank									
70-126-07S-C4	C4	0.38	48.00			750	1,020	1/12/2003	
REMARKS: Fiberglass tank									
70-126-10D-C4	C4	0.38	62.00			1000	1,264	1/12/2004	
REMARKS: Fiberglass tank									
70-126-10S-C4	C4	0.38	62.00			1000	1,264	1/12/2004	
REMARKS: Fiberglass tank									
70-126-12D-C4	C4	0.38	76.00			1250	1,508	1/12/2004	
REMARKS: Fiberglass tank									
70-126-12S-C4	C4	0.38	76.00			1250	1,508	1/12/2004	
REMARKS: Fiberglass tank									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Quanics**

ACTIVE

3244 Old LaGrange Road  
 Crestwood KY 40014

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL USE DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
70-116-01-C3	C3	0.25	30.00					8/29/2002	
REMARKS: ATS-SCAT-200 (200 gallon per day ATU) fiberglass									
70-116-02-C3	C3	0.25	30.00					8/29/2002	
REMARKS: ATS-SCAT-400 (400 gallon per day ATU) fiberglass									
70-116-03-C3	C3	0.25	30.00					8/29/2002	
REMARKS: ATS-SCAT-650 (650 gallon per day ATU) fiberglass									
70-116-04-C3	C3	0.25	30.00					8/29/2002	
REMARKS: ATS-SCAT-1050 (1050 gallon per day ATU) fiberglass									
70-116-05-C3	C3	0.25	28.00			38		8/29/2002	
REMARKS: RB-B-20" x 38" HDPE polyethylene recirculating system pump tank (total volume = 52 gallons)									
70-116-06-C3	C3	0.25	28.00			46		8/29/2002	
REMARKS: RB-B-22" x 38" HDPE polyethylene recirculating system pump tank (total volume = 62 gallons)									
70-116-07-C3	C3	0.25	28.00			65		8/29/2002	
REMARKS: RB-B-26" x 38" HDPE polyethylene recirculating system pump tank (total volume = 88 gallons)									
70-116-08-C3	C3	0.31		96	198	3000		9/8/2010	
REMARKS: Fiberglass (FRP) Houses 5000 gpd Quanics Aerocell or Bio-COIR ATU media									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Rick's Pre Fab**

ACTIVE

Dade

25525 SW 141st Ave.  
 Princeton, FL 33032

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
13-045-01S-C3	C3	2.50	47.00			750		3/22/2002	
REMARKS: Also, houses Bio-Microbics RTF 0.25 & RTF 0.375 as INNOVATIVE.									
13-045-02S-C4	C4	3.00	42.00	39	47	300	Pump t	1/25/2007	
REMARKS:									
13-045-04D-C3	C3	3.00	48.00			900		3/22/2002	
REMARKS:									
13-045-04S-C3	C3	3.00	51.00			900		3/22/2002	
REMARKS: Also houses Bio-Microbics MF 0.5 ATU, when used with a 350 gallon min. settling tank; RTF 0.25 and RTF 0.375 as INNOVATIVE									
13-045-05S-C3	C3	4.00	48.00			900		3/22/2002	
REMARKS: grease trap									
13-045-08D-C3	C3	3.00	51.00			1050		1/3/2007	
REMARKS:									
13-045-08S-C3	C3	3.00	51.00			1050		1/3/2007	
REMARKS: Also houses Bio-Microbics MicroFAST 0.5 ATU, when used with a 350 gallon min. settling tank. Houses RTF 0.25, RTF 0.375 as INNOVATIVE. Also houses MF 0.75, MF 0.9 ATU when used with 500 gallons min. settling tank. Can house HS 1.0 with 500 pretreatment tank.									
13-045-12D-C3	C3	3.13	56.50			1200		3/22/2002	
REMARKS:									
13-045-12S-C3	C3	3.13	51.00			1200		3/22/2002	
REMARKS: Also houses RTF 0.25, RTF 0.375 as INNOVATIVE. Houses Biomicrobics MF 0.5 ATU when used with 350 gallon min. settling tank; MF 0.75, MF 0.9 ATU, when used with 500 gallons min. settling tank. Can house HS 1.0 with 500 pretreatment tank. Also houses Bio-Microbics MF 1.5 ATU when used with 750 gallons min. settling tank.									
13-045-16D-C3	C3	3.13	58.50			1350		3/22/2002	
REMARKS:									
13-045-16S-C3	C3	3.13	51.00			1350		3/22/2002	
REMARKS: Also houses Bio-Microbics MF 0.5 ATU, when used with 350 gallons min. settling tank; MF 0.75, MF 0.9,ATU when used with 500 gallons min settling tank. Can house HS 1.0 . Also houses MF 1.5 ATU with750 settling tank.									
13-045-20D-C3	C3	3.13	58.00			1500		3/22/2002	
REMARKS:									
13-045-20S-C3	C3	3.13	51.00			1500		3/22/2002	
REMARKS: Also houses Bio-Microbics MF 0.5 ATU when used with 350 gallon min settling tank; MF 0.75, MF 0.9 ATU when used with 500 gallon min settling tank. Can house HS 1.0. Also houses MF 1.5 ATU with 750 gallons min. settling tank.									
13-045-21D-C3	C3	4.00	51.00	62	92	900		8/19/2009	
REMARKS: H10 traffic rating.									
13-045-21S-C3	C3	4.00	51.00	62	92	900		8/19/2009	
REMARKS: H10 traffic rating. Also houses Bio-Microbics MF 0.5 ATU, when used with a 350 gallon min. settling tank; RTF 0.25 and RTF 0.375 as INNOVATIVE									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Rick's Pre Fab**

ACTIVE

Dade

25525 SW 141st Ave.  
 Princeton, FL 33032

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
13-045-22D-C3	C3	4.00	51.00	62	106	1050		8/19/2009	
REMARKS: H10 traffic rating.									
13-045-22S-C3	C3	4.00	51.00	62	106	1050		8/19/2009	
REMARKS: H10 traffic rating. Also houses Bio-Microbics MicroFAST 0.5 ATU, when used with a 350 gallon min. settling tank. Houses RTF 0.25, RTF 0.375 as INNOVATIVE. Also houses MF 0.75, MF 0.9 ATU when used with 500 gallons min. settling tank. Can house HS 1.0 with 500 pretreatment tank									
13-045-23D-C3	C3	4.00	51.00	70	104	1200		8/19/2009	
REMARKS: H10 traffic rating.									
13-045-23S-C3	C3	4.00	51.00	70	104	1200		8/19/2009	
REMARKS: H10 traffic rating. Also houses RTF 0.25, RTF 0.375 as INNOVATIVE. Houses Biomicrobics MF 0.5 ATU when used with 350 gallon min. settling tank; MF 0.75, MF 0.9 ATU, when used with 500 gallons min. settling tank. Can house HS 1.0 with 500 pretreatment tank. Also houses Bio-Microbics MF 1.5 ATU when used with 750 gallons min. settling tank.									
13-045-24D-C3	C3	4.00	51.00	73	122	1500		8/19/2009	
REMARKS: H10 traffic rating.									
13-045-24S-C3	C3	4.00	51.00	73	122	1500		8/19/2009	
REMARKS: H10 traffic rating. Also houses Bio-Microbics MF 0.5 ATU when used with 350 gallon min settling tank; MF 0.75, MF 0.9 ATU when used with 500 gallon min settling tank. Can house HS 1.0. Also houses MF 1.5 ATU with 750 gallons min. settling tank									
13-045-25S-C3	C3	4.00	42.00	47	55	300		9/22/2009	
REMARKS: H10 traffic rating.									
13-045-31D-C4	C4	6.00	51.00	66	96	900		9/22/2009	
REMARKS: H20 traffic rating									
13-045-31S-C4	C4	6.00	51.00	66	96	900		9/22/2009	
REMARKS: H20 traffic rating. Also houses Bio-Microbics MF 0.5 ATU, when used with a 350 gallon min. settling tank; RTF 0.25 and RTF 0.375 as INNOVATIVE									
13-045-32D-C4	C4	6.00	51.00	66	110	1050		9/22/2009	
REMARKS: H20 traffic rating									
13-045-32S-C4	C4	6.00	51.00	66	110	1050		9/22/2009	
REMARKS: H20 traffic rating. Also houses Bio-Microbics MicroFAST 0.5 ATU, when used with a 350 gallon min. settling tank. Houses RTF 0.25, RTF 0.375 as INNOVATIVE. Also houses MF 0.75, MF 0.9 ATU when used with 500 gallons min. settling tank. Can house HS 1.0 with 500 pretreatment tank									
13-045-33D-C4	C4	6.00	51.00	74	108	1200		9/22/2009	
REMARKS: H20 traffic rating									
13-045-33S-C4	C4	6.00	51.00	74	108	1200		9/22/2009	
REMARKS: H20 traffic rating. Also houses RTF 0.25, RTF 0.375 as INNOVATIVE. Houses Biomicrobics MF 0.5 ATU when used with 350 gallon min. settling tank; MF 0.75, MF 0.9 ATU, when used with 500 gallons min. settling tank. Can house HS 1.0 with 500 pretreatment tank. Also houses Bio-Microbics MF 1.5 ATU when used with 750 gallons min. settling tank.									
13-045-34D-C4	C4	6.00	51.00	77	126	1500		9/22/2009	
REMARKS: H20 traffic rating									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Rick's Pre Fab**

ACTIVE

Dade

25525 SW 141st Ave.

Princeton, FL 33032

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL		FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE	DATE		
13-045-34S-C4	C4	6.00	51.00	77	126	1500			9/22/2009	
REMARKS: H20 traffic rating. Also houses Bio-Microbics MF 0.5 ATU when used with 350 gallon min settling tank; MF 0.75, MF 0.9 ATU when used with 500 gallon min settling tank. Can house HS 1.0. Also houses MF 1.5 ATU with 750 gallons min. settling tank										
13-045-35S-C4	C4	6.00	42.00	51	59	300			9/22/2009	
REMARKS: H20 traffic rating.										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Rochester Product Line by Norwes**      ACTIVE

4365 Steiner Street  
 St. Bonifacius MN 55375

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
							GALLONS (Pump Tanks) USE		
70-111-03S-C3	C3	0.30	33.00			300	345	8/14/2002	
REMARKS: Monolithic polyethylene-300 gallon graywater, laundry tank or 345 gallon pump tank									
70-111-04S-C4	C4	0.30	31.50			275	345	2/21/2005	
REMARKS: Monolithic polyethylene-275 gallon graywater, laundry tank or 345 gallon pump tank									
70-111-05S-C4	C4	0.30	38.00			500	575	12/11/2002	
REMARKS: Monolithic polyethylene-500 gallon graywater, laundry tank or 575 gallon pump tank									
70-111-09D-C3	C3	0.30	42.00			900	1,122	9/24/2001	
REMARKS: Monolithic polyethylene									
70-111-09S-C3	C3	0.30	42.00			900	1,122	9/24/2001	
REMARKS: Monolithic polyethylene									
70-111-10D-C3	C3	0.30	42.00			1050	1,260	6/28/2002	
REMARKS: Monolithic polyethylene									
70-111-10S-C3	C3	0.30	42.00			1050	1,260	6/28/2002	
REMARKS: Monolithic polyethylene									
70-111-15D-C3	C3	0.38	46.00			1500	1,730	10/1/2003	
REMARKS: Monolithic polyethylene									
70-111-15S-C3	C3	0.38	46.00			1500	1,730	10/1/2003	
REMARKS: Monolithic polyethylene									
70-111-41D-C4	C4	0.40	42.00			900	1,107	3/5/2004	
REMARKS: Monolithic polyethylene									
70-111-41S-C4	C4	0.40	42.00			900	1,107	3/5/2004	
REMARKS: Monolithic polyethylene									
70-111-42D-C4	C4	0.40	42.00			1050	1,235	3/5/2004	
REMARKS: Monolithic polyethylene									
70-111-42S-C4	C4	0.40	42.00			1050	1,235	3/5/2004	
REMARKS: Monolithic polyethylene									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Roth Global Plastics, Inc.**

ACTIVE

P.O. Box 11166  
 Syracuse, NY 13218

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
70-142-03S-C4	C4		41.63	0	0	275	325	7/1/2008	
REMARKS: Polyethylene tank-Total pump tank rating = 325 gallons									
70-142-05S-C4	C4		40.00	0	0	450	536	7/1/2008	
REMARKS: Polyethylene tank-pump tank volume = 536 gallons; laundry interceptor tank volume = 450 gallons									
70-142-08D-C4	C4		42.00	0	0	750	970	7/1/2008	
REMARKS: Polyethylene tank									
70-142-08S-C4	C4		42.00	0	0	750	970	7/1/2008	
REMARKS: Polyethylene tank									
70-142-09D-C4	C4		42.00	0	0	900	1,147	7/1/2008	
REMARKS: Polyethylene tank									
70-142-09S-C4	C4		42.00	0	0	900	1,147	7/1/2008	
REMARKS: Polyethylene tank									
70-142-10D-C4	C4		42.00	0	0	1060	1,337	7/1/2008	
REMARKS: Polyethylene tank									
70-142-10S-C4	C4		42.00	0	0	1060	1,337	7/1/2008	
REMARKS: Polyethylene tank									
70-142-12D-C4	C4		42.00	0	0	1200	1,464	7/1/2008	
REMARKS: Polyethylene tank									
70-142-12S-C4	C4		42.00	0	0	1200	1,464	7/1/2008	
REMARKS: Polyethylene tank									
70-142-15D-C4	C4		42.00	0	0	1500	1,771	7/1/2008	
REMARKS: Polyethylene tank									
70-142-15S-C4	C4		42.00	0	0	1500	1,771	7/1/2008	
REMARKS: Polyethylene tank									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Roth Global Plastics, Inc. (Fralo)**

ACTIVE

P.O. Box 11166  
 Syracuse, NY 13218

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
70-117-03S-C4	C4		41.63	0	0	275	325	8/10/2006	
REMARKS: Polyethane tank-Total pump tank rating = 325 gallons									
70-117-05S-C4	C4		40.00			450	536	2/2/2005	
REMARKS: Polyethylene tank-pump tank volume = 536 gallons; laundry interceptor tank volume = 450 gallons									
70-117-06S-C3	C3	0.38	34.00			520	630	9/9/2002	
REMARKS: Horizontal pump tank-Total pump tank rating = 630 gallons									
70-117-07S-C3	C3	0.38	63.00			550	630	9/9/2002	
REMARKS: Vertical pump tank-Total pump tank rating = 630 gallons									
70-117-08D-C4	C4		42.00			750	970	4/14/2004	
REMARKS: Polyethylene tank									
70-117-08S-C4	C4		42.00			750	970	4/14/2004	
REMARKS: Polyethylene tank									
70-117-09D-C4	C4		42.00			900	1,147	7/28/2004	
REMARKS: Polyethylene tank									
70-117-09S-C4	C4		42.00			900	1,147	7/28/2004	
REMARKS: Polyethylene tank									
70-117-10D-C4	C4		42.00			1060	1,337	4/14/2004	
REMARKS: Polyethylene tank									
70-117-10S-C4	C4		42.00			1060	1,337	4/14/2004	
REMARKS: Polyethylene tank									
70-117-12D-C4	C4		42.00			1200	1,464	10/11/2004	
REMARKS: Polyethylene tank									
70-117-12S-C4	C4		42.00			1200	1,464	10/11/2004	
REMARKS: Polyethylene tank									
70-117-15D-C4	C4		42.00			1500	1,771	4/14/2004	
REMARKS: Polyethylene tank									
70-117-15S-C4	C4		42.00			1500	1,771	4/14/2004	
REMARKS: Polyethylene tank									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Sauer Septic**

ACTIVE

Lake

21020 Obrien Road  
 Groveland FL 34736

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
							GALLONS (Pump Tanks) USE		
35-028-03S-C4	C4	3.00	47.00			400		10/28/2001	
REMARKS: Mfg facility moved to Groveland. Legend changed from 48-028- to 35-028-									
35-028-05D-C3	C3	2.50	42.88			900		10/13/2003	
REMARKS: Mfg facility moved to Groveland. Legend changed from 48-028- to 35-028-									
35-028-05S-C3	C3	2.50	42.88			900		10/13/2003	
REMARKS: Mfg facility moved to Groveland. Legend changed from 48-028- to 35-028-									
35-028-08D-C3	C3	2.50	42.88			1050		10/28/2001	
REMARKS: Mfg facility moved to Groveland. Legend changed from 48-028- to 35-028-									
35-028-08S-C3	C3	2.50	42.88			1050		10/28/2001	
REMARKS: Mfg facility moved to Groveland. Legend changed from 48-028- to 35-028-									
35-028-11D-C3	C3	3.00	45.75			1200		10/28/2001	
REMARKS: Mfg facility moved to Groveland. Legend changed from 48-028- to 35-028-									
35-028-12S-C3	C3	3.00	45.75			1250		10/28/2001	
REMARKS: Mfg facility moved to Groveland. Legend changed from 48-028- to 35-028-									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Sebring Septic Tank & Precast Co.**

ACTIVE

Highlands

8037 Commercial Blvd.  
 Sebring FL 33870

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL USE	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)			
28-O15-01S-C3	C3	3.00	37.80			750			11/9/2001	
REMARKS: also available in 4" thick wall tanks										
28-O15-02D-C4	C4	3.00	48.00			900			11/9/2001	
REMARKS: monolithic baffle										
28-O15-03D-C4	C4	3.00	55.00			1050			11/9/2001	
REMARKS: Houses Bionest BNC-400 ATU. Monolithic baffle										
28-O15-04D-C3	C3	3.00	46.30			900			11/9/2001	
REMARKS: also available in 4" and 6" thick wall tanks										
28-O15-04S-C3	C3	3.00	46.30			900			11/9/2001	
REMARKS: also available in 4" and 6" thick wall tanks										
28-O15-05D-C3	C3	3.00	50.00			1350			4/22/2002	
REMARKS: monolithic baffle										
28-O15-06D-C4	C4	3.00	49.50			1250			11/9/2001	
REMARKS: Houses Bionest BNC-500 ATU. Monolithic baffle										
28-O15-07D-C3	C3	3.00	52.00			1400			4/22/2002	
REMARKS: monolithic baffle										
28-O15-08D-C3	C3	3.00	53.30			1050			11/9/2001	
REMARKS: Houses Bionest BNC-400 ATU. Also available in 4" and 6" thick wall tanks										
28-O15-08S-C3	C3	3.00	53.30			1050			11/9/2001	
REMARKS: also available in 4" and 6" thick wall tanks										
28-O15-09S-C4	C4	4.00	53.30	63.6	105	1050	1,231		5/7/2008	
REMARKS:										
28-O15-10D-C4	C4	6.00	53.30			1050			4/22/2002	
REMARKS: Houses Bionest BNC-400 ATU. H-20 traffic rated										
28-O15-10S-C4	C4	6.00	53.30			1050			4/22/2002	
REMARKS: H-20 traffic rated										
28-O15-12D-C3	C3	2.50	57.80			1200			4/22/2002	
REMARKS:										
28-O15-12S-C3	C3	2.50	57.80			1200			4/22/2002	
REMARKS:										
28-O15-14D-C3	C3	3.00	51.50			1350			4/22/2002	
REMARKS: was tank #15										
28-O15-14S-C3	C3	3.00	51.50			1350			4/22/2002	
REMARKS:										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Sebring Septic Tank & Precast Co.**

ACTIVE

Highlands

8037 Commercial Blvd.  
 Sebring FL 33870

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
28-O15-15D-C4	C4	6.00	57.80	67.6	109.4	1250	1,456	8/24/2010	
REMARKS: H-20 traffic rated									
28-O15-15S-C4	C4	6.00	57.80	67.6	109.4	1250	1,483	8/24/2010	
REMARKS: H-20 traffic rated									
28-O15-16D-C3	C3	3.00	57.80			1250		4/22/2002	
REMARKS: Houses Bionest BNC-500 ATU.									
28-O15-16S-C3	C3	3.00	57.80			1250		4/22/2002	
REMARKS:									
28-O15-17D-C3	C3	4.00	57.80			1250		8/2/2002	
REMARKS: Houses Bionest BNC-500 ATU.									
28-O15-17S-C3	C3	4.00	57.80			1250		8/2/2002	
REMARKS:									
28-O15-18S-C3	C3	3.00	44.00			1500		4/22/2002	
REMARKS:									
28-O15-19D-C3	C3	3.00	44.00			1500		4/22/2002	
REMARKS: Houses Bionest BNC-600 ATU. Monolithic baffle									
28-O15-24D-C4	C4	6.00	42.00	90	130	1500		4/22/2002	
REMARKS: w/o slide-in baffle, can house Biomicrobics MF 1.5 1,500 gpd ATU when used with 750 gallon min pretreatment tank (02/26/10) H-20 traffic rated									
28-O15-24S-C4	C4	6.00	42.00	90	130	1500		4/22/2002	
REMARKS: Can house Biomicrobics MF 1.5 1,500 gpd ATU when used with 750 gallon min pretreatment tank (02/26/10). H-20 traffic rated									
28-O15-34D-C4	C4	6.00	56.00			2000		4/22/2002	
REMARKS: Houses Bionest BNC-750 ATU. H-20 traffic rated									
28-O15-34S-C4	C4	6.00	56.00			2000		4/22/2002	
REMARKS: H-20 traffic rated									
28-O15-35D-C4	C4	4.00	55.50			2000	2,455	11/19/2004	
REMARKS: Houses Bionest BNC-750 ATU.									
28-O15-36S-C4	C4	4.00	55.50	76.75	153.5	2000	2,466	9/22/2008	
REMARKS:									
28-O15-46D-C4	C4	6.00	70.00			2500		12/12/2000	
REMARKS: Houses Bionest BNC-1000 ATU. H-20 traffic rated									
28-O15-46S-C4	C4	6.00	70.00			2500		12/12/2000	
REMARKS: H-20 traffic rated									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Sebring Septic Tank & Precast Co.**

ACTIVE

Highlands

8037 Commercial Blvd.  
 Sebring FL 33870

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
28-O15-58D-C4	C4	6.00	83.00			3000		4/22/2002	
REMARKS: H-20 traffic rated									
28-O15-58S-C4	C4	6.00	83.00			3000		4/22/2002	
REMARKS: H-20 traffic rated. Can also be used as 3650 gallon pump tank.									
28-O15-92S-C4	C4	3.00	34.80			300		11/9/2001	
REMARKS: Pump tank									
28-O15-93S-C4	C4	3.00	34.80			450		11/9/2001	
REMARKS: Pump tank									
28-O15-AA1-C3	C3	2.50	52.50	0	0	500		6/30/2006	
REMARKS: Aqua Aire 500 gallon per day ATU									
28-O15-AA2-C3	C3	2.50	54.00	0	0	800		10/5/2006	
REMARKS: Aqua Aire 800 gallon per day ATU									
28-O15-AA3-C3	C3	2.50	52.00	0	0	600		4/13/2007	
REMARKS: Aqua Aire 600 gallon per day ATU									
28-O15-AA4-C3	C3	2.50	52.00	74	114	1000		5/7/2008	
REMARKS: Aqua Aire 1000 gallon per day ATU									
28-O15-AA5-C3	C3	2.50		0	0			8/25/2010	
REMARKS: Aqua Aire 1200 gallon per day ATU									
28-O15-AW1-C3	C3	2.50	52.00			500		8/19/2003	
REMARKS: American Wastewater 500 gallon per day B.E.S.T. 1 ATU									
28-O15-AW2-C3	C3	2.50	54.00			800		2/3/2004	
REMARKS: American Wastewater 800 gallon per day B.E.S.T. 1 ATU									
28-O15-AW3-C3	C3	2.50	82.00			1200		2/3/2004	
REMARKS: American Wastewater 1200 gallon per day B.E.S.T. 1 ATU									
28-O15-AW4-C3	C3	2.50	61.00	0	0	1000		6/30/2006	
REMARKS: American Wastewater 1000 gallon per day B.E.S.T. 1 ATU									
28-O15-NW1-C3	C3	2.50	51.00					8/23/2002	
REMARKS: Norweco (Singular 960 and Singular TNT model) 500/600 gallon per day ATU. Add 1000 gallon pretreatment chamber to become 1000 gallon per day ATU.									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Shelley's Septic Tanks**

ACTIVE

Orange

P.O. Box 249  
 Zellwood, FL 32798

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
							GALLONS (Pump Tanks) USE		
48-035-02S-C3	C3	2.50	42.50			225		2/25/2002	
REMARKS:									
48-035-03S-C3	C3	2.25	43.00			300		2/25/2002	
REMARKS:									
48-035-04D-C3	C3	2.50	42.00			900		2/25/2002	
REMARKS:									
48-035-04S-C3	C3	2.50	42.00			900		2/25/2002	
REMARKS:									
48-035-05D-C3	C3	2.50	42.00			900		2/25/2002	
REMARKS:									
48-035-05S-C3	C3	2.50	42.00			900		2/25/2002	
REMARKS:									
48-035-09D-C3	C3	2.50	42.00			900		2/25/2002	
REMARKS:									
48-035-09S-C3	C3	2.50	42.00			1050		2/25/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Snyder Industries, Inc.**

ACTIVE

4700 Fremont Street  
 Lincoln NE 68521

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
70-109-03S-C3	C3	0.30	35.94			300		10/31/2001	
REMARKS: Monolithic polyethylene-300 gallon graywater, laundry tank or 345 gallon pump tank									
70-109-05S-C4	C4	0.30	43.38			500		10/31/2001	
REMARKS: polyethylene									
70-109-08S-C3	C3	0.25	42.00			750	911	7/22/2004	
REMARKS: Polyethylene-monolithic									
70-109-09D-C3	C3	0.25	42.00			900	1,059	7/22/2004	
REMARKS: Polyethylene-monolithic									
70-109-09S-C3	C3	0.25	42.00			900	1,059	7/22/2004	
REMARKS: Polyethylene-monolithic									
70-109-11D-C3	C3	0.25	42.00			1050	1,225	7/22/2004	
REMARKS: Polyethylene-monolithic									
70-109-11S-C3	C3	0.25	42.00			1050	1,225	7/22/2004	
REMARKS: Polyethylene-monolithic									
70-109-13D-C3	C3	0.25	42.00			1250	1,464	7/14/2005	
REMARKS: polyethylene-monolithic stiffening									
70-109-13S-C3	C3	0.25	42.00			1250	1,464	7/14/2005	
REMARKS: polyethylene-monolithic stiffening									
70-109-16D-C3	C3	0.25	42.00			1500	1,745	7/14/2005	
REMARKS: polyethylene-monolithic stiffening									
70-109-16S-C3	C3	0.25	42.00			1500	1,745	7/14/2005	
REMARKS: polyethylene-monolithic stiffening									
70-109-20D-C3	C3	0.33	40.00	60	111	900		4/16/2009	
REMARKS: Polyethylene tank----Wall thickness is nominal----tank shot weight is nominal 410 lbs.									
70-109-20S-C3	C3	0.33	40.00	60	111	900		4/16/2009	
REMARKS: Polyethylene tank----Wall thickness is nominal----tank shot weight is nominal 410 lbs.									
70-109-21D-C3	C3	0.33	40.00	60	120	1050		4/16/2009	
REMARKS: Polyethylene tank----Wall thickness is nominal----tank shot weight is nominal 450 lbs.									
70-109-21S-C3	C3	0.33	40.00	60	120	1050		4/16/2009	
REMARKS: Polyethylene tank----Wall thickness is nominal----tank shot weight is nominal 450 lbs.									
70-109-22D-C3	C3	0.33	40.00	60	146	1250		4/16/2009	
REMARKS: Polyethylene tank----Wall thickness is nominal----tank shot weight is nominal 550 lbs.									
70-109-22S-C3	C3	0.33	40.00	60	146	1250		4/16/2009	
REMARKS: Polyethylene tank----Wall thickness is nominal----tank shot weight is nominal 550 lbs.									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Snyder Industries, Inc.**

ACTIVE

4700 Fremont Street

Lincoln NE 68521

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL	
				WIDTH	LENGTH		GALLONS (Pump Tanks)	USE	DATE
70-109-23D-C3	C3	0.33	40.00	60	176	1500			4/16/2009
REMARKS: Polyethylene tank---Wall thickness is nominal---tank shot weight is nominal 650 lbs.									
70-109-23S-C3	C3	0.33	40.00	60	176	1500			4/16/2009
REMARKS: Polyethylene tank---Wall thickness is nominal---tank shot weight is nominal 650 lbs.									
70-109-24S-C3	C3	0.33	40.00	60	96	750	969		6/12/2003
REMARKS: Polyethylene tank---Wall thickness is nominal---tank shot weight is nominal 335 lbs.									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Southern Precast (Alachua, FL)**

ACTIVE

Alachua

13365 Southern Precast Drive  
 Alachua FL 32615

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
01-132-01D-C4	C4	6.00	44.00			750	942	8/23/2005	
REMARKS:									
01-132-01S-C4	C4	6.00	44.00			750	972	8/23/2005	
REMARKS:									
01-132-02D-C4	C4	6.00	59.00			1000	1,203	8/23/2005	
REMARKS:									
01-132-02S-C4	C4	6.00	59.00			1000	1,243	8/23/2005	
REMARKS:									
01-132-03D-C4	C4	6.00	42.00			1250	1,636	8/23/2005	
REMARKS:									
01-132-03S-C4	C4	6.00	42.00			1250	1,669	8/23/2005	
REMARKS:									
01-132-11D-C4	C4	6.00	40.00	60	108	750	1,022	1/9/2008	
REMARKS: Approved for AASHTO HS 20 traffic loading									
01-132-11S-C4	C4	6.00	40.00	60	108	750	1,047	1/9/2008	
REMARKS: Approved for AASHTO HS 20 traffic loading									
01-132-12D-C4	C4	6.00	55.00	60	108	1050	1,312	1/9/2008	
REMARKS: Approved for AASHTO HS 20 traffic loading									
01-132-12S-C4	C4	6.00	55.00	60	108	1050	1,346	1/9/2008	
REMARKS: Approved for AASHTO HS 20 traffic loading									
01-132-13D-C4	C4	6.00	40.00	72	138	1250	1,687	1/9/2008	
REMARKS: Approved for AASHTO HS 20 traffic loading									
01-132-13S-C4	C4	6.00	40.00	72	138	1250	1,718	1/9/2008	
REMARKS: Approved for AASHTO HS 20 traffic loading									
01-132-15D-C4	C4	6.00	46.00	84	120	1500	1,926	1/9/2008	
REMARKS: Approved for AASHTO HS 20 traffic loading									
01-132-15S-C4	C4	6.00	46.00	84	120	1500	1,969	1/9/2008	
REMARKS: Approved for AASHTO HS 20 traffic loading									
01-132-20D-C4	C4	6.00	61.50	84	120	2000	2,466	1/9/2008	
REMARKS: Approved for AASHTO HS 20 traffic loading									
01-132-20S-C4	C4	6.00	61.50	84	120	2000	2,408	1/9/2008	
REMARKS: Approved for AASHTO HS 20 traffic loading									
01-132-25D-C4	C4	6.00	81.00	120	240	10000	11,968	4/10/2009	
REMARKS: Approved for AASHTO HS 20 traffic loading									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Southern Precast (Alachua, FL)**

ACTIVE

Alachua

13365 Southern Precast Drive

Alachua FL 32615

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL		
				WIDTH	LENGTH		GALLONS (Pump Tanks)	USE	DATE	FAMILY
01-132-25S-C4	C4	6.00	81.00	120	240	10000	11,968		4/10/2009	

REMARKS: Approved for AASHTO HS 20 traffic loading



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Southern Precast, Inc. (Moultrie, G** ACTIVE

450-C GA Hwy 33 S  
 Moultrie, GA 31788

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
69-070-08D-C3	C3	2.50	44.00			1050		3/22/2002	
REMARKS: w/o slide-in baffle also approved: to house BIO-Microbics MF 0.5 ATU, when used with 350gallon min. settling tank; BM MF 0.75 &MF 0.9 ATU when used with a 500 gallon min. settling tank.									
69-070-08S-C3	C3	2.50	44.00			1050		3/22/2002	
REMARKS: Also approved to house BIO-Microbics MF 0.5 ATU, when used with 350gallon min. settling tank; BM MF 0.75 &MF 0.9 ATU when used with a 500 gallon min. settling tank.									
69-070-10D-C3	C3	2.50	45.00			1050		3/22/2002	
REMARKS: monolithic baffle									
69-070-14D-C3	C3	2.50	46.19			1200		3/22/2002	
REMARKS: monolithic baffle									
69-070-18D-C3	C3	2.50	43.00			900		3/22/2002	
REMARKS:									
69-070-18S-C3	C3	2.50	43.00			900		3/22/2002	
REMARKS:									
69-070-20D-C3	C3	3.00	45.00			1500		3/22/2002	
REMARKS: monolithic baffle									
69-070-20P-C3	C3	3.00	42.50	72	134.5	1500	1,890	6/9/2011	
REMARKS: monolithic baffle; variant of 20D for use as pretreatment and dosing compartments for Quanics treatment systems. Outlet at liquid level in baffle wall									
69-070-35S-C4	C4	2.50	42.00			350		3/22/2002	
REMARKS:									
69-070-91S-C4	C4	2.50	42.00			250		3/22/2002	
REMARKS:									
69-070-NW1-C3	C3	3.00	41.00	0	0		ATU	10/2/2007	
REMARKS: Norweco (Singulair 960 and Singulair TNT model) 500/600 gallon per day ATU. Also 1000 Gallon per day ATU with 1000 gallon pretreatment tank.									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**St. Johns Precast, Inc.**

ACTIVE

St. Johns

2825 Industry Center Rd.  
 St. Augustine, FL 32084

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
55-005-01S-C3	C3	2.50	42.88			750		3/22/2002	
REMARKS:									
55-005-04D-C3	C3	2.50	42.88			900		3/22/2002	
REMARKS: was tank # 06B									
55-005-04S-C3	C3	2.50	42.88			900		3/22/2002	
REMARKS:									
55-005-07D-C3	C3	2.50	42.00			900		3/22/2002	
REMARKS: with monolithic 300 gallon pump tank-was tank # 11B									
55-005-07S-C3	C3	2.50	42.00			900		3/22/2002	
REMARKS: with monolithic 300 gallon pump tank									
55-005-08D-C3	C3	2.50	42.88			1050		3/22/2002	
REMARKS: was tank # 10B									
55-005-08S-C3	C3	2.50	42.88			1050		3/22/2002	
REMARKS:									
55-005-12D-C3	C3	2.50	42.88			1200		3/22/2002	
REMARKS: was tank# 13B									
55-005-12S-C3	C3	2.50	42.75			1200		3/22/2002	
REMARKS:									
55-005-92S-C3	C3	2.50	42.88			300		3/22/2002	
REMARKS:									
55-005-93S-C4	C4	2.88	42.50			300		3/22/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Standard Precast**

ACTIVE

Duval

PO Box 61839

Jacksonville FL 32236

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
16-145-01S-C4	C4	6.00	61.00	72	168	2472		4/15/2009	
REMARKS: Laundry system septic tank #1---2200 gallons									
16-145-02S-C4	C4	6.00	50.00	72	96	1091		4/15/2009	
REMARKS: Laundry system septic tank #2---1050 gallons									
16-145-03S-C4	C4	6.00	61.00	84	180	3194		4/15/2009	
REMARKS: 3000 gallon dosing tank for the septic system & 2700 gallon dosing tank for laundry system									
16-145-04S-C4	C4	6.00	50.50	0	0	1259		4/15/2009	
REMARKS: 1250 gallon septic tank									
16-145-05S-C4	C4	6.00	61.00	84	168	2966		4/15/2009	
REMARKS: 2500 gallon septic tank									
16-145-06D-C4	C4	6.00	62.00	96	152	3021		4/15/2009	
REMARKS: 2700 gallon septic tank for fire station #28---approved for H2O traffic loading									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Tampa Fiberglass, Inc.**

ACTIVE

Hillsborough

4209 Raleigh Street  
 Tampa, FL 33619

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
							GALLONS (Pump Tanks) USE		
29-021-03S-C3	C3	0.25	38.00			350		3/22/2002	
REMARKS:									
29-021-09D-C3	C3	0.25	55.00			1050		7/25/2001	
REMARKS:									
29-021-09S-C3	C3	0.25	55.00			1050		7/25/2001	
REMARKS:									
29-021-16D-C3	C3	0.25	55.00			1350		5/21/2002	
REMARKS:									
29-021-16S-C3	C3	0.25	55.00			1350		5/21/2002	
REMARKS:									
29-021-36D-C3	C3	0.33	55.00			2250		8/12/2002	
REMARKS:									
29-021-36S-C3	C3	0.33	55.00			2250		8/12/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Third Generation Plumbing**

ACTIVE

Monroe

3980 Overseas Highway  
 Marathon FL 33050

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL USE	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)			
44-122-05-C3	C3	3.00	54.00					ATU	1/27/2003	
REMARKS: Used to house the 500 gallon per day AquaKlear ATU.										
44-122-07-C3	C3	3.00	61.00					ATU	5/2/2003	
REMARKS: Used to house the 750 gallon per day AquaKlear ATU										
44-122-08-C3	C3	3.00	61.00					ATU	7/27/2004	
REMARKS: Used to house the 800 gallon per day AquaKlear ATU										



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Tri-County Concrete Products, Inc.**

ACTIVE

Palm Beach

1926 Skees Road  
 West Palm Beach FL 33411

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
50-134-01D-C4	C4	8.00	63.00	0	0	750		6/19/2006	
REMARKS:									
50-134-01S-C4	C4	8.00	63.00	0	0	750		6/19/2006	
REMARKS:									
50-134-02D-C4	C4	8.00	75.00	0	0	900		6/19/2006	
REMARKS:									
50-134-02S-C4	C4	8.00	75.00	0	0	900		6/19/2006	
REMARKS:									
50-134-03D-C4	C4	8.00	57.00	0	0	1050		6/19/2006	
REMARKS:									
50-134-03S-C4	C4	8.00	57.00	0	0	1050		6/19/2006	
REMARKS:									
50-134-04D-C4	C4	8.00	65.00	0	0	1200		6/19/2006	
REMARKS:									
50-134-04S-C4	C4	8.00	65.00	0	0	1200		6/19/2006	
REMARKS:									
50-134-05D-C4	C4	8.00	72.00	0	0	1350		6/19/2006	
REMARKS:									
50-134-05S-C4	C4	8.00	72.00	0	0	1350		6/19/2006	
REMARKS:									
50-134-06D-C4	C4	8.00	54.00	0	0	1500		6/19/2006	
REMARKS:									
50-134-06S-C4	C4	8.00	54.00	0	0	1500		6/19/2006	
REMARKS:									
50-134-07D-C4	C4	8.00	72.00	0	0	2000		6/19/2006	
REMARKS:									
50-134-07S-C4	C4	8.00	72.00	0	0	2000		6/19/2006	
REMARKS:									
50-134-08D-C4	C4	8.00	58.00	0	0	2500		6/19/2006	
REMARKS:									
50-134-08S-C4	C4	8.00	58.00	0	0	2500		6/19/2006	
REMARKS:									
50-134-09D-C4	C4	8.00	72.00	0	0	3000		6/19/2006	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Tri-County Concrete Products, Inc.**

ACTIVE

Palm Beach

1926 Skees Road  
 West Palm Beach FL 33411

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
50-134-09S-C4	C4	8.00	72.00	0	0	3000		6/19/2006	
REMARKS:									
50-134-10D-C4	C4	8.00	72.00	0	0	4000		6/19/2006	
REMARKS:									
50-134-10S-C4	C4	8.00	72.00	0	0	4000		6/19/2006	
REMARKS:									
50-134-11D-C4	C4	8.00	70.00	0	0	5000		6/19/2006	
REMARKS:									
50-134-11S-C4	C4	8.00	70.00	0	0	5000		6/19/2006	
REMARKS:									
50-134-12D-C4	C4	8.00	82.00	0	0	7000		6/19/2006	
REMARKS:									
50-134-12S-C4	C4	8.00	82.00	0	0	7000		6/19/2006	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**U.S. Precast Corporation**

ACTIVE

Dade

8351 N.W. 93rd Street  
 Miami, FL 33166

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
13-094-01D-C4	C4	8.00	63.00			750		7/11/2002	
REMARKS: Grease Trap or Laundry Graywater Tank Only. 8 inch inlet and outlet seals.									
13-094-01S-C4	C4	8.00	63.00			750		5/24/2002	
REMARKS:									
13-094-02D-C4	C4	8.00	75.00			900		5/24/2002	
REMARKS:									
13-094-02S-C4	C4	8.00	75.00			900		5/24/2002	
REMARKS:									
13-094-03D-C4	C4	8.00	57.00			1050		5/24/2002	
REMARKS:									
13-094-03S-C4	C4	8.00	57.00			1050		5/24/2002	
REMARKS:									
13-094-04D-C4	C4	8.00	65.00			1200		5/24/2002	
REMARKS:									
13-094-04S-C4	C4	8.00	65.00			1200		5/24/2002	
REMARKS:									
13-094-05D-C4	C4	8.00	72.00			1350		5/24/2002	
REMARKS:									
13-094-05S-C4	C4	8.00	72.00			1350		5/24/2002	
REMARKS:									
13-094-06D-C4	C4	8.00	54.00			1500		5/24/2002	
REMARKS:									
13-094-06S-C4	C4	8.00	54.00			1500		5/24/2002	
REMARKS:									
13-094-07D-C4	C4	8.00	72.00			2000		5/24/2002	
REMARKS:									
13-094-07S-C4	C4	8.00	72.00			2000		5/24/2002	
REMARKS:									
13-094-08D-C4	C4	8.00	58.00			2500		5/24/2002	
REMARKS:									
13-094-08S-C4	C4	8.00	58.00			2500		5/24/2002	
REMARKS:									
13-094-09D-C4	C4	8.00	72.00			3000		5/24/2002	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**U.S. Precast Corporation**

ACTIVE

Dade

8351 N.W. 93rd Street  
Miami, FL 33166

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
							GALLONS (Pump Tanks) USE		
13-094-09S-C4	C4	8.00	72.00			3000		5/24/2002	
REMARKS:									
13-094-10D-C4	C4	8.00	72.00			4000		5/24/2002	
REMARKS:									
13-094-10S-C4	C4	8.00	72.00			4000		5/24/2002	
REMARKS:									
13-094-11D-C4	C4	8.00	70.00			5000		5/24/2002	
REMARKS:									
13-094-11S-C4	C4	8.00	70.00			5000		5/24/2002	
REMARKS:									
13-094-12D-C4	C4	8.00	82.00			7000		5/24/2002	
REMARKS:									
13-094-12S-C4	C4	8.00	82.00			7000		5/24/2002	
REMARKS:									
13-094-13S-C3	C3	8.00	63.00	24	192	1250	1,496	6/19/2007	
REMARKS: grease trap-8" wall thickness-Rated for H2O traffic loading									
13-094-20D-C4	C4	8.00	46.00			2000		5/24/2002	
REMARKS: Grease interceptor 2 compartment with monolithic baffle									
13-094-24S-C4	C4	8.00	153.00			4750		6/17/2002	
REMARKS: Eight foot diameter dosing tank									
13-094-96S-C4	C4	6.00	48.00			958	1,167	10/28/2002	
REMARKS: 6" wall thickness									
13-094-98S-C4	C4	8.00	50.00			997	1,167	10/28/2002	
REMARKS: 8" wall thickness									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Union Precast, LLC**

ACTIVE

Union

8230 SW State Road 121

Lake Butler FL 32054

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL USE DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
63-136-03S-C3	C3	3.00	43.00	40	60	300	371	3/26/2007	
REMARKS:									
63-136-10D-C3	C3	3.00	43.00	69	106	1050	1,303	3/26/2007	
REMARKS:									
63-136-10S-C3	C3	3.00	43.00	69	106	1050	1,303	3/26/2007	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Walcast, L.L.C.**

ACTIVE

Hendry

1475 Forestry Division Road  
 LaBelle FL 33935

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
26-138-03S-C4	C4	3.00	45.50			450		3/22/2002	
REMARKS:									
26-138-05D-C3	C3	2.50	46.00			900		3/22/2002	
REMARKS:									
26-138-05S-C3	C3	2.50	46.00			900		3/22/2002	
REMARKS:									
26-138-06D-C3	C3	2.50	42.90			900		3/22/2002	
REMARKS:									
26-138-06S-C3	C3	2.50	42.90			900		3/22/2002	
REMARKS:									
26-138-08D-C3	C3	2.50	42.00			900		3/22/2002	
REMARKS: with 300 gallon pump tank									
26-138-10S-C3	C3	2.50	55.00			750		3/22/2002	
REMARKS:									
26-138-11D-C3	C3	2.50	51.50			1050		3/22/2002	
REMARKS:									
26-138-11S-C3	C3	2.50	51.50			1050		3/22/2002	
REMARKS:									
26-138-13D-C3	C3	2.50	42.90			1200		3/22/2002	
REMARKS: with monolithic baffle									
26-138-14D-C3	C3	2.50	50.00			1050		3/22/2002	
REMARKS: with monolithic baffle									
26-138-15D-C4	C4	3.00	50.00			1050		3/22/2002	
REMARKS: with monolithic baffle									
26-138-16D-C3	C3	4.00	42.00			1250		4/16/2002	
REMARKS: becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-16S-C3	C3	4.00	42.00			1250		4/16/2002	
REMARKS: becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-17D-C3	C3	4.00	44.00			1350		4/16/2002	
REMARKS: becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-17S-C3	C3	4.00	44.00			1350		4/16/2002	
REMARKS: becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-18D-C3	C3	4.00	55.00			1650		4/16/2002	
REMARKS: becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Walcast, L.L.C.**

ACTIVE

Hendry

1475 Forestry Division Road  
 LaBelle FL 33935

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
26-138-18S-C3	C3	4.00	55.00			1650		4/16/2002	
REMARKS: becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-19D-C3	C3	2.50	50.00			900		3/22/2002	
REMARKS:									
26-138-19S-C3	C3	2.50	50.00			900		3/22/2002	
REMARKS:									
26-138-20D-C3	C3	4.00	49.00			1500		4/16/2002	
REMARKS: becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-20S-C3	C3	4.00	49.00			1500		4/16/2002	
REMARKS: becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-27D-C3	C3	4.00	59.00			1800		8/23/2002	
REMARKS: becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-27S-C3	C3	4.00	59.00			1800		8/14/2003	
REMARKS: becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-32D-C3	C3	4.00	48.00			2000		4/16/2002	
REMARKS: with monolithic baffle-becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-32S-C3	C3	4.00	48.00			2000		4/16/2002	
REMARKS: becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-40D-C3	C3	4.00	49.75			2300		4/16/2002	
REMARKS: with monolithic baffle-becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-40S-C3	C3	4.00	49.75			2300		4/16/2002	
REMARKS: becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-44D-C3	C3	4.00	54.00			2500		8/23/2002	
REMARKS: with monolithic baffle-becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-44S-C3	C3	4.00	54.00			2500		8/14/2003	
REMARKS: becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-45S-C4	C4	2.50	45.50			450		4/16/2002	
REMARKS:									
26-138-52D-C3	C3	4.00	60.00			2800		8/23/2002	
REMARKS: with monolithic baffle-becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									
26-138-52S-C3	C3	4.00	60.00			2800		8/14/2003	
REMARKS: becomes a C4 tank with addition of # 4 rebar at 6" horizontal x 8" vertical spacing in walls and 6x6 10/10 wire mesh in bottom									



**DEPARTMENT OF HEALTH**

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 4/5/2012

**Walcast, L.L.C.**

1475 Forestry Division Road

LaBelle FL 33935

ACTIVE

Hendry

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL		FAMILY
							GALLONS (Pump Tanks)	USE	DATE	
26-138-92-C3	C3	2.50	42.00			300	373		5/31/2003	

REMARKS:



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**WPR, INC.**

4175 Briarglen Rd  
Milton, FL 32583

ACTIVE

Santa Rosa

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
57-101-03S-C3	C3	2.50	28.00			350	450	2/25/2002	
REMARKS: Pump tank									
57-101-04S-C4	C4	2.50	30.00	47	66	350	460	5/23/2011	pump t
REMARKS: NOTE: 28 day compressive strength to be 8000 psi.									
57-101-05S-C3	C3	2.50	42.00			525		2/25/2002	
REMARKS:									
57-101-10D-C3	C3	2.50	44.00			1050		2/25/2002	
REMARKS: Monolithic baffle									
57-101-12D-C3	C3	2.50	44.50			1050		2/25/2002	
REMARKS:									
57-101-12S-C3	C3	2.50	44.50			1050		2/25/2002	
REMARKS:									
57-101-14D-C3	C3	3.00	48.00			1350		2/1/2000	
REMARKS:									
57-101-14S-C3	C3	3.00	48.00			1350		2/1/2000	
REMARKS:									
57-101-15D-C4	C4	6.00	48.00			1350	1,647	2/10/2003	
REMARKS: wall thickness = 6"									
57-101-15S-C4	C4	6.00	48.00			1350	1,647	2/10/2003	
REMARKS: wall thickness = 6"									
57-101-16D-C3	C3	3.00	53.50			1650		4/23/2001	
REMARKS:									
57-101-16S-C3	C3	3.00	53.50			1650		4/23/2001	
REMARKS:									
57-101-17D-C4	C4	6.00	54.00	80	127	1650	11,655	11/19/2007	
REMARKS:									
57-101-17S-C4	C4	6.00	54.00	80	127	1650	1,701	11/19/2007	
REMARKS:									
57-101-20D-C3	C3	4.00	54.50	80	135.5	2000	2,407	8/9/2004	
REMARKS:									
57-101-20S-C3	C3	4.00	54.50	80	135.5	2000	2,407	8/9/2004	
REMARKS:									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Xerxes Corporation**

ACTIVE

Polk

515 West South Street  
 Tipton IA 52772

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR WIDTH	TOP EXTERIOR LENGTH	EFFECTIVE GALLONS	TOTAL GALLONS (Pump Tanks)	APPROVAL USE DATE	FAMILY
53-108-01*-C4	C4	0.25	37.50			500		12/9/2002	
REMARKS: Graywater and pump tank applications only. *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-02*-C4	C4	0.25	37.75			850		12/9/2002	
REMARKS: Graywater and pump tank applications only. *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-03*-C4	C4	0.25	37.75			1225		12/9/2002	
REMARKS: Graywater and pump tank applications only. *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-04*-C4	C4	0.29	55.13			1500		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-05*-C4	C4	0.29	55.38			2000		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-06*-C4	C4	0.29	55.63			2525		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-07*-C4	C4	0.29	55.88			3500		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-08*-C4	C4	0.29	55.88			4300		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-09*-C4	C4	0.29	56.00			5050		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-10*-C4	C4	0.29	69.50			1850		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-11*-C4	C4	0.29	70.25			2775		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-12*-C4	C4	0.29	70.38			3575		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-13*-C4	C4	0.29	71.00			4375		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Xerxes Corporation**

ACTIVE

Polk

515 West South Street  
 Tipton IA 52772

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
53-108-14*-C4	C4	0.29	71.13			5150		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-15*-C4	C4	0.29	71.25			5900		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-16*-C4	C4	0.29	71.38			6750		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-17*-C4	C4	0.29	71.38			7525		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-18*-C4	C4	0.29	71.50			8325		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-19*-C4	C4	0.29	71.50			9125		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-20*-C4	C4	0.29	71.50			9925		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-21*-C4	C4	0.29	71.63			11100		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-22*-C4	C4	0.29	71.63			11900		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-23*-C4	C4	0.29	71.63			12750		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-24*-C4	C4	0.34	84.00			8075		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-25*-C4	C4	0.34	84.00			8675		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-26*-C4	C4	0.34	84.00			9200		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Xerxes Corporation**

ACTIVE

Polk

515 West South Street  
 Tipton IA 52772

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
53-108-27*-C4	C4	0.34	84.00			9900		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-28*-C4	C4	0.34	84.00			10500		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-29*-C4	C4	0.34	84.00			11600		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-30*-C4	C4	0.34	84.00			15225		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-31*-C4	C4	0.34	84.00			17125		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-32*-C4	C4	0.34	84.00			19550		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-33*-C4	C4	0.34	84.00			23150		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-34*-C4	C4	0.34	84.00			26775		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									
53-108-35*-C4	C4	0.34	84.00			31000		12/9/2002	
REMARKS: *Add the suffix "S" for single compartment tanks. *Add the suffix "D" for dual compartment tanks.									



**DEPARTMENT OF HEALTH**  
 STATE HEALTH OFFICE  
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS  
 SEPTIC TANK MANUFACTURERS  
 run date: 4/5/2012

**Yoder Septic Tank & Truck Service**

Active

Calhoun

Route 1, Box 435  
Blountstown, FL 32424

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	<u>TOP EXTERIOR</u>		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks) USE		
07-053-03S-C3	C3	3.00	44.00			350		3/22/2002	
REMARKS:									
07-053-11D-C3	C3	2.50	45.50			1050		9/2/2003	
REMARKS:									
07-053-11S-C3	C3	2.50	45.50			1050		9/2/2003	
REMARKS:									
07-053-12D-C3	C3	2.50	48.00			1200		9/2/2003	
REMARKS:									
07-053-12S-C3	C3	2.50	50.00			1200		9/2/2003	
REMARKS:									