

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**2. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Physical activity</b>			
High Schools	119	47	40 - 55
Middle Schools	159	51	45 - 58
Junior/Senior High Schools	24	33	18 - 53
<b>All Schools</b>	<b>302</b>	<b>49</b>	<b>44 - 53</b>
<b>b. Nutrition</b>			
High Schools	119	44	37 - 51
Middle Schools	156	43	37 - 50
Junior/Senior High Schools	24	29	15 - 48
<b>All Schools</b>	<b>299</b>	<b>43</b>	<b>38 - 47</b>
<b>c. Tobacco-use prevention</b>			
High Schools	119	41	34 - 50
Middle Schools	157	44	37 - 51
Junior/Senior High Schools	24	42	26 - 59
<b>All Schools</b>	<b>300</b>	<b>43</b>	<b>38 - 48</b>
<b>d. Asthma</b>			
High Schools	119	25	18 - 32
Middle Schools	155	22	17 - 28
Junior/Senior High Schools	24	13	5 - 31
<b>All Schools</b>	<b>298</b>	<b>22</b>	<b>18 - 27</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**3. Percentage of schools that have a copy of district's wellness policy.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>Yes</b>			
High Schools	117	90	84 - 94
Middle Schools	161	90	85 - 93
Junior/Senior High Schools	24	79	64 - 89
<b>All Schools</b>	<b>302</b>	<b>89</b>	<b>86 - 92</b>
<b>No</b>			
High Schools	117	8	5 - 14
Middle Schools	161	10	6 - 14
Junior/Senior High Schools	24	16	9 - 29
<b>All Schools</b>	<b>302</b>	<b>10</b>	<b>7 - 13</b>
<b>District does not have wellness policy</b>			
High Schools	117	2	1 - 6
Middle Schools	161	1	0 - 3
Junior/Senior High Schools	24	4	1 - 20
<b>All Schools</b>	<b>302</b>	<b>1</b>	<b>1 - 3</b>

NA=Not available  
N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	118	91	86 - 94
Middle Schools	165	95	91 - 97
Junior/Senior High Schools	25	92	76 - 98
<b>All Schools</b>	<b>308</b>	<b>93</b>	<b>91 - 95</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	118	67	60 - 74
Middle Schools	165	63	56 - 69
Junior/Senior High Schools	25	52	35 - 70
<b>All Schools</b>	<b>308</b>	<b>64</b>	<b>59 - 68</b>

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	N	Percent	95% Confidence Interval
<b>a. School administration</b>			
High Schools	78	84	76 - 90
Middle Schools	100	91	84 - 95
Junior/Senior High Schools	13	100	NA
<b>All Schools</b>	<b>191</b>	<b>89</b>	<b>84 - 92</b>
<b>b. Health education teachers</b>			
High Schools	79	90	82 - 95
Middle Schools	101	74	66 - 81
Junior/Senior High Schools	13	85	59 - 96
<b>All Schools</b>	<b>193</b>	<b>81</b>	<b>75 - 85</b>
<b>c. Physical education teachers</b>			
High Schools	79	89	82 - 93
Middle Schools	101	95	90 - 98
Junior/Senior High Schools	13	77	52 - 92
<b>All Schools</b>	<b>193</b>	<b>92</b>	<b>88 - 94</b>
<b>d. Mental health or social services staff</b>			
High Schools	78	53	44 - 61
Middle Schools	101	43	35 - 52
Junior/Senior High Schools	13	62	36 - 83
<b>All Schools</b>	<b>192</b>	<b>48</b>	<b>42 - 54</b>
<b>e. Nutrition or food service staff</b>			
High Schools	79	61	52 - 70
Middle Schools	101	64	55 - 72
Junior/Senior High Schools	13	77	51 - 92
<b>All Schools</b>	<b>193</b>	<b>63</b>	<b>57 - 69</b>
<b>f. Health services staff (e.g., school nurse)</b>			
High Schools	78	73	64 - 81
Middle Schools	101	67	58 - 75
Junior/Senior High Schools	13	92	68 - 99
<b>All Schools</b>	<b>192</b>	<b>71</b>	<b>65 - 77</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	N	Percent	95% Confidence Interval
<b>g. Maintenance and transportation staff</b>			
High Schools	77	13	7 - 22
Middle Schools	100	13	9 - 19
Junior/Senior High Schools	13	25	10 - 49
<b>All Schools</b>	<b>190</b>	<b>14</b>	<b>10 - 19</b>
<b>h. Student body</b>			
High Schools	79	44	35 - 53
Middle Schools	100	42	33 - 51
Junior/Senior High Schools	13	33	14 - 61
<b>All Schools</b>	<b>192</b>	<b>42</b>	<b>36 - 49</b>
<b>i. Parents or families of students</b>			
High Schools	78	33	25 - 43
Middle Schools	101	46	36 - 55
Junior/Senior High Schools	13	40	20 - 64
<b>All Schools</b>	<b>192</b>	<b>40</b>	<b>34 - 47</b>
<b>j. Community</b>			
High Schools	78	28	20 - 37
Middle Schools	100	35	26 - 44
Junior/Senior High Schools	13	41	21 - 65
<b>All Schools</b>	<b>191</b>	<b>32</b>	<b>26 - 39</b>
<b>k. Local health departments, agencies, or organizations</b>			
High Schools	79	38	30 - 47
Middle Schools	100	37	29 - 46
Junior/Senior High Schools	13	77	52 - 92
<b>All Schools</b>	<b>192</b>	<b>40</b>	<b>34 - 46</b>
<b>l. Faith-based organizations</b>			
High Schools	77	7	4 - 12
Middle Schools	101	2	1 - 7
Junior/Senior High Schools	13	33	15 - 59
<b>All Schools</b>	<b>191</b>	<b>6</b>	<b>4 - 9</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>m. Businesses</b>			
High Schools	78	21	14 - 31
Middle Schools	100	10	6 - 16
Junior/Senior High Schools	13	55	32 - 75
<b>All Schools</b>	<b>191</b>	<b>17</b>	<b>13 - 22</b>
<b>n. Local government</b>			
High Schools	78	8	4 - 13
Middle Schools	100	7	4 - 13
Junior/Senior High Schools	13	47	24 - 72
<b>All Schools</b>	<b>191</b>	<b>10</b>	<b>7 - 14</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**7. Percentage of schools that require school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Ethnic/racial minority youth at high risk</b>			
High Schools	116	48	40 - 56
Middle Schools	164	39	32 - 46
Junior/Senior High Schools	24	42	27 - 59
<b>All Schools</b>	<b>304</b>	<b>42</b>	<b>38 - 47</b>
<b>b. Youth who participate in drop-out prevention, alternative education, or GED programs</b>			
High Schools	115	49	41 - 57
Middle Schools	163	26	21 - 33
Junior/Senior High Schools	24	35	21 - 53
<b>All Schools</b>	<b>302</b>	<b>35</b>	<b>31 - 40</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	116	48	40 - 55
Middle Schools	158	20	15 - 27
Junior/Senior High Schools	24	8	2 - 25
<b>All Schools</b>	<b>298</b>	<b>30</b>	<b>25 - 34</b>

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Attendance of students with HIV infection</b>			
High Schools	119	61	53 - 68
Middle Schools	164	53	46 - 59
Junior/Senior High Schools	25	53	35 - 70
<b>All Schools</b>	<b>308</b>	<b>56</b>	<b>51 - 61</b>
<b>b. Procedures to protect HIV-infected students and staff from discrimination</b>			
High Schools	119	71	63 - 78
Middle Schools	163	64	57 - 70
Junior/Senior High Schools	25	53	35 - 70
<b>All Schools</b>	<b>307</b>	<b>66</b>	<b>61 - 70</b>
<b>c. Maintaining confidentiality of HIV-infected students and staff</b>			
High Schools	119	84	77 - 89
Middle Schools	164	70	63 - 75
Junior/Senior High Schools	25	68	50 - 83
<b>All Schools</b>	<b>308</b>	<b>75</b>	<b>70 - 79</b>
<b>d. Worksite safety</b>			
High Schools	119	89	82 - 93
Middle Schools	164	77	71 - 83
Junior/Senior High Schools	25	76	60 - 87
<b>All Schools</b>	<b>308</b>	<b>81</b>	<b>77 - 85</b>
<b>e. Confidential counseling for HIV-infected students</b>			
High Schools	119	71	63 - 78
Middle Schools	163	55	49 - 61
Junior/Senior High Schools	25	57	43 - 69
<b>All Schools</b>	<b>307</b>	<b>61</b>	<b>57 - 66</b>
<b>f. Communication of the policy to students, school staff, and parents</b>			
High Schools	119	68	60 - 76
Middle Schools	162	55	49 - 62
Junior/Senior High Schools	25	49	34 - 64
<b>All Schools</b>	<b>306</b>	<b>60</b>	<b>55 - 64</b>

NA=Not available

N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Adequate training about HIV infection for school staff</b>			
High Schools	119	68	60 - 75
Middle Schools	163	62	55 - 69
Junior/Senior High Schools	25	60	46 - 73
<b>All Schools</b>	<b>307</b>	<b>64</b>	<b>59 - 69</b>
<b>h. Procedures for implementing the policy</b>			
High Schools	119	69	61 - 76
Middle Schools	164	59	52 - 66
Junior/Senior High Schools	25	56	44 - 67
<b>All Schools</b>	<b>308</b>	<b>62</b>	<b>57 - 67</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**10. Percentage of schools that require all staff who teach health education topics to be certified, licensed, or endorsed by the state in health education.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Yes</b>			
High Schools	118	91	85 - 95
Middle Schools	163	55	48 - 62
Junior/Senior High Schools	24	70	58 - 80
<b>All Schools</b>	<b>305</b>	<b>69</b>	<b>65 - 74</b>
<b>b. No</b>			
High Schools	118	6	3 - 12
Middle Schools	163	34	27 - 40
Junior/Senior High Schools	24	30	20 - 42
<b>All Schools</b>	<b>305</b>	<b>23</b>	<b>20 - 28</b>
<b>c. Not applicable</b>			
High Schools	118	3	1 - 7
Middle Schools	163	11	7 - 16
Junior/Senior High Schools	24	0	NA
<b>All Schools</b>	<b>305</b>	<b>7</b>	<b>5 - 10</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**11. Percentage of schools that require physical education for students in any of grades 6 through 12.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	117	96	91 - 98
Middle Schools	162	74	68 - 79
Junior/Senior High Schools	24	91	74 - 97
<b>All Schools</b>	<b>303</b>	<b>83</b>	<b>79 - 86</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**12. Percentage of all schools that taught a required physical education course in each of the following grades.\***

	N	Percent	95% Confidence Interval
<b>a. Sixth grade</b>			
High Schools	NA	NA	NA
Middle Schools	153	69	63 - 75
Junior/Senior High Schools	17	82	62 - 93
<b>All Schools</b>	<b>170</b>	<b>70</b>	<b>64 - 76</b>
<b>b. Seventh grade</b>			
High Schools	NA	NA	NA
Middle Schools	160	64	57 - 71
Junior/Senior High Schools	23	82	65 - 92
<b>All Schools</b>	<b>183</b>	<b>66</b>	<b>60 - 72</b>
<b>c. Eighth grade</b>			
High Schools	NA	NA	NA
Middle Schools	160	63	56 - 69
Junior/Senior High Schools	23	82	65 - 92
<b>All Schools</b>	<b>183</b>	<b>65</b>	<b>59 - 71</b>
<b>d. Ninth grade</b>			
High Schools	113	88	82 - 93
Middle Schools	44	0	NA
Junior/Senior High Schools	23	76	56 - 89
<b>All Schools</b>	<b>180</b>	<b>64</b>	<b>59 - 69</b>
<b>e. Tenth grade</b>			
High Schools	112	68	59 - 75
Middle Schools	NA	NA	NA
Junior/Senior High Schools	21	42	24 - 62
<b>All Schools</b>	<b>133</b>	<b>63</b>	<b>55 - 71</b>
<b>f. Eleventh grade</b>			
High Schools	109	57	48 - 65
Middle Schools	NA	NA	NA
Junior/Senior High Schools	21	33	16 - 55
<b>All Schools</b>	<b>130</b>	<b>53</b>	<b>45 - 61</b>
<b>g. Twelfth grade</b>			
High Schools	109	56	47 - 65
Middle Schools	NA	NA	NA
Junior/Senior High Schools	21	33	16 - 55
<b>All Schools</b>	<b>130</b>	<b>52</b>	<b>44 - 60</b>

\*Among schools with students in that grade.  
 NA=Not available  
 N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Enrollment in other courses</b>			
High Schools	109	35	29 - 42
Middle Schools	114	60	52 - 68
Junior/Senior High Schools	22	40	26 - 56
<b>All Schools</b>	<b>245</b>	<b>48</b>	<b>43 - 53</b>
<b>b. Participation in school sports</b>			
High Schools	109	54	46 - 62
Middle Schools	113	16	10 - 23
Junior/Senior High Schools	22	64	51 - 76
<b>All Schools</b>	<b>244</b>	<b>36</b>	<b>31 - 41</b>
<b>c. Participation in other school activities</b>			
High Schools	107	74	65 - 81
Middle Schools	114	45	37 - 53
Junior/Senior High Schools	22	51	37 - 65
<b>All Schools</b>	<b>243</b>	<b>58</b>	<b>52 - 63</b>
<b>d. Participation in community sports activities</b>			
High Schools	108	5	3 - 11
Middle Schools	114	17	12 - 25
Junior/Senior High Schools	22	22	10 - 41
<b>All Schools</b>	<b>244</b>	<b>13</b>	<b>9 - 17</b>
<b>e. Religious reasons</b>			
High Schools	108	39	32 - 47
Middle Schools	114	63	55 - 70
Junior/Senior High Schools	22	68	47 - 84
<b>All Schools</b>	<b>244</b>	<b>53</b>	<b>48 - 59</b>
<b>f. Long-term physical or medical disability</b>			
High Schools	108	69	61 - 76
Middle Schools	114	90	84 - 94
Junior/Senior High Schools	22	91	74 - 97
<b>All Schools</b>	<b>244</b>	<b>81</b>	<b>77 - 85</b>
<b>g. Cognitive disability</b>			
High Schools	108	35	28 - 43
Middle Schools	113	46	38 - 54
Junior/Senior High Schools	21	49	34 - 64
<b>All Schools</b>	<b>242</b>	<b>42</b>	<b>37 - 47</b>

\*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>h. High physical fitness competency test score</b>			
High Schools	108	12	7 - 18
Middle Schools	113	3	1 - 8
Junior/Senior High Schools	22	9	3 - 26
<b>All Schools</b>	<b>243</b>	<b>7</b>	<b>5 - 11</b>
<b>i. Participation in vocational training</b>			
High Schools	108	11	6 - 17
Middle Schools	114	8	4 - 14
Junior/Senior High Schools	22	5	1 - 21
<b>All Schools</b>	<b>244</b>	<b>9</b>	<b>6 - 12</b>
<b>j. Participation in community service activities</b>			
High Schools	106	4	2 - 8
Middle Schools	114	3	1 - 7
Junior/Senior High Schools	22	5	1 - 21
<b>All Schools</b>	<b>242</b>	<b>3</b>	<b>2 - 6</b>

\*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**14. Percentage of schools in which all staff who teach physical education are certified, licensed, or endorsed by the state in physical education.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Yes</b>			
High Schools	118	98	94 - 99
Middle Schools	162	96	92 - 98
Junior/Senior High Schools	25	84	66 - 94
<b>All Schools</b>	<b>305</b>	<b>96</b>	<b>93 - 98</b>
<b>b. No</b>			
High Schools	118	1	0 - 4
Middle Schools	162	3	1 - 7
Junior/Senior High Schools	25	12	4 - 29
<b>All Schools</b>	<b>305</b>	<b>3</b>	<b>2 - 5</b>
<b>c. Not Applicable</b>			
High Schools	118	1	0 - 5
Middle Schools	162	1	0 - 4
Junior/Senior High Schools	25	4	1 - 19
<b>All Schools</b>	<b>305</b>	<b>1</b>	<b>0 - 3</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**15. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	118	94	89 - 97
Middle Schools	162	92	88 - 95
Junior/Senior High Schools	25	82	64 - 92
<b>All Schools</b>	<b>305</b>	<b>92</b>	<b>89 - 94</b>

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**16. Percentage of schools that provide those who teach physical education with the following materials.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Goals, objectives, and expected outcomes for physical education</b>			
High Schools	118	97	93 - 99
Middle Schools	163	99	96 - 100
Junior/Senior High Schools	25	88	71 - 95
<b>All Schools</b>	<b>306</b>	<b>98</b>	<b>96 - 99</b>
<b>b. A chart describing the annual scope and sequence of instruction for physical education</b>			
High Schools	118	85	79 - 90
Middle Schools	161	88	83 - 91
Junior/Senior High Schools	25	72	55 - 84
<b>All Schools</b>	<b>304</b>	<b>85</b>	<b>82 - 88</b>
<b>c. Plans for how to assess student performance in physical education</b>			
High Schools	118	91	86 - 95
Middle Schools	163	94	90 - 97
Junior/Senior High Schools	25	84	66 - 93
<b>All Schools</b>	<b>306</b>	<b>92</b>	<b>89 - 94</b>
<b>d. A written physical education curriculum</b>			
High Schools	117	92	88 - 95
Middle Schools	163	89	84 - 93
Junior/Senior High Schools	25	80	61 - 91
<b>All Schools</b>	<b>305</b>	<b>90</b>	<b>86 - 92</b>

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**17. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	111	64	55 - 71
Middle Schools	153	83	77 - 88
Junior/Senior High Schools	25	64	48 - 77
<b>All Schools</b>	<b>289</b>	<b>75</b>	<b>70 - 79</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**18. Percentage of schools that have adopted a policy prohibiting tobacco use.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	118	99	96 - 100
Middle Schools	163	97	94 - 99
Junior/Senior High Schools	25	96	81 - 99
<b>All Schools</b>	<b>306</b>	<b>98</b>	<b>96 - 99</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**19 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	117	99	96 - 100
Middle Schools	161	97	94 - 99
Junior/Senior High Schools	25	96	81 - 99
<b>All Schools</b>	<b>303</b>	<b>98</b>	<b>96 - 99</b>
<b>b. Smokeless tobacco</b>			
High Schools	116	98	94 - 99
Middle Schools	161	96	92 - 98
Junior/Senior High Schools	25	96	81 - 99
<b>All Schools</b>	<b>302</b>	<b>96</b>	<b>94 - 98</b>
<b>c. Cigars</b>			
High Schools	117	98	94 - 99
Middle Schools	161	96	93 - 98
Junior/Senior High Schools	25	96	81 - 99
<b>All Schools</b>	<b>303</b>	<b>97</b>	<b>95 - 98</b>
<b>d. Pipes</b>			
High Schools	117	98	94 - 99
Middle Schools	160	96	93 - 98
Junior/Senior High Schools	25	96	81 - 99
<b>All Schools</b>	<b>302</b>	<b>97</b>	<b>95 - 98</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**19 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	117	89	84 - 92
Middle Schools	159	91	87 - 94
Junior/Senior High Schools	25	88	79 - 93
<b>All Schools</b>	<b>301</b>	<b>90</b>	<b>87 - 92</b>
<b>b. Smokeless tobacco</b>			
High Schools	115	86	80 - 90
Middle Schools	160	87	82 - 91
Junior/Senior High Schools	25	88	79 - 93
<b>All Schools</b>	<b>300</b>	<b>87</b>	<b>83 - 89</b>
<b>c. Cigars</b>			
High Schools	117	88	83 - 92
Middle Schools	160	91	87 - 94
Junior/Senior High Schools	25	88	79 - 93
<b>All Schools</b>	<b>302</b>	<b>90</b>	<b>87 - 92</b>
<b>d. Pipes</b>			
High Schools	117	88	83 - 92
Middle Schools	158	91	87 - 94
Junior/Senior High Schools	25	88	79 - 93
<b>All Schools</b>	<b>300</b>	<b>90</b>	<b>87 - 92</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**19 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	117	93	88 - 96
Middle Schools	160	94	90 - 96
Junior/Senior High Schools	25	92	76 - 98
<b>All Schools</b>	<b>302</b>	<b>93</b>	<b>91 - 95</b>
<b>b. Smokeless tobacco</b>			
High Schools	115	87	81 - 92
Middle Schools	160	86	81 - 90
Junior/Senior High Schools	25	84	66 - 94
<b>All Schools</b>	<b>300</b>	<b>86</b>	<b>83 - 89</b>
<b>c. Cigars</b>			
High Schools	117	92	87 - 95
Middle Schools	160	94	90 - 96
Junior/Senior High Schools	25	92	76 - 98
<b>All Schools</b>	<b>302</b>	<b>93</b>	<b>90 - 95</b>
<b>d. Pipes</b>			
High Schools	117	92	87 - 95
Middle Schools	159	94	91 - 96
Junior/Senior High Schools	25	92	76 - 98
<b>All Schools</b>	<b>301</b>	<b>93</b>	<b>90 - 95</b>

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**20 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	117	99	96 - 100
Middle Schools	160	97	94 - 99
Junior/Senior High Schools	25	96	81 - 99
<b>All Schools</b>	<b>302</b>	<b>98</b>	<b>96 - 99</b>
<b>b. During non-school hours</b>			
High Schools	117	85	78 - 90
Middle Schools	158	86	80 - 90
Junior/Senior High Schools	25	77	58 - 89
<b>All Schools</b>	<b>300</b>	<b>85</b>	<b>81 - 88</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**20 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	117	87	81 - 91
Middle Schools	159	88	83 - 92
Junior/Senior High Schools	25	85	74 - 91
<b>All Schools</b>	<b>301</b>	<b>87</b>	<b>84 - 90</b>
<b>b. During non-school hours</b>			
High Schools	117	69	61 - 75
Middle Schools	157	66	59 - 72
Junior/Senior High Schools	25	62	46 - 75
<b>All Schools</b>	<b>299</b>	<b>67</b>	<b>62 - 71</b>

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**20 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	117	93	88 - 96
Middle Schools	158	92	88 - 95
Junior/Senior High Schools	25	92	76 - 98
<b>All Schools</b>	<b>300</b>	<b>93</b>	<b>90 - 95</b>
<b>b. During non-school hours</b>			
High Schools	114	73	66 - 78
Middle Schools	156	70	64 - 76
Junior/Senior High Schools	25	69	51 - 83
<b>All Schools</b>	<b>295</b>	<b>71</b>	<b>67 - 75</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**21 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	116	99	96 - 100
Middle Schools	160	96	93 - 98
Junior/Senior High Schools	25	96	81 - 99
<b>All Schools</b>	<b>301</b>	<b>97</b>	<b>95 - 99</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	117	99	96 - 100
Middle Schools	159	96	93 - 98
Junior/Senior High Schools	25	96	81 - 99
<b>All Schools</b>	<b>301</b>	<b>97</b>	<b>95 - 99</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	117	99	96 - 100
Middle Schools	159	96	92 - 98
Junior/Senior High Schools	25	96	81 - 99
<b>All Schools</b>	<b>301</b>	<b>97</b>	<b>95 - 98</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	116	99	96 - 100
Middle Schools	158	92	88 - 95
Junior/Senior High Schools	25	96	81 - 99
<b>All Schools</b>	<b>299</b>	<b>95</b>	<b>92 - 97</b>

NA=Not available

N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	117	99	96 - 100
Middle Schools	158	96	92 - 98
Junior/Senior High Schools	25	96	81 - 99
<b>All Schools</b>	<b>300</b>	<b>97</b>	<b>95 - 98</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	117	92	86 - 95
Middle Schools	156	87	82 - 91
Junior/Senior High Schools	25	88	79 - 93
<b>All Schools</b>	<b>298</b>	<b>89</b>	<b>85 - 91</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	117	97	93 - 99
Middle Schools	155	95	91 - 97
Junior/Senior High Schools	25	96	81 - 99
<b>All Schools</b>	<b>297</b>	<b>96</b>	<b>93 - 97</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	116	88	83 - 92
Middle Schools	154	85	80 - 89
Junior/Senior High Schools	24	92	75 - 98
<b>All Schools</b>	<b>294</b>	<b>87</b>	<b>83 - 90</b>

NA=Not available

N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	115	99	96 - 100
Middle Schools	158	95	91 - 97
Junior/Senior High Schools	25	96	81 - 99
<b>All Schools</b>	<b>298</b>	<b>97</b>	<b>94 - 98</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	114	93	87 - 96
Middle Schools	156	88	82 - 92
Junior/Senior High Schools	25	92	76 - 98
<b>All Schools</b>	<b>295</b>	<b>90</b>	<b>86 - 93</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	114	98	94 - 99
Middle Schools	156	93	89 - 96
Junior/Senior High Schools	25	96	81 - 99
<b>All Schools</b>	<b>295</b>	<b>95</b>	<b>92 - 97</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	114	84	76 - 89
Middle Schools	155	75	70 - 80
Junior/Senior High Schools	24	80	60 - 91
<b>All Schools</b>	<b>293</b>	<b>79</b>	<b>75 - 82</b>

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**21N. Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits use of cigarettes, smokeless tobacco, cigars, and pipes by students, faculty/staff, and visitors; during school hours and during non-school hours; in school buildings, outside on school grounds, on school buses or other vehicles used to transport students, and at off-campus, school-sponsored events.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	114	53	46 - 60
Middle Schools	157	48	41 - 56
Junior/Senior High Schools	24	56	39 - 72
<b>All Schools</b>	<b>295</b>	<b>51</b>	<b>46 - 56</b>

\*Responses to question 19 (a, b, c, and d), question 20 (a and b), and question 21 (a, b, c, and d) are all "yes."  
 NA=Not available  
 N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**22. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Students</b>			
High Schools	115	100	NA
Middle Schools	153	99	97 - 100
Junior/Senior High Schools	24	100	NA
<b>All Schools</b>	<b>292</b>	<b>100</b>	<b>98 - 100</b>
<b>b. Faculty and staff</b>			
High Schools	115	99	95 - 100
Middle Schools	152	98	95 - 99
Junior/Senior High Schools	23	100	NA
<b>All Schools</b>	<b>290</b>	<b>99</b>	<b>97 - 99</b>
<b>c. Visitors</b>			
High Schools	111	95	90 - 98
Middle Schools	146	83	76 - 88
Junior/Senior High Schools	23	100	NA
<b>All Schools</b>	<b>280</b>	<b>89</b>	<b>85 - 92</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**23. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	115	99	96 - 100
Middle Schools	154	99	95 - 100
Junior/Senior High Schools	24	100	NA
<b>All Schools</b>	<b>293</b>	<b>99</b>	<b>97 - 100</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.  
 NA=Not available  
 N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**24. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.\***

	N	Percent	95% Confidence Interval
<b>a. No single individual is responsible</b>			
High Schools	107	58	49 - 66
Middle Schools	146	54	47 - 61
Junior/Senior High Schools	23	56	43 - 68
<b>All Schools</b>	<b>276</b>	<b>55</b>	<b>50 - 60</b>
<b>b. Principal</b>			
High Schools	107	15	10 - 22
Middle Schools	146	27	21 - 34
Junior/Senior High Schools	23	23	13 - 37
<b>All Schools</b>	<b>276</b>	<b>22</b>	<b>18 - 27</b>
<b>c. Assistant principal</b>			
High Schools	107	19	13 - 27
Middle Schools	146	11	7 - 16
Junior/Senior High Schools	23	13	5 - 30
<b>All Schools</b>	<b>276</b>	<b>14</b>	<b>10 - 18</b>
<b>d. Other school administrator</b>			
High Schools	107	7	4 - 13
Middle Schools	146	5	3 - 10
Junior/Senior High Schools	23	0	NA
<b>All Schools</b>	<b>276</b>	<b>6</b>	<b>4 - 9</b>
<b>e. Other school faculty or staff member</b>			
High Schools	107	1	0 - 5
Middle Schools	146	3	1 - 7
Junior/Senior High Schools	23	9	7 - 11
<b>All Schools</b>	<b>276</b>	<b>3</b>	<b>1 - 5</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**25. Percentage of schools in which the following help determine what actions are taken when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Zero tolerance</b>			
High Schools	119	78	72 - 84
Middle Schools	166	80	75 - 84
Junior/Senior High Schools	25	76	60 - 87
<b>All Schools</b>	<b>310</b>	<b>79</b>	<b>75 - 82</b>
<b>b. Effect or severity of the violation</b>			
High Schools	119	21	16 - 28
Middle Schools	166	24	18 - 29
Junior/Senior High Schools	25	28	15 - 44
<b>All Schools</b>	<b>310</b>	<b>23</b>	<b>19 - 27</b>
<b>c. Grade level of student</b>			
High Schools	119	3	1 - 7
Middle Schools	166	8	5 - 13
Junior/Senior High Schools	25	4	1 - 19
<b>All Schools</b>	<b>310</b>	<b>6</b>	<b>4 - 9</b>
<b>d. Repeat offender status</b>			
High Schools	118	38	30 - 47
Middle Schools	166	29	24 - 35
Junior/Senior High Schools	25	28	15 - 44
<b>All Schools</b>	<b>309</b>	<b>32</b>	<b>28 - 37</b>
<b>e. None of these</b>			
High Schools	118	0	NA
Middle Schools	166	1	0 - 3
Junior/Senior High Schools	25	8	2 - 24
<b>All Schools</b>	<b>309</b>	<b>1</b>	<b>1 - 3</b>

NA=Not available

N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Parents or guardians are notified</b>			
High Schools	118	0	NA
Middle Schools	160	1	0 - 4
Junior/Senior High Schools	25	4	1 - 19
<b>All Schools</b>	<b>303</b>	<b>1</b>	<b>0 - 3</b>
<b>b. Referred to a school counselor</b>			
High Schools	116	8	5 - 14
Middle Schools	158	4	2 - 8
Junior/Senior High Schools	25	12	7 - 21
<b>All Schools</b>	<b>299</b>	<b>6</b>	<b>4 - 9</b>
<b>c. Referred to a school administrator</b>			
High Schools	118	1	0 - 4
Middle Schools	159	2	0 - 5
Junior/Senior High Schools	25	8	7 - 9
<b>All Schools</b>	<b>302</b>	<b>2</b>	<b>1 - 3</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	117	12	7 - 18
Middle Schools	159	20	15 - 27
Junior/Senior High Schools	24	16	7 - 36
<b>All Schools</b>	<b>300</b>	<b>17</b>	<b>13 - 21</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	116	37	30 - 45
Middle Schools	158	35	29 - 41
Junior/Senior High Schools	24	45	26 - 66
<b>All Schools</b>	<b>298</b>	<b>37</b>	<b>32 - 41</b>
<b>f. Referred to legal authorities</b>			
High Schools	116	18	13 - 24
Middle Schools	157	18	14 - 24
Junior/Senior High Schools	25	24	13 - 40
<b>All Schools</b>	<b>298</b>	<b>19</b>	<b>15 - 22</b>

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Placed in detention</b>			
High Schools	116	23	17 - 30
Middle Schools	159	25	20 - 31
Junior/Senior High Schools	25	40	27 - 55
<b>All Schools</b>	<b>300</b>	<b>26</b>	<b>22 - 30</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	117	29	22 - 37
Middle Schools	158	26	20 - 32
Junior/Senior High Schools	24	37	22 - 55
<b>All Schools</b>	<b>299</b>	<b>28</b>	<b>23 - 32</b>
<b>i. Given in-school suspension</b>			
High Schools	118	19	14 - 26
Middle Schools	159	13	10 - 19
Junior/Senior High Schools	25	32	18 - 51
<b>All Schools</b>	<b>302</b>	<b>17</b>	<b>14 - 21</b>
<b>j. Suspended from school</b>			
High Schools	118	11	7 - 16
Middle Schools	157	8	5 - 13
Junior/Senior High Schools	24	12	7 - 21
<b>All Schools</b>	<b>299</b>	<b>10</b>	<b>7 - 13</b>
<b>k. Expelled from school</b>			
High Schools	118	72	65 - 79
Middle Schools	158	66	59 - 72
Junior/Senior High Schools	25	70	53 - 82
<b>All Schools</b>	<b>301</b>	<b>68</b>	<b>64 - 73</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	118	52	45 - 60
Middle Schools	159	54	47 - 60
Junior/Senior High Schools	25	74	59 - 85
<b>All Schools</b>	<b>302</b>	<b>55</b>	<b>50 - 59</b>

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Parents or guardians are notified</b>			
High Schools	118	1	0 - 4
Middle Schools	160	0	NA
Junior/Senior High Schools	25	0	NA
<b>All Schools</b>	<b>303</b>	<b>0</b>	<b>0 - 2</b>
<b>b. Referred to a school counselor</b>			
High Schools	116	28	21 - 36
Middle Schools	158	8	5 - 13
Junior/Senior High Schools	25	20	9 - 39
<b>All Schools</b>	<b>299</b>	<b>16</b>	<b>13 - 20</b>
<b>c. Referred to a school administrator</b>			
High Schools	118	0	NA
Middle Schools	159	1	0 - 4
Junior/Senior High Schools	25	4	1 - 19
<b>All Schools</b>	<b>302</b>	<b>1</b>	<b>0 - 2</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	117	24	18 - 31
Middle Schools	159	21	16 - 27
Junior/Senior High Schools	24	41	27 - 57
<b>All Schools</b>	<b>300</b>	<b>23</b>	<b>20 - 28</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	116	26	20 - 34
Middle Schools	158	20	15 - 26
Junior/Senior High Schools	24	29	14 - 50
<b>All Schools</b>	<b>298</b>	<b>23</b>	<b>19 - 27</b>
<b>f. Referred to legal authorities</b>			
High Schools	116	13	8 - 20
Middle Schools	157	17	13 - 22
Junior/Senior High Schools	25	13	5 - 29
<b>All Schools</b>	<b>298</b>	<b>15</b>	<b>12 - 19</b>

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	116	13	9 - 19
Middle Schools	159	12	8 - 17
Junior/Senior High Schools	25	16	8 - 28
<b>All Schools</b>	<b>300</b>	<b>13</b>	<b>10 - 16</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	117	22	16 - 29
Middle Schools	158	19	14 - 26
Junior/Senior High Schools	24	8	2 - 21
<b>All Schools</b>	<b>299</b>	<b>19</b>	<b>15 - 24</b>
<b>i. Given in-school suspension</b>			
High Schools	118	12	9 - 17
Middle Schools	159	8	5 - 13
Junior/Senior High Schools	25	16	8 - 28
<b>All Schools</b>	<b>302</b>	<b>10</b>	<b>8 - 13</b>
<b>j. Suspended from school</b>			
High Schools	118	18	13 - 24
Middle Schools	157	11	7 - 16
Junior/Senior High Schools	24	12	5 - 29
<b>All Schools</b>	<b>299</b>	<b>14</b>	<b>11 - 17</b>
<b>k. Expelled from school</b>			
High Schools	118	22	16 - 29
Middle Schools	158	26	20 - 32
Junior/Senior High Schools	25	16	6 - 34
<b>All Schools</b>	<b>301</b>	<b>23</b>	<b>20 - 28</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	118	38	31 - 46
Middle Schools	159	28	22 - 34
Junior/Senior High Schools	25	16	9 - 27
<b>All Schools</b>	<b>302</b>	<b>31</b>	<b>26 - 35</b>

NA=Not available

N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Parents or guardians are notified</b>			
High Schools	118	5	2 - 10
Middle Schools	160	1	0 - 4
Junior/Senior High Schools	25	9	3 - 25
<b>All Schools</b>	<b>303</b>	<b>3</b>	<b>2 - 5</b>
<b>b. Referred to a school counselor</b>			
High Schools	116	44	37 - 52
Middle Schools	158	45	38 - 52
Junior/Senior High Schools	25	54	35 - 72
<b>All Schools</b>	<b>299</b>	<b>45</b>	<b>40 - 51</b>
<b>c. Referred to a school administrator</b>			
High Schools	118	6	3 - 11
Middle Schools	159	2	1 - 5
Junior/Senior High Schools	25	4	1 - 19
<b>All Schools</b>	<b>302</b>	<b>4</b>	<b>2 - 6</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	117	39	33 - 46
Middle Schools	159	31	25 - 37
Junior/Senior High Schools	24	21	10 - 39
<b>All Schools</b>	<b>300</b>	<b>33</b>	<b>29 - 38</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	116	25	19 - 33
Middle Schools	158	27	22 - 33
Junior/Senior High Schools	24	13	5 - 31
<b>All Schools</b>	<b>298</b>	<b>25</b>	<b>21 - 30</b>
<b>f. Referred to legal authorities</b>			
High Schools	116	33	27 - 40
Middle Schools	157	32	26 - 38
Junior/Senior High Schools	25	35	20 - 54
<b>All Schools</b>	<b>298</b>	<b>33</b>	<b>28 - 37</b>

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	116	40	33 - 48
Middle Schools	159	39	33 - 45
Junior/Senior High Schools	25	28	16 - 45
<b>All Schools</b>	<b>300</b>	<b>38</b>	<b>34 - 43</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	117	41	34 - 49
Middle Schools	158	36	30 - 44
Junior/Senior High Schools	24	42	27 - 59
<b>All Schools</b>	<b>299</b>	<b>39</b>	<b>34 - 44</b>
<b>i. Given in-school suspension</b>			
High Schools	118	48	41 - 55
Middle Schools	159	55	48 - 61
Junior/Senior High Schools	25	39	24 - 57
<b>All Schools</b>	<b>302</b>	<b>51</b>	<b>46 - 56</b>
<b>j. Suspended from school</b>			
High Schools	118	52	44 - 59
Middle Schools	157	48	41 - 55
Junior/Senior High Schools	24	41	25 - 59
<b>All Schools</b>	<b>299</b>	<b>49</b>	<b>44 - 54</b>
<b>k. Expelled from school</b>			
High Schools	118	3	2 - 6
Middle Schools	158	6	4 - 11
Junior/Senior High Schools	25	9	3 - 25
<b>All Schools</b>	<b>301</b>	<b>5</b>	<b>4 - 8</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	118	8	5 - 13
Middle Schools	159	15	10 - 20
Junior/Senior High Schools	25	4	1 - 19
<b>All Schools</b>	<b>302</b>	<b>11</b>	<b>9 - 15</b>

NA=Not available

N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Parents or guardians are notified</b>			
High Schools	118	95	89 - 97
Middle Schools	160	98	95 - 99
Junior/Senior High Schools	25	87	71 - 95
<b>All Schools</b>	<b>303</b>	<b>96</b>	<b>93 - 98</b>
<b>b. Referred to a school counselor</b>			
High Schools	116	20	14 - 26
Middle Schools	158	44	37 - 51
Junior/Senior High Schools	25	14	6 - 32
<b>All Schools</b>	<b>299</b>	<b>33</b>	<b>28 - 37</b>
<b>c. Referred to a school administrator</b>			
High Schools	118	93	88 - 96
Middle Schools	159	95	91 - 98
Junior/Senior High Schools	25	84	72 - 92
<b>All Schools</b>	<b>302</b>	<b>94</b>	<b>91 - 96</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	117	25	19 - 32
Middle Schools	159	28	22 - 35
Junior/Senior High Schools	24	21	10 - 39
<b>All Schools</b>	<b>300</b>	<b>26</b>	<b>22 - 31</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	116	11	7 - 18
Middle Schools	158	18	14 - 24
Junior/Senior High Schools	24	13	5 - 29
<b>All Schools</b>	<b>298</b>	<b>15</b>	<b>12 - 19</b>
<b>f. Referred to legal authorities</b>			
High Schools	116	36	30 - 43
Middle Schools	157	33	26 - 40
Junior/Senior High Schools	25	28	15 - 47
<b>All Schools</b>	<b>298</b>	<b>34</b>	<b>29 - 38</b>

NA=Not available

N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	116	24	18 - 31
Middle Schools	159	24	18 - 30
Junior/Senior High Schools	25	16	7 - 33
<b>All Schools</b>	<b>300</b>	<b>23</b>	<b>19 - 28</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	117	8	5 - 13
Middle Schools	158	19	14 - 25
Junior/Senior High Schools	24	14	5 - 31
<b>All Schools</b>	<b>299</b>	<b>14</b>	<b>11 - 18</b>
<b>i. Given in-school suspension</b>			
High Schools	118	21	15 - 28
Middle Schools	159	23	18 - 30
Junior/Senior High Schools	25	13	5 - 29
<b>All Schools</b>	<b>302</b>	<b>22</b>	<b>18 - 26</b>
<b>j. Suspended from school</b>			
High Schools	118	20	15 - 28
Middle Schools	157	33	27 - 39
Junior/Senior High Schools	24	34	22 - 50
<b>All Schools</b>	<b>299</b>	<b>28</b>	<b>24 - 33</b>
<b>k. Expelled from school</b>			
High Schools	118	3	1 - 7
Middle Schools	158	3	1 - 6
Junior/Senior High Schools	25	6	1 - 25
<b>All Schools</b>	<b>301</b>	<b>3</b>	<b>2 - 5</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	118	1	0 - 4
Middle Schools	159	4	2 - 8
Junior/Senior High Schools	25	6	1 - 25
<b>All Schools</b>	<b>302</b>	<b>3</b>	<b>2 - 5</b>

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	117	74	68 - 80
Middle Schools	159	65	58 - 71
Junior/Senior High Schools	25	69	53 - 81
<b>All Schools</b>	<b>301</b>	<b>69</b>	<b>64 - 73</b>

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**28. Percentage of schools that did the following activities during the past two years.**

	N	Percent	95% Confidence Interval
<b>a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts</b>			
High Schools	118	53	45 - 61
Middle Schools	160	43	36 - 50
Junior/Senior High Schools	25	65	48 - 78
<b>All Schools</b>	<b>303</b>	<b>48</b>	<b>43 - 53</b>
<b>b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use</b>			
High Schools	118	60	52 - 67
Middle Schools	161	53	47 - 60
Junior/Senior High Schools	25	65	49 - 78
<b>All Schools</b>	<b>304</b>	<b>57</b>	<b>52 - 61</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**29. Percentage of schools that provide tobacco cessation services for each of the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Faculty and staff</b>			
High Schools	117	21	16 - 28
Middle Schools	159	17	13 - 23
Junior/Senior High Schools	25	22	12 - 36
<b>All Schools</b>	<b>301</b>	<b>19</b>	<b>15 - 23</b>
<b>b. Students</b>			
High Schools	117	30	23 - 39
Middle Schools	159	31	25 - 38
Junior/Senior High Schools	25	26	14 - 42
<b>All Schools</b>	<b>301</b>	<b>30</b>	<b>26 - 35</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**30. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Faculty and staff</b>			
High Schools	117	41	35 - 47
Middle Schools	157	32	26 - 38
Junior/Senior High Schools	25	36	23 - 50
<b>All Schools</b>	<b>299</b>	<b>35</b>	<b>31 - 39</b>
<b>b. Students</b>			
High Schools	117	38	31 - 46
Middle Schools	158	42	36 - 49
Junior/Senior High Schools	25	35	20 - 54
<b>All Schools</b>	<b>300</b>	<b>40</b>	<b>36 - 45</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**31. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.**

	N	Percent	95% Confidence Interval
<b>a. Foods or beverages are not offered at school celebrations</b>			
High Schools	116	4	2 - 9
Middle Schools	160	2	1 - 4
Junior/Senior High Schools	25	0	NA
<b>All Schools</b>	<b>301</b>	<b>2</b>	<b>1 - 4</b>
<b>b. Never</b>			
High Schools	116	2	1 - 6
Middle Schools	160	1	0 - 4
Junior/Senior High Schools	25	0	NA
<b>All Schools</b>	<b>301</b>	<b>1</b>	<b>1 - 3</b>
<b>c. Rarely</b>			
High Schools	116	6	3 - 11
Middle Schools	160	10	7 - 15
Junior/Senior High Schools	25	16	6 - 34
<b>All Schools</b>	<b>301</b>	<b>9</b>	<b>7 - 13</b>
<b>d. Sometimes</b>			
High Schools	116	53	45 - 60
Middle Schools	160	58	51 - 65
Junior/Senior High Schools	25	52	35 - 70
<b>All Schools</b>	<b>301</b>	<b>56</b>	<b>51 - 61</b>
<b>e. Always or almost always</b>			
High Schools	116	35	29 - 42
Middle Schools	160	29	23 - 35
Junior/Senior High Schools	25	32	19 - 49
<b>All Schools</b>	<b>301</b>	<b>31</b>	<b>27 - 36</b>

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**32. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	118	100	NA
Middle Schools	160	70	63 - 76
Junior/Senior High Schools	25	80	66 - 90
<b>All Schools</b>	<b>303</b>	<b>82</b>	<b>78 - 85</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.**

	N	Percent	95% Confidence Interval
<b>a. Chocolate candy</b>			
High Schools	118	35	27 - 43
Middle Schools	159	14	10 - 19
Junior/Senior High Schools	24	13	5 - 30
<b>All Schools</b>	<b>301</b>	<b>21</b>	<b>18 - 26</b>
<b>b. Other kinds of candy</b>			
High Schools	117	48	39 - 57
Middle Schools	159	17	12 - 23
Junior/Senior High Schools	25	20	11 - 34
<b>All Schools</b>	<b>301</b>	<b>28</b>	<b>24 - 33</b>
<b>c. Salty snacks that are not low in fat, such as regular potato chips</b>			
High Schools	118	51	42 - 59
Middle Schools	159	30	24 - 37
Junior/Senior High Schools	25	29	18 - 45
<b>All Schools</b>	<b>302</b>	<b>37</b>	<b>33 - 42</b>
<b>d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat</b>			
High Schools	118	50	42 - 58
Middle Schools	158	33	26 - 40
Junior/Senior High Schools	25	23	13 - 38
<b>All Schools</b>	<b>301</b>	<b>38</b>	<b>33 - 43</b>
<b>e. Ice cream or frozen yogurt that is not low in fat</b>			
High Schools	116	37	30 - 45
Middle Schools	159	31	25 - 37
Junior/Senior High Schools	25	13	5 - 30
<b>All Schools</b>	<b>300</b>	<b>32</b>	<b>27 - 36</b>
<b>f. 2% or whole milk (plain or flavored)</b>			
High Schools	117	65	56 - 72
Middle Schools	159	41	34 - 48
Junior/Senior High Schools	25	45	26 - 65
<b>All Schools</b>	<b>301</b>	<b>50</b>	<b>45 - 55</b>

NA=Not available

N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.**

	N	Percent	95% Confidence Interval
<b>g. Water ices or frozen slushes that do not contain juice</b>			
High Schools	118	30	23 - 37
Middle Schools	157	20	15 - 26
Junior/Senior High Schools	24	16	7 - 32
<b>All Schools</b>	<b>299</b>	<b>23</b>	<b>19 - 28</b>
<b>h. Soda pop or fruit drinks that are not 100% juice</b>			
High Schools	118	61	53 - 68
Middle Schools	159	28	22 - 34
Junior/Senior High Schools	25	45	27 - 65
<b>All Schools</b>	<b>302</b>	<b>41</b>	<b>37 - 46</b>
<b>i. Sports drinks, such as Gatorade</b>			
High Schools	117	92	86 - 95
Middle Schools	159	57	50 - 63
Junior/Senior High Schools	25	63	45 - 78
<b>All Schools</b>	<b>301</b>	<b>70</b>	<b>66 - 74</b>
<b>j. Foods or beverages containing caffeine</b>			
High Schools	116	59	51 - 67
Middle Schools	156	18	13 - 24
Junior/Senior High Schools	25	24	14 - 38
<b>All Schools</b>	<b>297</b>	<b>34</b>	<b>29 - 38</b>
<b>k. Fruits (not fruit juice)</b>			
High Schools	118	49	41 - 58
Middle Schools	159	34	28 - 40
Junior/Senior High Schools	25	26	15 - 40
<b>All Schools</b>	<b>302</b>	<b>39</b>	<b>34 - 44</b>
<b>l. Non-fried vegetables (not vegetable juice)</b>			
High Schools	118	39	31 - 47
Middle Schools	159	29	23 - 35
Junior/Senior High Schools	25	22	11 - 39
<b>All Schools</b>	<b>302</b>	<b>32</b>	<b>27 - 37</b>

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**34. Percentage of all schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	116	63	55 - 70
Middle Schools	159	48	41 - 54
Junior/Senior High Schools	25	43	30 - 57
<b>All Schools</b>	<b>300</b>	<b>53</b>	<b>48 - 58</b>

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**35. Percentage of schools that have done any of the following activities during this school year.**

	N	Percent	95% Confidence Interval
<b>a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages</b>			
High Schools	118	13	9 - 20
Middle Schools	160	12	9 - 16
Junior/Senior High Schools	25	7	2 - 22
<b>All Schools</b>	<b>303</b>	<b>12</b>	<b>10 - 15</b>
<b>b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating</b>			
High Schools	118	50	43 - 58
Middle Schools	159	42	35 - 49
Junior/Senior High Schools	25	42	27 - 58
<b>All Schools</b>	<b>302</b>	<b>45</b>	<b>40 - 50</b>
<b>c. Provided information to students or families on the nutrition and caloric content of foods available</b>			
High Schools	117	50	43 - 57
Middle Schools	160	51	44 - 58
Junior/Senior High Schools	25	33	18 - 54
<b>All Schools</b>	<b>302</b>	<b>49</b>	<b>44 - 54</b>
<b>d. Conducted taste tests to determine food preferences for nutritious items</b>			
High Schools	118	30	24 - 37
Middle Schools	160	23	18 - 30
Junior/Senior High Schools	25	8	2 - 24
<b>All Schools</b>	<b>303</b>	<b>25</b>	<b>21 - 29</b>
<b>e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics</b>			
High Schools	118	21	15 - 28
Middle Schools	160	17	12 - 23
Junior/Senior High Schools	25	12	4 - 29
<b>All Schools</b>	<b>303</b>	<b>18</b>	<b>14 - 22</b>

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks to students through the distribution of products, such as t-shirts, hats, and book covers.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	118	2	1 - 6
Middle Schools	158	3	1 - 6
Junior/Senior High Schools	25	3	1 - 16
<b>All Schools</b>	<b>301</b>	<b>3</b>	<b>1 - 5</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In the school building</b>			
High Schools	118	65	57 - 72
Middle Schools	160	70	63 - 76
Junior/Senior High Schools	25	89	73 - 96
<b>All Schools</b>	<b>303</b>	<b>69</b>	<b>64 - 74</b>
<b>b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus</b>			
High Schools	118	46	38 - 53
Middle Schools	160	62	55 - 68
Junior/Senior High Schools	25	81	68 - 89
<b>All Schools</b>	<b>303</b>	<b>57</b>	<b>53 - 62</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	118	76	69 - 82
Middle Schools	159	78	71 - 84
Junior/Senior High Schools	25	85	74 - 92
<b>All Schools</b>	<b>302</b>	<b>78</b>	<b>74 - 82</b>
<b>d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)</b>			
High Schools	117	53	45 - 60
Middle Schools	159	64	57 - 71
Junior/Senior High Schools	25	81	68 - 89
<b>All Schools</b>	<b>301</b>	<b>61</b>	<b>57 - 66</b>

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**38. Percentage of schools that have a full-time registered nurse who provides health services to students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	119	53	46 - 60
Middle Schools	166	53	47 - 60
Junior/Senior High Schools	25	60	46 - 72
<b>All Schools</b>	<b>310</b>	<b>54</b>	<b>49 - 58</b>

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.**

	N	Percent	95% Confidence Interval
<b>a. This school does not identify students diagnosed with chronic health conditions such as asthma</b>			
High Schools	118	2	0 - 5
Middle Schools	163	2	1 - 5
Junior/Senior High Schools	25	0	NA
<b>All Schools</b>	<b>306</b>	<b>2</b>	<b>1 - 3</b>
<b>b. Student emergency cards</b>			
High Schools	118	91	85 - 94
Middle Schools	164	90	85 - 93
Junior/Senior High Schools	25	92	76 - 98
<b>All Schools</b>	<b>307</b>	<b>90</b>	<b>87 - 93</b>
<b>c. Medication records</b>			
High Schools	118	76	69 - 82
Middle Schools	163	83	77 - 87
Junior/Senior High Schools	25	90	73 - 97
<b>All Schools</b>	<b>306</b>	<b>81</b>	<b>77 - 84</b>
<b>d. Health room visit information</b>			
High Schools	118	39	32 - 47
Middle Schools	165	46	39 - 52
Junior/Senior High Schools	25	63	48 - 76
<b>All Schools</b>	<b>308</b>	<b>45</b>	<b>40 - 49</b>
<b>e. Emergency care plans</b>			
High Schools	118	38	30 - 46
Middle Schools	164	48	42 - 55
Junior/Senior High Schools	25	59	39 - 77
<b>All Schools</b>	<b>307</b>	<b>45</b>	<b>40 - 50</b>
<b>f. Physical exam records</b>			
High Schools	118	41	34 - 49
Middle Schools	164	49	43 - 55
Junior/Senior High Schools	25	47	30 - 64
<b>All Schools</b>	<b>307</b>	<b>46</b>	<b>41 - 51</b>

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Notes from parents</b>			
High Schools	118	82	75 - 87
Middle Schools	163	87	82 - 91
Junior/Senior High Schools	25	87	70 - 95
<b>All Schools</b>	<b>306</b>	<b>85</b>	<b>82 - 89</b>
<b>h. Other</b>			
High Schools	119	15	10 - 21
Middle Schools	165	18	14 - 23
Junior/Senior High Schools	25	8	2 - 24
<b>All Schools</b>	<b>309</b>	<b>16</b>	<b>13 - 20</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**40. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.**

	N	Percent	95% Confidence Interval
<b>a. School has no students with known asthma</b>			
High Schools	118	1	0 - 5
Middle Schools	163	1	0 - 4
Junior/Senior High Schools	25	8	2 - 24
<b>All Schools</b>	<b>306</b>	<b>2</b>	<b>1 - 4</b>
<b>b. All students with known asthma have an asthma action plan on file</b>			
High Schools	118	51	43 - 59
Middle Schools	163	55	47 - 62
Junior/Senior High Schools	25	51	36 - 66
<b>All Schools</b>	<b>306</b>	<b>53</b>	<b>48 - 58</b>
<b>c. Most students with known asthma have an asthma action plan on file</b>			
High Schools	118	25	18 - 33
Middle Schools	163	23	17 - 29
Junior/Senior High Schools	25	28	15 - 44
<b>All Schools</b>	<b>306</b>	<b>24</b>	<b>20 - 29</b>
<b>d. Some students with known asthma have an asthma action plan on file</b>			
High Schools	118	19	13 - 27
Middle Schools	163	16	12 - 21
Junior/Senior High Schools	25	14	5 - 32
<b>All Schools</b>	<b>306</b>	<b>17</b>	<b>14 - 21</b>
<b>e. No students with known asthma have an asthma action plan on file</b>			
High Schools	118	4	2 - 8
Middle Schools	163	5	3 - 9
Junior/Senior High Schools	25	0	NA
<b>All Schools</b>	<b>306</b>	<b>4</b>	<b>2 - 7</b>

NA=Not available

N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.**

	N	Percent	95% Confidence Interval
<b>a. School does not identify students with poorly controlled asthma</b>			
High Schools	119	19	14 - 26
Middle Schools	165	9	6 - 12
Junior/Senior High Schools	25	12	4 - 29
<b>All Schools</b>	<b>309</b>	<b>13</b>	<b>10 - 16</b>
<b>b. Frequent absences from school</b>			
High Schools	119	37	30 - 44
Middle Schools	165	47	41 - 54
Junior/Senior High Schools	25	42	25 - 61
<b>All Schools</b>	<b>309</b>	<b>43</b>	<b>39 - 48</b>
<b>c. Frequent visits to the school health office due to asthma</b>			
High Schools	119	67	60 - 74
Middle Schools	165	69	63 - 75
Junior/Senior High Schools	25	72	59 - 83
<b>All Schools</b>	<b>309</b>	<b>69</b>	<b>64 - 73</b>
<b>d. Frequent asthma symptoms at school</b>			
High Schools	119	49	41 - 57
Middle Schools	165	64	57 - 70
Junior/Senior High Schools	25	48	32 - 65
<b>All Schools</b>	<b>309</b>	<b>57</b>	<b>52 - 62</b>
<b>e. Frequent non-participation in physical education class due to asthma</b>			
High Schools	119	34	28 - 41
Middle Schools	165	48	42 - 55
Junior/Senior High Schools	25	33	19 - 50
<b>All Schools</b>	<b>309</b>	<b>42</b>	<b>37 - 47</b>
<b>f. Students sent home early due to asthma</b>			
High Schools	119	41	35 - 48
Middle Schools	165	49	42 - 56
Junior/Senior High Schools	25	45	27 - 65
<b>All Schools</b>	<b>309</b>	<b>46</b>	<b>41 - 51</b>

NA=Not available

N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Calls from school to 911, or other local emergency numbers, due to asthma</b>			
High Schools	119	34	27 - 40
Middle Schools	165	26	21 - 32
Junior/Senior High Schools	25	15	7 - 32
<b>All Schools</b>	<b>309</b>	<b>28</b>	<b>24 - 32</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.**

	N	Percent	95% Confidence Interval
<b>a. Providing referrals to primary healthcare clinicians or child health insurance programs</b>			
High Schools	116	47	39 - 55
Middle Schools	157	46	39 - 53
Junior/Senior High Schools	24	44	29 - 60
<b>All Schools</b>	<b>297</b>	<b>46</b>	<b>41 - 51</b>
<b>b. Ensuring an appropriate written asthma action plan is obtained</b>			
High Schools	116	70	62 - 77
Middle Schools	159	74	68 - 80
Junior/Senior High Schools	25	80	66 - 90
<b>All Schools</b>	<b>300</b>	<b>73</b>	<b>68 - 77</b>
<b>c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school</b>			
High Schools	115	77	69 - 83
Middle Schools	157	81	74 - 86
Junior/Senior High Schools	25	76	58 - 88
<b>All Schools</b>	<b>297</b>	<b>79</b>	<b>74 - 83</b>
<b>d. Offering asthma education for the student with asthma and his/her family</b>			
High Schools	117	39	32 - 47
Middle Schools	158	46	39 - 54
Junior/Senior High Schools	25	45	33 - 57
<b>All Schools</b>	<b>300</b>	<b>43</b>	<b>38 - 48</b>
<b>e. Minimizing asthma triggers in the school environment</b>			
High Schools	118	67	59 - 74
Middle Schools	158	72	66 - 78
Junior/Senior High Schools	25	57	39 - 74
<b>All Schools</b>	<b>301</b>	<b>69</b>	<b>64 - 74</b>
<b>f. Addressing social and emotional issues related to asthma</b>			
High Schools	116	45	38 - 53
Middle Schools	156	43	37 - 49
Junior/Senior High Schools	25	45	28 - 63
<b>All Schools</b>	<b>297</b>	<b>44</b>	<b>39 - 49</b>

NA=Not available

N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.**

	N	Percent	95% Confidence Interval
<b>g. Providing additional psychosocial counseling or support services as needed</b>			
High Schools	116	47	40 - 55
Middle Schools	157	50	43 - 57
Junior/Senior High Schools	25	53	34 - 71
<b>All Schools</b>	<b>298</b>	<b>49</b>	<b>44 - 54</b>
<b>h. Ensuring access to safe, enjoyable physical education and activity opportunities</b>			
High Schools	115	80	72 - 86
Middle Schools	160	89	84 - 92
Junior/Senior High Schools	25	64	47 - 79
<b>All Schools</b>	<b>300</b>	<b>84</b>	<b>80 - 87</b>
<b>i. Ensuring access to preventive medications before physical activity</b>			
High Schools	116	76	68 - 81
Middle Schools	157	80	74 - 85
Junior/Senior High Schools	25	68	51 - 81
<b>All Schools</b>	<b>298</b>	<b>78</b>	<b>73 - 81</b>

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**43. Percentage of schools that have a designated and secure storage location for medications, including quick-relief asthma medications.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	119	99	95 - 100
Middle Schools	165	99	97 - 100
Junior/Senior High Schools	25	96	81 - 99
<b>All Schools</b>	<b>309</b>	<b>99</b>	<b>97 - 100</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**44. Percentage of schools with a designated and secure storage location for medications that is accessible at all times by the school nurse or her designee.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	117	100	NA
Middle Schools	162	99	97 - 100
Junior/Senior High Schools	24	100	NA
<b>All Schools</b>	<b>303</b>	<b>100</b>	<b>98 - 100</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**45. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.**

	N	Percent	95% Confidence Interval
<b>a. More than once per year</b>			
High Schools	119	5	2 - 10
Middle Schools	163	6	3 - 10
Junior/Senior High Schools	23	4	1 - 17
<b>All Schools</b>	<b>305</b>	<b>5</b>	<b>4 - 8</b>
<b>b. Once per year</b>			
High Schools	119	42	35 - 50
Middle Schools	163	53	46 - 59
Junior/Senior High Schools	23	58	43 - 71
<b>All Schools</b>	<b>305</b>	<b>49</b>	<b>45 - 54</b>
<b>c. Less than once per year</b>			
High Schools	119	11	7 - 16
Middle Schools	163	8	5 - 11
Junior/Senior High Schools	23	4	1 - 21
<b>All Schools</b>	<b>305</b>	<b>9</b>	<b>6 - 11</b>
<b>d. No such requirement</b>			
High Schools	119	42	34 - 50
Middle Schools	163	34	28 - 40
Junior/Senior High Schools	23	34	24 - 47
<b>All Schools</b>	<b>305</b>	<b>37</b>	<b>32 - 42</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**46. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	117	75	67 - 81
Middle Schools	165	73	67 - 78
Junior/Senior High Schools	25	51	37 - 64
<b>All Schools</b>	<b>307</b>	<b>72</b>	<b>67 - 76</b>

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**47. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Students</b>			
High Schools	87	91	84 - 95
Middle Schools	116	93	88 - 96
Junior/Senior High Schools	12	92	66 - 98
<b>All Schools</b>	<b>215</b>	<b>92</b>	<b>88 - 95</b>
<b>b. Parents/families</b>			
High Schools	87	89	81 - 93
Middle Schools	115	91	85 - 94
Junior/Senior High Schools	13	92	68 - 98
<b>All Schools</b>	<b>215</b>	<b>90</b>	<b>86 - 93</b>

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**Florida  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**48. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. No single individual is responsible</b>			
High Schools	83	23	16 - 33
Middle Schools	109	23	17 - 31
Junior/Senior High Schools	13	16	5 - 38
<b>All Schools</b>	<b>205</b>	<b>23</b>	<b>18 - 29</b>
<b>b. Principal</b>			
High Schools	83	12	7 - 19
Middle Schools	109	24	17 - 32
Junior/Senior High Schools	13	8	1 - 35
<b>All Schools</b>	<b>205</b>	<b>18</b>	<b>14 - 24</b>
<b>c. Assistant principal</b>			
High Schools	83	3	1 - 8
Middle Schools	109	4	2 - 8
Junior/Senior High Schools	13	0	NA
<b>All Schools</b>	<b>205</b>	<b>3</b>	<b>1 - 6</b>
<b>d. School nurse</b>			
High Schools	83	49	39 - 58
Middle Schools	109	38	30 - 47
Junior/Senior High Schools	13	77	52 - 91
<b>All Schools</b>	<b>205</b>	<b>45</b>	<b>39 - 51</b>
<b>e. Other school faculty or staff member</b>			
High Schools	83	14	9 - 21
Middle Schools	109	11	7 - 15
Junior/Senior High Schools	13	0	NA
<b>All Schools</b>	<b>205</b>	<b>11</b>	<b>8 - 15</b>

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**49. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. HIV, STD, or teen pregnancy prevention</b>			
High Schools	117	17	12 - 24
Middle Schools	158	14	10 - 19
Junior/Senior High Schools	24	11	4 - 25
<b>All Schools</b>	<b>299</b>	<b>15</b>	<b>12 - 18</b>
<b>b. Tobacco-use prevention</b>			
High Schools	117	24	18 - 32
Middle Schools	158	21	16 - 28
Junior/Senior High Schools	25	36	26 - 48
<b>All Schools</b>	<b>300</b>	<b>24</b>	<b>20 - 28</b>
<b>c. Physical activity</b>			
High Schools	117	23	17 - 31
Middle Schools	158	30	24 - 36
Junior/Senior High Schools	25	19	9 - 35
<b>All Schools</b>	<b>300</b>	<b>26</b>	<b>22 - 31</b>
<b>d. Nutrition and healthy eating</b>			
High Schools	116	28	21 - 36
Middle Schools	157	35	29 - 42
Junior/Senior High Schools	25	32	18 - 50
<b>All Schools</b>	<b>298</b>	<b>32</b>	<b>28 - 37</b>
<b>e. Asthma</b>			
High Schools	117	13	8 - 19
Middle Schools	157	12	8 - 17
Junior/Senior High Schools	25	7	2 - 22
<b>All Schools</b>	<b>299</b>	<b>12</b>	<b>9 - 15</b>

**Florida**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**50. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.**

	N	Percent	95% Confidence Interval
<b>a. HIV, STD, or teen pregnancy prevention</b>			
High Schools	117	30	23 - 38
Middle Schools	157	25	19 - 31
Junior/Senior High Schools	25	25	13 - 44
<b>All Schools</b>	<b>299</b>	<b>27</b>	<b>22 - 31</b>
<b>b. Tobacco-use prevention</b>			
High Schools	117	42	34 - 51
Middle Schools	157	32	26 - 39
Junior/Senior High Schools	25	33	23 - 45
<b>All Schools</b>	<b>299</b>	<b>36</b>	<b>31 - 41</b>
<b>c. Physical activity</b>			
High Schools	117	32	25 - 39
Middle Schools	156	35	29 - 41
Junior/Senior High Schools	25	25	15 - 39
<b>All Schools</b>	<b>298</b>	<b>33</b>	<b>28 - 38</b>
<b>d. Nutrition and healthy eating</b>			
High Schools	117	40	32 - 49
Middle Schools	158	43	36 - 50
Junior/Senior High Schools	25	22	12 - 35
<b>All Schools</b>	<b>300</b>	<b>40</b>	<b>35 - 45</b>
<b>e. Asthma</b>			
High Schools	116	15	10 - 22
Middle Schools	158	19	14 - 24
Junior/Senior High Schools	25	6	1 - 25
<b>All Schools</b>	<b>299</b>	<b>16</b>	<b>13 - 20</b>